

(Now the parking lot)

BUREAU INS. OF BUILDINGS.

Received. SEP 23 1887.

FORM No. 2-1887.

PLAN No. 1738

Original

B 556 APPLICATION TO ALTER, REPAIR, ETC. **1**

L 59 Application is hereby made to alter as per subjoined detailed statement of specification for Alterations, Additions or Repairs to buildings already erected, and herewith submit Plans and Drawings of such proposed alterations; and do hereby agree that the provisions of the Building Law shall be complied with, whether the same are specified herein or not.

(Sign here)

J. M. Merrick

NEW YORK, Sept. 22nd 1887

1. State how many buildings to be altered, One
2. What is the street or avenue and the number thereof? No. 814 - 3rd Ave. South west cor. 12th St.
3. How much will the alteration cost, \$ 1000.00 Dollars

GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING:

1. Size of lot on which it is located, No. feet front, 19^{ft} 0"; feet rear, 19^{ft} 0"; feet deep, 56^{ft} 3"
2. Size of building, No. of feet front, 19^{ft} 0"; feet rear, 19^{ft} 0"; feet deep, 43^{ft} 6"; No. of stories in height, Three; No. of feet in height, from curb level to highest point of beams, 30^{ft} 0"
3. Material of building, Brick; material of front, Brick
4. Whether roof is peak, flat, or mansard? Flat
5. Depth of foundation walls, 10 feet; thickness of foundation walls, 18; materials of foundation walls, Stone
6. Thickness of upper walls, 12 inches. Material of upper walls, Brick
7. Whether independent or party-walls, Party walls, independent
8. How the building is occupied, Bar Room on the Ground Floor, & by two families above.

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION:

1. How many stories will the building be when raised?
2. How high will the building be when raised?
3. Will the roof be flat, peak or mansard?
4. What will be the thickness of wall of additional stories? story, inches; story, inches.
5. Give size and material of floor beams of additional stories; 1st tier, x; 2d tier, x. Distance from centres on tier, inches; tier inches.
6. How will the building be occupied?

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

1. Size of extension, No. feet front, 12^{ft} 9"; feet rear, 12^{ft} 9"; feet deep, 19^{ft} 0"; No. of stories in height, Three; No. of feet in height, 30^{ft} 0"
2. What will be the material of foundation walls of extension, Stone. What will be the depth, 10 ft feet. What will be the thickness, 18 inches.
3. Will foundation be laid on earth, rock, timber or piles, Earth

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

4. What will be the base—stone or concrete? Stone If base stones, give size, and how laid 24" x 36" x 8" inches If concrete, give thickness, _____
5. What will be the sizes of piers? _____
6. What will be the thickness of upper walls in 1st story -12- inches; 2d story, -12- inches; 3d story, -12- inches; from thence to top, -12- inches; and of what materials to be constructed, Brick
7. Whether independent or party-walls; if party-walls, give thickness thereof, -8- inches.
8. With what material will walls be coped? Brick
9. What will be the materials of front? Brick If of stone, what kind _____ Give thickness of front ashlar, _____, and thickness of backing thereof, _____
10. Will the roof be flat, peak, or mansard? Flat
11. What will be the materials of roofing? Block tin
12. Give size and material of floor beams, 1st tier, 12 inches x 2 in; 2d tier, 12 in, -ch x 2 in; 3d tier, 10 inches x 2 in; 4th tier, _____ x _____; 5th tier, _____ x _____; 6th tier, _____ x _____; roof tier, 8 inches x 2 in State distance from centres on 1st tier -16 inches; 2d tier, -16 inches; 3d tier, -16 inches; 4th tier, _____ inches; 5th tier, _____ inches; 6th tier, _____ inches; roof tier, -16 inches.
13. If floors are to be supported by columns and girders, give the following information: Size and material of girders under 1st floor, _____, _____ x _____ under upper floors, _____ Size and material of columns under 1st floor, _____ under upper floors, _____
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars. The wall on the 12th St side to be supported by two Iron Girders about 13 ft. in length bolted together with flanges to take floor beams & resting upon Granite blocks 12" x 8" x 12"
15. If girders are to be supported by brick piers and columns, state the size of piers and columns. Small Iron Girders to be supported by 12 inch walls
16. How will the extension be connected with present or main building? By Brickwork

17. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy each floor. 1st floor by a store, 2nd & 3rd floor by one family each.

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE BUILDING WILL BE OCCUPIED:

The partition in the Entry of the 1st Story to be taken down & the stairs of that story boxed in to make a larger room. The 1st Story to be occupied by a Bar-room, - 2nd Story - one family - 3rd Story same.

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN WHAT MANNER:

The Iron Girders to be used in the extension to be 12 1/2 inches each bolted together.

The undersigned gives notice that he intends to use the Rear wall of building 84-3rd Avenue, The North side wall of 82-3rd Ave. & the East wall of No 128 E 12th Street as party wall in the erection of the extension building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation walls are built of stone, 28 inches thick 10 feet below curb; the upper wall is built of Brick, 12 inches thick; 12 1/2 feet deep, 30 feet in height.

BUREAU

Department of Buildings of The City of New York.

No. 1298

Act of 1904

State and City of New York, } ss.:
County of _____

Louis Falk

being duly sworn, deposes and says: That he resides at Number 2755 3rd Avenue in the Borough of Bronx in The City of New York, in the County of New York in the State of New York, that he is authorized by the

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan in The City of New York, aforesaid, and known and designated as Number 84-3rd Ave

and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, to wit: Plan No. _____ of 190 _____, is duly authorized to be performed by

Geo. Wudelkew, Louis Falk, Architect

duly authorized by The owner to make application in compliance with Chapter 378 of the Laws of 1897, and the Building Code, for the approval of such detailed statement of specifications and plans in owner's behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure, or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

Geo. Wudelkew No. 24 St. and 3rd Ave as Owner

Louis Falk No. 2755-3rd Ave as Architect

Rieger Son's No. 700 E 148 St. as Builders

The said land and premises above referred to, are situate at, bounded and described as follows,
viz.:

BEGINNING at a point on the _____ side of _____

South West _____, ~~City~~ _____ feet

~~from~~ the corner formed by the intersection of

3rd Ave _____ and *12th Street* _____

_____ running thence *South* *20-0* _____ feet;

thence _____ *West* *60-0* _____ feet;

thence _____ *North* *20-0* _____ feet;

thence _____ *East* *60-0* _____ feet

to the point or place of beginning. *Known as #84-3rd Ave*

Sworn to before me, this *15th*
day of *July* 190*4*

Louis Iulch

E. J. Carroll

Notary Public, _____ County.

Commissioner of Deeds
City of New York



ORIGINAL

*L. 59
1298*

B 556
L 59

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

2

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. *1518*

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) *Louis T. Falk*
(architect)

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN

July 15 1904

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered? *One*
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) *84 Third Ave-*
- How was the building occupied? *By Hotel (Hotel Rosley)*
How is the building to be occupied? *By Hotel*
- Is the building on front or rear of lot? *front* Is there any other building erected on lot or permit granted for one? Size.....x.....; height.....
How occupied?..... Give distance between same and proposed building.....feet.
- Size of lot? *20* feet front; *20* feet rear; *60* feet deep.
- Size of building which it is proposed to alter or repair? *20* feet front; *20* feet rear; *60* feet deep. Number of stories in height? *3* Height from curb level to highest point? *35*
- Depth of foundation walls below curb level? *9* Material of foundation walls? *stone*
Thickness of foundation walls? front *7 1/2* inches; rear *7 1/2* inches; side *7 1/2* inches; party *2 1/2* inches.
- Material of upper walls? *brick* If ashlar, give kind and thickness.....