Applicant must indicate the Building Line or Lines clearly and distinctly on the drawings. represent of Buildings of The City of New York.

J. BREDY, of the Board of Buildings and ioner of Buildings for the Borof Manhattan and The Bronx.

> Office, No. 220 Fourth Avenue, S. W. cor. 18th Street, Borough of Manhattan.

Јони Сипроуге,

Commissioner of Buildings for the Borough of Brooklyn.

Office, Borough Hall, Borough of Brooklyn. EP-

ДЕМЕР СИМЪВЕГГ,

Commissioner of Buildings for the Boroughs of Queens and Richmond.

Office, Richmond Building, New Brighton, Staten Island, Borough of Richmond.

Branch Office, Town Hall, Jamaica, Long Island,
Borough of Queens,

Plan No.

divea

APPLICATION TO ALTER, REPAIR, ETC.
Application is hereby made to the Commissioner of Buildings of The City of New York, for the Borough
of Manhattan & The Browse the approval of the detailed statement of the speci-
fications and plans herewith submitted, for the alteration or repair of the building herein described. All
provisions of the Building Code shall be complied with in the alteration or repair of said building , whether
specified herein or not
(Sign here) Ined Cheling
THE CITY OF NEW YORK, VILY 11th, 1961
BOROUGH OF Manhattan July 11 th 190/
LOCATION AND DESCRIPTION OF PRESENT BUILDING.
1. State how many buildings to be altered/
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet
from the nearest street or avenue, and the name thereof) 293 East South Stu.
fed west of Duc C.
2
3. How was the building occupied? # families
How is the building to be occupied? 4 families as at present
4. Is the building on front or rear of lot? Is there any other building on the lot?
If so, state size:feet front;feet rear;feet deep;
stories high. How occupied ?
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 24 feet deep.
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 24 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear;
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 24 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; 24 feet deep. Number of stories in height? Bas 184 Height from curb level to
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 24 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; 24 feet deep. Number of stories in height? Bas 18 4 Height from curb level to highest point? 38 feet
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 24 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; 24 feet deep. Number of stories in height? Bas 18 4 Height from curb level to highest point? 38 feet. 7. Depth of foundation walls below curb level? Material of foundation walls?
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 24 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; 24 feet deep. Number of stories in height? Bas 18 4 Height from curb level to highest point? 38 feet. 7. Depth of foundation walls below curb level? Material of foundation walls? Thickness of foundation walls? front 20 inches:
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 24 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; 2 feet deep. Number of stories in height? Bas 18 4 Height from curb level to highest point? 38 feet. 7. Depth of foundation walls below curb level? Material of foundation walls? Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party inches.
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 24 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; 2 feet deep. Number of stories in height? Bas 18 4 Height from curb level to highest point? 28 feet. 7. Depth of foundation walls below curb level? Material of foundation walls? Thickness of foundation walls? front inches; rear 20 inches; side 20 inches; party inches.
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 24 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; 2 feet deep. Number of stories in height? Bas 18 4 Height from curb level to highest point? 38 feet. 7. Depth of foundation walls below curb level? Material of foundation walls? Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party inches.
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 2 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; feet deep. Number of stories in height? Bas 18 Height from curb level to highest point? 38 feet 7. Depth of foundation walls below curb level? Material of foundation walls? Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party inches. 8. Material of upper walls? Bricks If ashlar, give kind and thickness 9. Thickness of upper walls:
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 2 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; 2 feet deep. Number of stories in height? Bas 18 4 Height from curb level to highest point? 38 feet. 7. Depth of foundation walls below curb level? Material of foundation walls? Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party inches. 8. Material of upper walls? Brick If ashlar, give kind and thickness
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 24 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; feet deep. Number of stories in height? Bas 18 4 Height from curb level to highest point? 38 feet. 7. Depth of foundation walls below curb level?
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 24 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; 2 feet deep. Number of stories in height? Bas'll 4 Height from curb level to highest point? 38 feet front; 20 Material of foundation walls? 7. Depth of foundation walls below curb level? Material of foundation walls? front inches; rear 20 inches; side 20 inches; party inches. 8. Material of upper walls? Brick If ashlar, give kind and thickness 9. Thickness of upper walls: Basement: front 20 inches; rear 20 inches; side 20 inches; party inches. 1st story: " 2 " 2 " " 3 " " " " " " " " " " " " "
stories high. How occupied? 5. Size of lot? 26 feet front; 26 feet rear; 2 feet deep. 6. Size of building which it is proposed to alter or repair? 23 feet front; 23 feet rear; 24 feet deep. Number of stories in height? Bas 18 Height from curb level to highest point? 38 feet. 7. Depth of foundation walls below curb level? Material of foundation walls? 7. Depth of foundation walls below curb level? Material of foundation walls? Front inches; rear inches; side inches; party inches. 8. Material of upper walls? If ashlar, give kind and thickness 9. Thickness of upper walls: Basement: front inches; rear inches; side inches; party inches. 1st story: "
stories high. How occupied? 5. Size of lot? 26
stories high. How occupied? 5. Size of lot? 26 2 feet front; 26 2 feet rear; 2 feet deep. 6. Size of building which it is proposed to alter or repair? 23 2 feet front; 23 2 feet rear; 2 feet deep. Number of stories in height? Bas 18 Height from curb level to highest point? 38 feet deep. Number of stories in height? Bas 18 Height from curb level to highest point? 38 feet deep. Number of stories in height? Bas 18 Height from curb level to highest point? 38 feet front inches? 7. Depth of foundation walls? Thickness of foundation walls? front inches; rear 20 inches; side 20 inches; party inches. 8. Material of upper walls? Basement: front 20 inches; rear 20 inches; side 20 inches; party inches. 9. Thickness of upper walls: Basement: front 20 inches; rear 20 inches; side 20 inches; party inches. 1st story: " 2 " " 2 " " " " " " " " " " " " " "

57.	How will cellar stairs be enclosed?						
	How cellar to be occupied? Height of cellar ceiling above sidewalk?						
	How lighted and ventilated?						
	How made water-tight ?						
59.	Give number of light and vent shafts						
	State materials to be used in their construction.						
60.	Will shafts be open or covered with louvre skylights full size of shafts?						
	Size of each shaft?						
61.	Dimensions of windows for living rooms?						
	What doors will have fan lights?						
	Dimensions of same ?						
63.	Of what materials will hall partitions be constructed?						
64.	Of what materials will hall floors be constructed ?						
65.	How will hall ceilings and soffits of stairs be plastered?						
	How will halls be lighted and ventilated?						
	Of what material will stairways be constructed?						
68.	If any other building on lot, give size: front ; rear ; deep ;						
	stories high ; how occupied ; on front or rear						
*	of lot; material						
	How much space between it and proposed building?						
69.	How will floors and sides of water closets to the height of 16 inches be made waterproof?						
70.	Number and location of water closets: Cellar ; 1st floor ; 2d floor ;						
	3d floor; 4th floor; 5th floor; 6th floor; 6th floor						
71.	Total area of shafts over 25 square feet? Of courts?						
	THEODORE GOETZE						
Owne	Theod Goetze Address, Those Road Long Island.						
Arch	Theread Entering the Go						
Super	rintendent, Owner. "						
Maso	n,						
Carpe	enter,						

AUTHORIZATION OF OWNER.

County of	
Herman a. Lactre	
being duly sworn, deposes and says: That he resides at Number 156 Stratfer	20/
Moad in the Borough of Brooklyn	
in the City of New Jors , in the County of Wew Jors	\sim
in the State of Sur Jose ; that he is the owner of all that	certain
lot, piece or parcel of land, situate, lying and being in the Borough of Zuan hartan	cortain
in The City of New York, aforesaid, and located by a certain diagram bearing date the	
day of	
Architect, which diagram is hereto annexed; the said premises being located on the Horth	************************
side of 4 side of and known and designated as Number 293-5-7	
and in such diagram more particularly desc	
that the tenement house proposed to be altered upon the said premises will be altered in accordance wi	ith the
accompanying detailed statement in writing of the specifications and plans submitted for the approval	of the
Tenement House Department by Ohas' Y and that he	hereb y
duly authorize the said Chas N. Lite a	*******
to make application inbehalf in compliance with Chapters 99 of the Laws of 1909 and 466	
Laws of 1901, for the approval of such detailed statement of the specifications and plans.	
He further says that the full names and residences, street and number, of the owner or owners	of the
He further says that the full names and residences, street and number, of the owner or owners said land, and of every person having an interest in said premises and tenement house either as clessee, or otherwise, as required by Section 120 of the Tenement House Law, are as follows:	owner,
Joustee of the dase No. Herry an (Address) Greets	
(Name) Jo Herrian (Address) Justy	.
	1315
Relation to premises) Aleruna for the No. 156 Stratford Road (Name) as July of the District (Relation to premises)	BK
og eg g	N.
as (Relation to premises)	
	D.
ALLASIEC A STREET, MI	
hore process of the p	
Sworn to before me this 10th & Herman Cl. Tocks	* .
day of luguet 1913	ng Saligum To Todal
Chast tellifle.	
Notice Public Of DEEDS	
Resisten # 60 of	
Coputy Clerks # 27	

AFFIDAVIT OF ARCHITECT.

State and with of Rew Hork,)
(a) (a) (B) (B) (B) (B) (B) (B) (B) (B) (B) (B
County of Man.
mas: gue
being duly sworn deposes and says: That he resides at Number
in the Borough of Zeoux
in the City of Agent Jon , in the County of Brown
in the State of Many ; that he is the Creditive
designated in the foregoing Authorization executed by the owner of all that certain lot, piece or parcel of land, shown
on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of
Mauhattan in The City of New York, aforesaid, and known and designated as Number
293-5-7 Sast 43 Sp.
and more particularly described in the said authorization from Owner; that the statements made in the foregoing
application are true; that the two sets of plans accompanying this application are identical in all particulars, and that said specifications and plans contain a correct description of the tenement house which it is proposed to alter, lot,
and work, and that the alteration of such tenement house will be done in accordance with such plans and specifica-
tions as approved, and that he hereby makes application in behalf of the said fruite
of 1909 and 466 of the Laws of 1901, as mended, for the approval of such detailed statement of specifications and plans.
of 1909 and 400 of the 13ws of 1901, as threided, for the approval of such detailed statement of specifications and plants.
Sworn to before me this
and mand 191 5
1 VI DON'X CO. 3
AVGUST 1915 Notary Public. Pront Co. 100
Note.—Any false swearing in a material point in the foregoing affidavits is deemed perjury. (Section 120, Tenement House Law.)
REPORT ON EXAMINATION.
To the Tenement House Commissioner of the City of New York.
Sir—I respectfully report that I have carefully examined the accompanying drawings and these specifications,
and find that they conform to the provisions of the Tenement House Law.
Charle Character
John P. Charge. Ait, Plan Examiner.
Dated Sept. 15th 1915.
Daved

These plans and specifications were referred to Inspector
District, on theday of
Clerk.
Dated191
FOR THE PARTY OF T
FINAL REPORT.
To the Tenement House Commissioner of the City of New York.
S _{IR} —I respectfully report that work was begun on the above-described premises on the
day 191 and completed on theday of
191 , and that said premises conform in all respects to the conditions of this permit and also to the provisions of the
Tenement House Law.
Respectfully submitted,
D-1-1
DatedDistrict.

NORTH 24.0" RECEIVED BUREAU OF BUILDINGS 90:0 SEP -8 1915. BOROUGH OF MANHATTAN CITY OF NEW YORK 2081 1915 24:00 AVE.

9-3-15-B-9000 - Form 104 Tenement House Department of The City of New York MUNICIPAL BUILDING VELSEP 41915 Centre and Chambers Ste. BOROUGH OF MANHATTAN THE BOROUGH CE MANHATTAN 9/3/15 XXX New York, To the Superintendent of Buildings, Borough of Manhattan, DEAR SIR: AUGH OF MANUTATIONS have been submitted to the Tenement House Department for the alteration of threetenement house located at 293-5-7 E. 4th St., Borough of Manhattan, by Architect Chas. H. Dietrich Address 529 B. 138th St. Owner Trustees of Theodoradress 156 Stratford Rd. Goetze, Bet. and have been____approved by the Tenement House A copy of the approved Department onplans is herewith forwarded to your department. Plan No. Alt. 857/15 xxx

Brooklyn, N.Y.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.

"SPECIFICATIONS—SHEET A" [Form 152] must be filed with EVERY Alteration Application.

"SPECIFICATIONS—SHEET B" [Form 158] must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building STOGE IN THE OWNER OF BUILDINGS.

3 DRAWINGS INSIDE

SEP -8 1915
BOROUGH OF MANHATTAN
CITY OF NEW YORK

ALT. APPLICATION No.

Form 159-1914

__191 🗸

LOCATION N. V. Cor. 4th St. & Ave. C. # 293-5-7 Rast 4th St. & 53 Ave. C.

Examined Sept. 15th 1916.

SPECIFICATIONS-SHEET A

- (1) Number of Buildings To Be Altered

 Any other building on lot or permit granted for one?
- (2) ESTIMATED COST OF ALTERATION: \$ 2500.
- (3) Occupancy (in detail):

 Of present building

 Stores and tenement

Of building as altered

same as before

(4) Size of Existing Building:
At street level 293-5,23 #297,41

At typical floor level same
Height #293,4story#295-7,5

feet front 24 feet deep feet front same feet deep stories #293,38 #295,46 #297 feet

(5) Size of Building as Altered:
At street level 293-5, 23 #297, 41
At typical floor level same
Height 293, 4story#295-7, 5

(6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING Ordinary brick

[Frame, Ordinary or Fireproof]

(7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Remove old and erect new partitions of stud lath and plaster as indicated on plans.

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF

Manhattan , CITY OF NEW YORK

MANHATTAN Municipal Bldg., Manhattan

APPLICATION No...

BROOKLYN Municipal Bldg., Brooklyn

BRONX QUEENS
Bronx County Bldg., 21-10 49th Avenue,
Grand Concourse & E. 161st St. L. I. City S

RICHMOND Boro Hall, St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE

DING NOTICE Application for Minor Structures, Minor Alterations and Repairs

19

Block...

2713

		,	
FEES REQUIRED FOR			
DISTRICT (under building zone res	olution) Use	Height	Area
		7	
Examined and Recommended	1	alt	16
FOA LIEUVA TO	8/17 193	1 steer	Justlew)
/ MUG 1/193	5		Examine
Approved	19 /	mais of	Borough Superintender
To The Borough Superintendent	City of	New York, Aug.	4, 1939
Application is hereby made f		and specifications her	ewith submitted and m
part hereof, for the erection or alter			
work is performed hereunder within			
as provided by law; and the applica Housing and Buildings, all provision			
provision of law relating to the erec			
g) a)	929	2	
(Sign Here) John	an den	Joseph	APPLIC
<i>U</i>			
(HERE S	TATE DEFINITELY NATUR	E OF PROPOSED WORK)
(HERE S	STATE DEFINITELY NATUR	E OF PROPOSED WORK)
(HERE S		Allera	SECOND STATE OF THE SECOND
	ld storefront an	d install new	storefront flus
I proposed to Remove ol	ld storefront an	d install new	storefront flus
I proposed to Remove ol	ld storefront and a strue no strue	d install new	storefront flus
I proposed to Remove of with building line	ld storefront and a strue no strue	d install new porcelain ens	storefront flus
I proposed to Remove of with building line	ld storefront and a strue no strue	d install new porcelain ens	storefront flus
I proposed to Remove of with building line	ld storefront and a strue no strue	d install new porcelain ens	storefront flus
I proposed to Remove ol	ld storefront and a strue no strue	d install new porcelain ens	storefront flus
I proposed to Remove of with building line	ld storefront and a strue no strue	d install new porcelain ens	storefront flus
I proposed to Remove of with building line	ld storefront and a strue no strue	d install new porcelain ens	storefront flus
I proposed to Remove of with building line	aluminum trim no stru applicant do	d install new porcelain ens	storefront flus
I proposed to Remove of with building line	ld storefront and a structure applicant do	porcelain ensetural changes	storefront flus
I proposed to Remove of with building line With building line Is this a new or old building? If old building, give character of co	aluminum trim no stru applicant do	d install new porcelain ensetural changes ing work alone	storefront flus
I proposed to Remove of with building line With building line Is this a new or old building? If old building, give character of converge of stories high.	applicant do	porcelain ensetural changes ing work alone old brick	storefront flus mel base. B/382
I proposed to Remove of with building line With building line Is this a new or old building? If old building, give character of converse of stories high. How occupied.	aluminum trim no stru applicant do	porcelain ensetural changes ing work alone old brick 4 store and	storefront flus
I proposed to Remove of with building line With building line Is this a new or old building? If old building, give character of converge of stories high.	aluminum trim no stru applicant do	porcelain ensetural changes ing work alone old brick	storefront flus mel base. B/382
I proposed to Remove of with building line With building line Is this a new or old building? If old building, give character of converse of stories high. How occupied.	aluminum trim no stru applicant do	porcelain ensetural changes ing work alone old brick 4 store and	storefront flus mel base. B/382



DEPARTMENT OF HOUSING AND BUILDINGS BOROUGH OF , CITY OF NEW YORK

MANHATTAN Municipal Bldg., New York? BROOKLYN Municipal Bldg., Brooklyn 2 BRONX 1932 Arthur Avenue Bronx 57 QUEENS 128-55 Queens Blvd., Kew Gardens 15, L. I. RICHMOND
Boro Hall,
St. George 1, S. I.

NOTICE—This Application must be TYPEWRITTEN

AUTHORIZATION OF OWNER-MULTIPLE DWELLING

PERMIT No	19	BLOCK	LOT
APPLICATION	5282	13.348	
N.B.—Alt.		19	
LOCATION 295 E.	4th Street, New	York City	
	Dros of Hone	om Daaltu Gaa	7
			states that he resides
at 295 E. 4th Street		Borough of	Manhattan
City of New York S	state of New Yor	that he is	sole Owner
of all that certain piece or lot of la	nd situated in the Bo	orough of Manha	ttan in the City of
New York, and located on the	North side of	E. 4th Street	and known as
No295 on said street	; that the multiple of	lwelling proposed to be	altered
upon said premises will be constr			
herewith for the approval of the I	Department of Housi	ng and Buildings; that	the work will be supervised
y Licensed Architect, Professiona	d Engineer or a Suj	perintendent of Constru	ction who has had ten years'
experience supervising building con	struction; and that	Ludwig P. Bono	- Architect,
601 E. Tremont Avenue	Bronx, New	York	is duly authorized by said
	owner to make a	pplication in said owne	r's behalf for the approval of
such specifications and plans in co	ompliance with Char	oter 713 of the Laws of	f 19 2 9.
Note:-This clause to be us	sed only when the j	person executing this a	authorization is not the sole
wner of the premises described he	erein.		
He further says that the full	names and residence	es, street and number, o	f the owner or owners of the
said land, and of every person have	ing an interest in sai	d premises and projecte	d multiple dwelling either as
owner, lessee, or otherwise, as rec	luired by Section 30	00 of the Multiple Dwel	ling Law, are as follows:
Henmor Realty Corp.	No.	295. E. 4th S	t., N. Y. C.
Name and Relationship to premises			ddress
Morris Weissblum, Pres Henry Weissblum, Sect.			
Name and Relationship to premises	No.	A	ddress
	No.	Morris/1	Messely Pr
Name and Relationship to premises	-18		ddress
	3-0-1-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	Signature	***************************************