

734

ORIGINAL.

Form No. 1-12

B379
L57

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

BUREAU OF BUILDINGS,
THE CITY OF NEW YORK,
DEC 30 1902
FOR THE BOROUGHS
OF MANHATTAN.

1

Plan No. 734

APPLICATION FOR ERECTION OF BRICK BUILDINGS,

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here) Bernstein & Bernstein

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, Dec. 30th 1902

1. State how many buildings to be erected... one
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof)... 713-715 E 9th St
3. Will the building be erected on the front or rear of lot?... Front
4. How to be occupied? Tenement If for dwelling, state the number of families in each house... 22 families
5. Size of lot?... 43 feet front; 43 feet rear; 92'-3" feet deep.
Give diagram of same.
6. Size of building?... 43 feet front; 30 feet rear; 49'-3" feet deep.
Size of extension?... feet front; ... feet rear; ... feet deep.
Number of stories in height: main building?... 6 cellars Extension?...
Height from curb level to highest point: main building?... 62' + 60' from top of ground to top of roof feet. Extension?... feet.
7. What is the character of the ground: rock, clay, sand, etc?... Sand
8. Will the foundation be laid on earth, rock, timber or piles?... Earth
9. Will there be a cellar?... yes
10. What will be the base, stone or concrete? concrete If base stones, give size and thickness, and how laid... if concrete, give thickness
12" thick x 12" wider than walls
11. What will be the depth of foundation walls below curb level or surface of ground?... 10 ft
12. Of what will foundation walls be built?... Brick & stone
13. Give thickness of foundation walls: front, ... inches; sides, 24 inches; rear, 24 inches; party, ... inches.

43. How basement to be occupied?
 How made water-tight?
44. How will cellar stairs be enclosed? *in Court walls*
45. How cellar to be occupied? *Stores & coal storage*
- How made water-tight? *Cement*
46. Will shafts be open or covered with louvre skylights full size of shafts? *Open*
- Size of each shaft? *see drawing*
47. Dimensions of water closet windows? *1'-6" x 4'-0"*
- Dimensions of windows for living rooms? *3 x 6 - 6" and 4 x 6 - 6"*
48. Of what materials will hall partitions be constructed? *8 x 12" Brick walls*
49. Of what materials will hall floors be constructed? *4" thick regular bonded brick arches*
50. How will hall ceilings and soffits of stairs be plastered? *wrought iron stairs*
51. Of what material will stairways be constructed? *wrought iron stairs*
- Give sizes of stair well holes. *4"*
52. If any other building on lot, give size: front; rear; deep; stories high; how occupied; on front or rear of lot; material
- How much space between it and proposed building?
53. How will floors and sides of water closets to the height of 16 inches be made waterproof? *Slats*
54. Number and location of water closets: Cellar 1; 1st floor 4; 2d floor 4; 3d floor 4; 4th floor 4; 5th floor 4; 6th floor 4; 7th floor
55. What is the estimated cost of each building, exclusive of lot? \$ *30000*
56. What is the estimated cost of all the buildings, exclusive of lots? \$
- Owner, *Julius Weinstem* Address, *192 Bowery*
- Architect, *Bernstein & Bernsten* " *111 Bdivg*
- Superintendent, *Orone* "
- Mason, "
- Carpenter, "

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,
 BOROUGH OF MANHATTAN, *Dec 30* 190*2*

The undersigned gives notice that *we* intend to use the *East West* wall of building

713 - 715 E. 9th St

as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall built of *Stone Brick 20x12"* inches thick, feet below curb; the upper wall built of *Brick 8x12x16"* inches thick, *4.8* feet deep, *4.0 x 6.0* feet in height.

(Sign here)

M. Bernstein