

550

535

1

July 15/11

B389  
L40

# Original Department of Buildings,

IN THE CITY OF NEW YORK.

OFFICE OF THE SUPERINTENDENT, No. 2 FOURTH AVENUE.

## DETAILED STATEMENT OF SPECIFICATIONS FOR THE ERECTION OF BUILDINGS.

1. State how many buildings to be erected, *one*
2. How occupied; if for dwelling, state the number of families, *from two to ten families on each floor*
3. What is the Street or Avenue, and the number thereof, *No. 641 Sixth Street*
4. On which side, North, South, East, or West, *North*
5. How many feet from the nearest street, *83'0"*
6. Whether North, South, East, or West of said street, *West*
7. What is the nearest street, *Ann C.*
8. Size of lot, No. of feet front *25*; No. of feet rear, *25*; No. of feet deep, *90'10"*
9. Size of building, No. of feet front, *25*; No. of feet rear, *25*; No. of feet deep, *25'*  
No. of stories in height, *5*; No. of feet in height, from curb level to highest point, *51*
10. What will each building cost (exclusive of the lot), \$ *14000*
11. What will be the depth of foundation walls, from curb level or surface of ground, *ten* feet.
12. Will foundation be laid on earth, rock, timber, or piles, *earth*
13. What will be the base, stone or concrete, *stone*; if base stones, give size, and how laid, *3x4 ft and 8" thick*; if concrete, give thickness, *—*
14. What will be the sizes of piers, *—*
15. What will be the sizes of the base of piers, *—*
16. What will be the thickness of foundation walls, *20"* and of what materials constructed, *blue stone in cement mortar*
17. What will be the thickness of upper walls in 1st story, *12* inches; 2d story, *12* inches; 3d story, *12* inches; from thence to top, *12* inches; and of what materials to be constructed, *red brick in lime & sharp sand mortar*
18. Whether Independent or Party-walls; if Party-walls, give thickness thereof, *on existing or de already built* inches.
19. With what material walls to be coped, *blue stone*
20. What will be the materials of front, *blue brick*; if of stone, what kind *—*; give thickness of front ashlar, *4"*, and thickness of backing thereof, *7 1/2" brick flat on 6" concrete*
21. Will the roof be Flat, Peak, or Mansard, *flat*
22. What will be the materials of roofing, *tin*
23. What will be the means of access to roof, *balcony & stairs*
24. What will be the materials of cornices, *galvanized iron*

39. If any wood houses, state where located, and of what materials, \_\_\_\_\_

40. How is the building to be ventilated, *In cellar, of wood* \_\_\_\_\_

41. How are the hall partitions to be constructed and of what materials? *plus it has some windows over door, also picture window in bullhead & ventilator on top of skylight* \_\_\_\_\_

42. How are the stairways to be constructed and of what materials? *of wood, there is 1? they filled in with brick & all set as building progresses from story to story* \_\_\_\_\_

43. How are the floors and ceilings of the cellar and first story to be constructed? *of wood, cellar stairs enclosed by an 8" brick wall & in door hung at foot of stairs* \_\_\_\_\_

44. If there is any building already erected on the front or rear of the lot, give size of the same, state how occupied (if for a tenement, state by how many families), and how many feet of space there will be between the building proposed to be erected, and the one already erected, *in* \_\_\_\_\_

45. Will all materials and workmanship be in accordance with the requirements of the law, *yes* \_\_\_\_\_

46. If any walls already built are to be used as party-walls, fill up the application below.

**APPLICATION TO USE PARTY-WALLS.**

The undersigned gives notice that *he* intends to use the *eastern* wall of building *N. 629 Sixth St* as party-wall in the erection of the building described above, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall *is* built of *stone*, *20* inches thick; the upper wall *is* built of *brick*, *12* inches thick, *50* feet in height, *80* feet deep, \_\_\_\_\_

(SIGN HERE)

*J. Gotsch*  
*In William Jose*

Owner *J. Gotsch* \_\_\_\_\_

Address *E. N. Jose* \_\_\_\_\_

Architect *William Jose* \_\_\_\_\_

Address *185 Broadway* \_\_\_\_\_

Mason \_\_\_\_\_

Address \_\_\_\_\_

Carpenter \_\_\_\_\_

Address \_\_\_\_\_

*Original*

675  
11/7/4

DETAILED STATEMENT OF SPECIFICATIONS FOR ALTERATIONS, ADDITIONS, OR REPAIRS TO BUILDINGS, ALREADY ERECTED.

1

B389  
L41

1. State how many buildings to be altered, *one*
2. What is the Street or Avenue, and the number thereof, *634 1/2 Street, near City St.*
3. Ward, *11<sup>th</sup> Ward.*

**PRESENT BUILDING.**

*Give the following information as to the present building:*

1. Size of lot on which it is located, No. feet front, *25.0'*; feet rear, *25.0'*; feet deep, *97.6'*
2. Size of building, No. feet front, *25.0'*; feet rear, *25.0'*; feet deep, *86'*; No. of stories in height, *5*; No. of feet in height, from curb level to highest point, *55 feet*
3. Material of Building, *Bricks*; Material of Front, *Bricks*
4. Whether roof is Peak, Flat, or Mansard, *Flat*
5. Material of Roofing, *Tin*
6. Depth of foundation walls, *8.0'*, feet. Thickness of foundation walls, *20.0"*, inches. Material of foundation walls, *Bricks Bluestone*
7. Thickness of upper walls, *12.0"*, inches. Material of upper walls, *Bricks*
8. Whether Independent or Party-walls, *west wall independent east wall party.*
9. Whether there is any other building on the lot, *no*
10. How the building is occupied,

**HOW TO BE ALTERED.**

**IF RAISED OR BUILT UPON,**

*Give the following information:*

1. How many stories will the building be when raised,
2. How many feet high will the building be when raised,
3. Will the roof be Flat, Peak, or Mansard,
4. What will be the material of roofing,
5. What will be the material of cornices and gutter,
6. What will be the means of access to roof,
7. Will a Fire-escape be provided, if required,
8. Will Iron shutters be provided, if required,
9. How will the building be occupied.

*E. T. Brown*



**IF EXTENDED ON ANY SIDE.**

Give the following information :

1. Size of extension, No. of feet front, ..... ; feet rear, ..... ; feet deep, ..... ; No. of stories in height, ..... ; No. of feet in height, .....
2. What will be the material of foundation walls of extension, ..... What will be the depth, ..... feet. What will be the thickness, ..... inches.
3. What will be the material of upper walls of extension, ..... How thick will the upper walls be, ..... inches.
4. Will the roof of extension be Flat, Peak, or Mansard, .....
5. What will be the material of roofing, .....
6. What will be the material of cornice and gutter, .....
7. Will iron shutters be provided, if required, .....
8. How will the extension be occupied, .....
9. How will the extension be connected with present or main building, .....

**IF ALTERED INTERNALLY.**

Give definite particulars, and state how the building will be occupied, and if for a dwelling, state by how many families.

Two stories on 1st floor 16 Families on the other floors  
 Take down the Rear wall and 12 feet from the flank walls  
 built Rear wall up 16" inch first story 12" up to top.  
 cut in new stairway and set new Partitions

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT.

Give Definite particulars, and state in what manner.

built new Chimney as per Diagram Take down front wall  
 built pier for cellar with Blue Stone Caps. granite Block on  
 top timber 12" x 12" two 8" x 12" cast iron post. Lintel to be cast,  
 and 12" brick arches trans over same.

**THE FOLLOWING INFORMATION IS ALSO REQUIRED.**

1. If the building is to be occupied as a tenement building after the proposed alteration, will it be altered in every respect to conform with the provisions of Section 28 of the Building Law, *Yes*

2. How much will the Alteration cost, \$ *6000.00*

3. Will all materials and workmanship be in accordance with the provisions of the Law, *Yes*

Owner *Joh. Pittiken* Address *Williamsborough W. 30*  
 Architect *Chs. Stuetz* Address *226 E 41th Street*  
 Mason \_\_\_\_\_ Address \_\_\_\_\_  
 Carpenter \_\_\_\_\_ Address \_\_\_\_\_

B389

L41

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN, Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street.

Plan No. 731

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) A. Reissman

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, April 12, 1905.

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) North side of 6th St. 100ft. west of Ave. A. #639
- How was the building occupied? tenement  
How is the building to be occupied?
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size \_\_\_\_\_ x \_\_\_\_\_; height \_\_\_\_\_ How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
- Size of lot? 25 feet front; 25 feet rear; 92 feet deep.
- Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 73 feet deep. Number of stories in height? 5 Height from curb level to highest point? 55 ft
- Depth of foundation walls below curb level? 8 ft Material of foundation walls? stone Thickness of foundation walls? front 24 inches; rear 24 inches; side 24 inches; party 24 inches.
- Material of upper walls? brick If ashlar, give kind and thickness \_\_\_\_\_
- Thickness of upper walls:  
Basement: front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches; party \_\_\_\_\_ inches.  
1st story: " 16 " " 16 " " 16 " " 16 "  
2d story: " 12 " " 12 " " 12 " " 12 "  
3d story: " 12 " " 12 " " 12 " " 12 "  
4th story: " 12 " " 12 " " 12 " " 12 "  
5th story: " 12 " " 12 " " 12 " " 12 "  
6th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "
- Is roof flat, peak or mansard? flat

58. Dimensions of water-closet windows? .....  
 Dimensions of windows for living rooms? .....
59. Of what materials will hall partitions be constructed? .....
60. Of what materials will hall floors be constructed? .....
61. How will hall ceilings and soffits of stairs be plastered? .....
62. Of what material will stairways be constructed? .....
- Give sizes of stair well holes? .....
63. If any other building on lot, give size; front .....; rear .....; deep .....;  
 stories high .....; how occupied .....; on front or rear  
 of lot .....; material .....
- How much space between it and proposed building? .....
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? .....
65. Number and location of water closets: Cellar .....; 1st floor .....; 2d floor .....;  
 3d floor .....; 4th floor .....; 5th floor .....; 6th floor .....
66. This building will safely sustain per superficial foot upon the first floor ..... lbs.; upon 2d floor  
 ..... lbs.; upon 3d floor ..... lbs.; upon 4th floor ..... lbs.; upon 5th floor  
 ..... lbs.; upon 6th floor ..... lbs.; upon 7th floor ..... lbs.; upon 8th floor  
 ..... lbs.

Owner, J. Mary Address, 61 Ave B.  
 Architect, O. Reissmann " 30 First St  
 Superintendent, owner "  
 Mason, \_\_\_\_\_ "  
 Carpenter, \_\_\_\_\_ "



COPY.

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan, In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN, Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street.

RECEIVED SEP 21 1905 OFFICE OF THE BOROUGH OF MANHATTAN

Plan No. 2703

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) William C. Laurigan

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, Sept. 21 1905.

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- 1. State how many buildings to be altered one
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) North side of 6th St. 83' west of av. C. #641.
3. How was the building occupied? Store and Tenements
How is the building to be occupied? same
4. Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? Size; height How occupied? Give distance between same and proposed building feet.
5. Size of lot? 24'-9" feet front; 24'-9" feet rear; 90'-10 1/2" feet deep.
6. Size of building which it is proposed to alter or repair? 24'-9" feet front; 24'-9" feet rear; 7' feet deep. Number of stories in height? 5 Height from curb level to highest point? 51.
7. Depth of foundation walls below curb level? 7'-6" Material of foundation walls? Stone Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party inches.
8. Material of upper walls? brick If ashlar, give kind and thickness.
9. Thickness of upper walls: Basement: front inches; rear inches; side inches; party inches. 1st story: Iron Col. 12 12 2d story: 12 3d story: 4th story: 5th story: 6th story:
10. Is roof flat, peak or mansard? Flat.

58. Dimensions of water-closet windows? .....  
 Dimensions of windows for living rooms? .....
59. Of what materials will hall partitions be constructed? .....
60. Of what materials will hall floors be constructed? .....
61. How will hall ceilings and soffits of stairs be plastered? .....
62. Of what material will stairways be constructed? .....
- Give sizes of stair well holes? .....
63. If any other building on lot, give size; front.....; rear.....; deep.....;  
 stories high.....; how occupied.....; on front or rear  
 of lot.....; material.....  
 How much space between it and proposed building?.....
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? .....
65. Number and location of water closets: Cellar.....; 1st floor.....; 2d floor.....;  
 3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....
66. This building will safely sustain per superficial foot upon the first floor..... lbs.; upon 2d floor  
 ..... lbs.; upon 3d floor..... lbs.; upon 4th floor..... lbs.; upon 5th floor  
 ..... lbs.; upon 6th floor..... lbs.; upon 7th floor..... lbs.; upon 8th floor  
 ..... lbs.

Owner, Estate of John May Address, 648 E. 5th St. N.Y.

Architect, William P. Lauritzen " 1135 Broadway "

Superintendent, \_\_\_\_\_ " \_\_\_\_\_

Mason, \_\_\_\_\_ " \_\_\_\_\_

Carpenter, \_\_\_\_\_ " \_\_\_\_\_



DEPARTMENT OF BUILDINGS  
BOROUGH OF \_\_\_\_\_, CITY OF NEW YORK

MANHATTAN  
Municipal Bldg.,  
Manhattan

BROOKLYN  
Municipal Bldg.,  
Brooklyn

BRONX  
Bronx County Bldg.,  
Grand Concourse & E. 161st St.  
Bronx

QUEENS  
21-10 49th Avenue,  
L. I. City

RICHMOND  
Boro Hall  
St. George, S. I.

NOTICE—This application shall be typewritten and filed in triplicate for the erection or alteration of fire-escapes on Class A. and B. multiple dwellings only.

LOCATION 639 E. 6th Street FIRE-ESCAPE APPLICATION NO. 193

Date April 12, 1938

To the Commissioner of Buildings,  
Borough of \_\_\_\_\_

I hereby request permission to ~~erect~~ <sup>erect</sup> fire-escapes in compliance with a violation received from the Ten. House Dept  
Classification of Building Tenant Height in Stories 5  
Location of Fire-escapes Front of building State method to be used for protection of public during the erection or alteration of fire-escapes Tarpaulin  
Type of Fire-escapes to be erected or altered Type A

NOTE:—Specify means of egress from yard or court if fire-escapes are to be erected in a court or on the rear of the building

If the construction of fire-escapes is to be other than in accordance with Section 145 of the Multiple Dwelling Law and the Rules and Regulations of the Department, a special detail must be filed.

A true copy of the violation must be filed with this application.

Owner of Building Frances Mickiewicz  
Address 93 East 7th Street

Cost \$230.00 Proof of Workmen's Compensation must be filed before this application is approved.

Policy No. Y 116435 State Insurance Fund, expires Oct. 4, 1938

Affidavit of Applicant

State and City of New York,  
County of \_\_\_\_\_ ss.:

Murray Blumberg being duly sworn,  
deposes and says that he is duly authorized by the owner of the above building to make this application in his behalf, and that all provisions of the Multiple Dwelling Law and the Rules and Regulations of the Department of Buildings governing said installation will be complied with, whether specified herein or not. The statements made in this application are true.

Sworn to before me, this \_\_\_\_\_  
day of \_\_\_\_\_ 193\_\_\_\_\_

Signature Murray Blumberg  
Address 334 East 110th Street

Commissioner of Deeds

When properly signed by the Commissioner of Buildings, this application becomes a PERMIT to alter erect the fire-escapes herein described, in the manner agreed upon and prescribed by law. If no work is performed hereunder within one year from the time of issuance, this permit shall expire and become void.

Recommended for Approval 4-18-38 193\_\_\_\_\_

APPROVED 4-19 193\_\_\_\_\_

[Signature]  
Examiner  
[Signature]  
Commissioner of Buildings

WARNING:—Existing fire-escapes are not to be removed until such time as the new fire-escapes are delivered to the building upon which they are to be erected.

FINAL REPORT

Date May 25th 193\_\_\_\_\_

To the Commissioner of Buildings,  
Borough of \_\_\_\_\_  
City of New York  
Sir:

I respectfully report that work was begun on the above described premises on the 18 day of April 193\_\_\_\_\_ and completed on the 27th day of May 193\_\_\_\_\_, and the erection of said fire-escapes conforms in all respects to the conditions of the above permit and to the provisions of the Multiple Dwelling Law and the Rules and Regulations of the Department of Buildings relative thereto.

Respectfully submitted,

[Signature]

A J B Bergen  
Inspector





# THE CITY OF NEW YORK DEPARTMENT OF BUILDINGS

**MANHATTAN**  
Municipal Bldg.  
New York 7

**BROOKLYN**  
Municipal Bldg.  
Brooklyn 1

**BRONX**  
1932 Arthur Ave.,  
New York 57

**QUEENS**  
120-55 Queens Blvd.,  
Kew Gardens 24, L. I.

**RICHMOND**  
Boro Hall,  
St. George 1, S. I.

## PLUMBING, MECHANICAL EQUIPMENT AND TANK INSTALLATION

BLOCK 389 LOT 41

FEES REQUIRED FOR  
~~NK~~  
ALT. No. 195



Street No. and LOCATION 639 E. 6 Street E.S. 108'0" N of Avenue C Manhattan  
 Owner 105 Thompson St. Corp Address 2680 E. 19 St., B'klyn  
 Lessee \_\_\_\_\_ Address \_\_\_\_\_  
 Architect Sidney H. Kitzler Address 66 Court St., B'klyn  
 Contractor \_\_\_\_\_ Address \_\_\_\_\_

**COMPENSATION INSURANCE** has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:

To The Borough Superintendent: \_\_\_\_\_ City of New York, 2/5/60, 19\_\_\_\_\_

Application is hereby made on behalf of the owner-lessee for approval of the plans and specifications herewith submitted, and made a part hereof, for the erection, alteration or installation of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with the Building Code and all rules and regulations applicable thereto in effect at this date.

Applicant (Sign Here) \_\_\_\_\_ Address 66 Court St., B'klyn

Examined and Recommended for Approval on \_\_\_\_\_ 19\_\_\_\_\_ Examiner \_\_\_\_\_

APPROVED \_\_\_\_\_ 19\_\_\_\_\_ Borough Superintendent [Signature]

Initial fee payment—

2nd payment of fee to be collected before a permit is issued—Amount \$ \_\_\_\_\_

Verified by \_\_\_\_\_ Date \_\_\_\_\_

ADDITIONAL FEES REQUIRED \_\_\_\_\_ AMOUNT \$ \_\_\_\_\_  
 VERIFIED BY \_\_\_\_\_ (Yes or No) DATE \_\_\_\_\_

Work Included Herein: Plumbing?  Sprinkler?  Gas Pipe?  Oil?   (See Code of Regulations)  
 1. State in detail the work proposed Install 2 new waterclosets on 2-3-4-5- floors

Is this a new or old building? old

Give character of construction non fireproof Class: 3  
 Dimensions: Stories High 5 & base Feet High 55 Feet Front 25 Feet Deep 75

How occupied Old Law Tenement No. of Families 19 Div. of Housing \_\_\_\_\_

Is application made to remove a violation or order of any Dept.? yes Give No. \_\_\_\_\_  
 How to be occupied Old Law tenement  
 Estimated Cost 1600.00

(Any variation in estimated cost shall be filed and recorded as an amendment.)

**Exemptions**  
 If exemption from payment of fee is claimed, state clearly the basis of claim included in general cost

**NOTICE**—This application must be typewritten and filed in quadruplicate. All proposed work under this application must be shown on plans and section. All vertical lines of soil, waste, leader and refrigerator pipes should be designated by numbers or letters. A soil or waste line and its attendant vent line may be considered as one stack, and so numbered or lettered. In alterations, NEW WORK ONLY should be specified. When new fixtures are to be connected to present lines, the location and diameter of said lines must be shown on the plan. Minor alterations in connection with work described may be included in this form.



THE CITY OF NEW YORK

DEPARTMENT OF BUILDINGS

MANHATTAN  
Municipal Bldg.,  
New York, N. Y. 10007

BROOKLYN  
Municipal Bldg.,  
Brooklyn, N. Y. 11201

BRONX  
1932 Arthur Avenue,  
Bronx, N. Y. 10457

QUEENS  
129-55 Queens Blvd.,  
Kew Gardens, N. Y. 11424

RICHMOND  
Boro Hall,  
St. George, N. Y. 10301

Cost of Demolition \$ 8000.00  
 Cost of Sidewalk Shed \$ 100.00  
 TOTAL COST \$ 8100.00 Fee \$ 15.00  
 Shed or Fence Doc. No. 163 85 Fee \$ 10.00



BLOCK 389 LOT 40

LOCATION 641 East 6th St NS 83' from NW corner of Av G  
 House Number Street Distance from Nearest Corner Borough

RECOMMENDED for Approval on 19  
 APPROVED 6 1968 19  
 Examiner.  
 Borough Superintendent.

Upon approval by the Borough Superintendent this is a Permit to Proceed with Demolition.

To the Borough Superintendent: New York City, 19

Notice is hereby given of intention to DEMOLISH the building(s) herein described and located, and the undersigned applicant hereby agrees to comply strictly with all rules and regulations of the Department of Buildings, the provisions of the Administrative Code of the City of New York; the New York State Labor Law and with every other provision of law relating to this subject whether specified herein or not.

House No.	Number of Bldgs.	Occupancy	Is Bldg. Occupied Yes or No	No. of Apts.	Height		Set Back from Bldg. Line Feet	Dimension of Structure(s)			Building Has Party (1)		
					Stories	Feet		Ft. Front	Ft. Rear	Ft. Deep	Walls (1)	Fire Escapes (1)	Balconies
641	1	dwelling	No	20	5	50	-0-	25	25	85	No	No	No

Cashier  
fee payment

Is sidewalk shed to be erected? Yes  No  If yes, fill out the following.

Sidewalk Shed. Length 25 Feet. Loading Type Unloading Type

Sidewalk sheds must be constructed according to standard structural designs of the Department of Buildings.

Traffic Lights. No sidewalk shed or fence shall interfere with visibility or operation of any traffic light. The Department of Traffic shall be notified whenever such structure is to be erected within seventy-five (75) feet of a traffic light. Failure to comply may be cause for revocation of this permit.

NO MECHANICAL MEANS OF DEMOLITION BY BALL, BUCKET, CABLE, ETC. WILL BE USED IN THE DEMOLITION WORK CALLED FOR UNDER THIS APPLICATION WITHOUT SPECIAL WRITTEN PERMISSION OF THE BOROUGH SUPERINTENDENT AND UNDER SUCH CONDITIONS AS HE PRESCRIBES.

Water Department, plug permit No. 15073  
 Sewer connection sealed on completion of demolition, 19 by Parisi Water & Sewer Service Company  
 Electric Service to building disconnected on 10/14/68, 19 by Con Ed Company  
 Gas Service to building disconnected on 10/14/68, 19 by Con Ed Company

NOTIFY THE TELEPHONE COMPANY BEFORE YOU START WORK - DIAL 611 - REPAIR SERVICE

NOTICE - This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE

COMPENSATION INSURANCE has been secured in accordance with the requirements of the Workmen's

Compensation Law as follows: Michigan Mutual Liability Co SR-31-938696 Exp 5/1/69

Owner Dept of Housing & Development No. 2 Lafayette St NYC  
Name and Relationship to Premises Address

Name and Relationship to Premises No. Address

(If a corporation, give full name and address of at least two officers.)

Wrecker ASSOCIATED WRECKERS, INC Address Rt 3 Secaucus, NJ

Isidor Fuster states that he resides at  
Rt 3 Secaucus, NJ

Dept of Housing & Development 2 Lafayette St NYC who is the  
(Name) (Address)

OWNER of the building to be demolished as herein prescribed and said OWNERS  
(Owner, Etc.)

consent to the demolition has been obtained by me and that all statements contained in this application are true and correct.

Dated \_\_\_\_\_ Sign here, with full name \_\_\_\_\_  
(Applicant)

Isidor Fuster for ASSOCIATED WRECKERS, INC  
(If a corporation, name and title of officer signing)

Rt 3 Secaucus, NJ  
(Address)

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

Referred to U. B. Clerk on DEC 6 1968 19 ,  
for report, stating all pending unsafe building cases against the property covered by this notice, and all unpaid bills for emergency work or survey and search fees, if any.


SURVEY FEE WAIVED FOR THE DEPT OF HOUSING & DEVELOPMENT  
(Dated) DEC 6 1968 (Signed) Isidor M Cohen

Referred to Inspector on 19 ,  
for supervision, and FINAL REPORT when work has been completed.

DEMOLITION COMMENCED 19  
DEMOLITION COMPLETED 19

(Dated) \_\_\_\_\_ (Signed) \_\_\_\_\_  
Inspector \_\_\_\_\_ District \_\_\_\_\_

### PLOT DIAGRAM



**Bribery is a Crime:** A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law, Section 378 and 1826.