

Original

APPLICATION FOR ERECTION OF BUILDINGS.

Application is hereby made to erect four building as per subjoined detailed statement of specification for Erection of Buildings, and we herewith submit Plans and Drawings of such proposed building and we do hereby agree that the provisions of the Building Law will be complied with whether the same are specified herein or not.

NEW YORK, February 6th 1889 (Sign here) Char. Aug. Ruff
P. Kuntze & Köhl, Archts

1. State how many buildings to be erected, Four
2. How occupied; if for dwelling, state the number of families, 20 families each
3. What is the street or avenue and the number thereof? (Give diagram of property.) 42^e 626 to 634 E 9th Street (See location per margin)
4. Size of lot, No. of feet front, 27'6"; No. of feet rear, 27'6"; No. of feet deep, 94'
5. Size of building, No. of feet front, 27'6"; No. of feet rear, 27'6"; No. of feet deep, 82'
No. of stories in height, 5; No. of feet in height, from curb level to highest point of roof beams, 59'
6. What will each building cost [exclusive of the lot], \$ 18000⁰⁰/₁₀₀ Each
7. What will be the depth of foundation walls, from curb level or surface of ground, 8 feet
8. Will foundation be laid on earth, sand, rock, timber or piles? on Earth
9. What will be the base—stone or concrete? base stone. If base stones, give size and thickness and how laid 3' x 3' and 8" thick. If concrete, give thickness. —
10. What will be the sizes of piers? —
11. What will be the sizes of the base of piers? —
12. What will be the thickness of foundation walls? 24 inches and of what materials constructed, Blue Stone laid in cement mortar
13. What will be the thickness of upper walls? Basement 24 inches; 1st story, 16 inches; 2d story, 12 inches; 3d story, 12 inches; 4th story, 12 inches; 5th story, 12 inches; 6th story, _____ inches; 7th story, _____ inches; from thence to top, 12 inches; and of what materials to be constructed, hard brick in good mortar
14. Whether independent or party-walls; if party-walls, give thickness thereof, 12 inches;
15. With what material will walls be coped? with blue stone
16. What will be the materials of front? brick. If of stone, what kind, —
Give thickness of ashlar, — and thickness of backing in each story, —
17. Will the roof be flat, peak, or mansard? flat
18. What will be the materials of roofing? tin
19. Give size and materials of floor beams. 1st tier, 3 x 10; 2d tier, 3 x 10
; 3d tier, 3 x 10; 4th tier, 3 x 10; 5th tier, 3 x 10
; 6th tier, _____; 7th tier, _____
; 8th tier, _____; roof tier, 3 x 9
State distance from centres. 1st tier, 16 inches; 2d tier, 16 inches; 3d tier, 16 inches;
4th tier, 16 inches; 5th tier, 16 inches; 6th tier, _____ inches; 7th tier, _____
inches; 8th tier, _____ inches; roof tier, 20 inches.
20. If floors are to be supported by columns and girders, give the following information: Size and material of girders under 1st floor, 8 x 8 iron girder under each of the upper floors, _____
Size and materials of columns under 1st floor, 7" diam brick posts under each of the upper floors, _____
21. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars, Over 1st story window and door opening have two 5" rolled beams, windows of 1st story to be mullion windows
22. If girders are to be supported by brick piers and columns, state the sizes of piers and columns. _____
23. State by whom the construction of the building is to be superintended Kuntze & Köhl

South Side of E. 9th Street commencing 230 feet west of E. & S.

391
391
120

IF THE BUILDING IS TO BE OCCUPIED AS A APARTMENT OR TENEMENT HOUSE, GIVE THE FOLLOWING PARTICULARS.

1. State how many families are to occupy each floor, and the whole number in the house; also, if any part is to be used as a store or for any other business purposes, state the fact, 4 families on each floor
2. What will be the heights of ceilings? 1st story 10'6" feet; 2d story, 9'6" feet; 3d story, 9 feet; 4th story, 9 feet; 5th story, 9 feet; 6th story _____ feet; 7th story, _____ feet.
3. How are the hall partitions to be constructed and of what materials? of 3x4 joists and 16" from center and plastered two good coats of brown mortar both sides

Owner: Char + Aug Ruff Address: 56 Norfolk Street
 Architect: Kuntze + Röhle Address: cor. 3rd Ave + 7 Street
 Mason _____ Address _____
 Carpenter _____ Address _____

IF A WALL OR PART OF A WALL ALREADY BUILT IS TO BE USED, FILL UP THE FOLLOWING.


The undersigned give notice that they intend to use the westerly wall of building No 636 E. 9 Street as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall is built of stone 20 inches thick, Eight feet below curb; the upper wall is built of brick, 12 inches thick; 48 feet deep, 50 feet in height.

(Sign here) Char + Aug Ruff & Kuntze + Röhle Architects.

NOTE.—In making application for the erection of buildings the following drawings must be furnished: Plans of each and every story, front, rear and side elevations, and longitudinal and transverse erections. All plans must be drawn to a uniform scale and must be on tracing cloth, properly designated and colored.

THE BUILDING LAW REQUIRES :

- 1st—All stone walls must be properly bonded.
- 2d—All skylights having a superficial area of more than 9 square feet must be of iron and glass.
- 3d—All buildings over two stories or above 25 feet in height, *except dwellings, school houses, and churches.* on streets less than 30 feet wide, must have iron shutters on every window and opening *streets over 30 feet wide are exempted.*



ments before they are used as such.
 9th—No iron beam, lintel, or girder, intended to span an opening over eight feet, intended to be used for that purpose, *until tested and approved as provided by law.*

ADMINISTRATIVE RECORDS AND RECORDS

ADDRESS: 630 East 9th. st Block 301 Lot 22

DEPARTMENT OF HEALTH SERVICES

No. 84896

PERMITS AND LICENSING:

Is fuel consuming equipment to be installed, reconstructed or altered? (Yes or No...Yes.....)

The fuel consuming equipment will be domestic *****not*

***** equipment or space heaters and will not exceed

350,000 B.T.U. per hour.

Is an inhibitor to be installed? (Yes or No...No.....)

REMARKS:

Smoke control board approval required No (Yes or No)

6/8/57

[Signature]

[Initials]

COPY ORIGINAL

DEPARTMENT OF BUILDINGS

BOROUGH OF Man., THE CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Ave.,
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT

2358

PERMIT No. 19 58 } Application No. Alt. 855 19 58
N. B. }
58 ALT. }
ELEV. }
SIGN }

LOCATION 630 E. 9th St., Man.
BLOCK 391 LOT 22

FEES PAID FOR Estimated Cost \$5000.00

NOTE—Trees in streets fronting on site are under jurisdiction of Department of Parks. They must be protected and written notification made to that Department at least 48 hours prior to commencement of work.

Permit must be obtained from Borough President's Office for Material Storage, Hoist or Mixing Machines beyond the building line.

New York City Dec. 22 19 58

To the Borough Superintendent:

Application is hereby made for a **PERMIT** to perform the Entire

work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance, this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:

Great Amer. Ind. Co., WC C596870 Exp. 2/11/59

When the policy of a general contractor does not fully cover the work of any sub-contractor, such sub-contractor must file a certificate of workmen's compensation covering his particular work. No work is to be commenced by this sub-contractor until his certificate has been submitted and approved by this department.

No certificate of occupancy will be issued unless the construction work covered by this permit will be supervised by a Licensed Architect, or a Professional Engineer, or by a Superintendent of Construction, having at least ten years' experience, acceptable to the Borough Superintendent. An affidavit shall be filed indicating such supervision, as required by Section 2.1.3.7 of the Building Code.

Name and address of person designated for this supervision is as follows:

Name Dominick Campagna Address 1467 1st Ave.,
Dominick Campagna
Typewrite Name of Applicant

states: That he resides at Number 1467 First Ave.,
in the Borough of Man. in the City of NY, in the County of NY
in the State of N^y, that he is contractor for the
owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Man., City of New York aforesaid, and known and designated as Number 630 E. 9th St.,

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Frank Schwartz

(Name of Owner or Lessee)

and that Dominick Campagna is duly authorized by the aforesaid owner to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) X

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than six months.

301
FORM No. 1-1888.
Plan No. 153

Original

APPLICATION FOR ERECTION OF BUILDINGS.

Application is hereby made to erect four building as per subjoined detailed statement of specification for Erection of Buildings, and we herewith submit Plans and Drawings of such proposed building and we do hereby agree that the provisions of the Building Law will be complied with whether the same are specified herein or not.

NEW YORK, February 6th 1899 (Sign here) Chas & Aug. Ruff
H. Kuntze & Kohl, Archts

1. State how many buildings to be erected, Four
2. How occupied: if for dwelling, state the number of families, 20 families each
3. What is the street or avenue and the number thereof? (Give diagram of property.) W 626 to 634 E 4th Street (See location per margin)
4. Size of lot, No. of feet front, 27'6"; No. of feet rear, 27'6"; No. of feet deep, 94'
5. Size of building, No. of feet front, 27'6"; No. of feet rear, 27'6"; No. of feet deep, 82'
No. of stories in height, 5; No. of feet in height, from curb level to highest point of roof beams, 59'
6. What will each building cost [exclusive of the lot], \$ 18000 ⁰⁰/₁₀₀ Each
7. What will be the depth of foundation walls, from curb level or surface of ground 8 feet
8. Will foundation be laid on earth, sand, rock, timber or piles? on Earth
9. What will be the base—stone or concrete? base stone If base stones, give size and thickness and how laid 3' x 3' and 8' thick If concrete, give thickness.
10. What will be the sizes of piers? ✓
11. What will be the sizes of the base of piers? ✓
12. What will be the thickness of foundation walls? 24 inches and of what materials constructed, Blue Stone laid in cement mortar
13. What will be the thickness of upper walls? Basement 24 ^{Blue Stone} inches; 1st story, 16 inches; 2d story, 12 inches; 3d story, 12 inches; 4th story, 12 inches; 5th story, 12 inches; 6th story, _____ inches; 7th story, _____ inches; from thence to top, 12 inches; and of what materials to be constructed, hard brick in good mortar
14. Whether independent or party-walls; if party-walls, give thickness thereof, 12 inches;
15. With what material will walls be coped? with blue stone
16. What will be the materials of front? brick If of stone, what kind, _____ Give thickness of ashlar, _____ and thickness of backing in each story, _____
17. Will the roof be flat, peak, or mansard? flat
18. What will be the materials of roofing? tin
19. Give size and materials of floor beams. 1st tier, 3 x 10; 2d tier, 3 x 10; 3d tier, 3 x 10; 4th tier, 3 x 10; 5th tier, 3 x 10; 6th tier, _____; 7th tier, _____; 8th tier, _____; roof tier, 3 x 9
State distance from centres. 1st tier, 16 inches; 2d tier, 16 inches; 3d tier, 16 inches; 4th tier, 16 inches; 5th tier, 16 inches; 6th tier, _____ inches; 7th tier, _____ inches; 8th tier, _____ inches; roof tier, 20 inches.
20. If floors are to be supported by columns and girders, give the following information: Size and material of girders under 1st floor, 8 x 8 iron girder under each of the upper floors, _____
Size and materials of columns under 1st floor, 7 diam concrete posts under each of the upper floors, _____
21. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars, Over 1st story window and door opening have two 5" rolled beams, window of 1st story to be mullion windows
22. If girders are to be supported by brick piers and columns, state the sizes of piers and columns.
23. State by whom the construction of the building is to be superintended. Kuntze & Kohl

South Side of E. 9th Street commencing at 230 feet west of E. & C.

IF THE BUILDING IS TO BE OCCUPIED AS A APARTMENT OR TENEMENT HOUSE, GIVE THE FOLLOWING PARTICULARS.

1. State how many families are to occupy each floor, and the whole number in the house; also, if any part is to be used as a store or for any other business purposes, state the fact, 4 families on each floor
2. What will be the heights of ceilings? 1st story 10'6" feet; 2d story, 9'6" feet; 3d story, 9 feet; 4th story, 9 feet; 5th story, 9 feet; 6th story _____ feet; 7th story, _____ feet.
3. How are the hall partitions to be constructed and of what materials? of 3/4" joints and 16" from center and plastered two good coats of brown mortar both sides

Owner: Char + Aug Ruff Address 56 Norfolk Street
 Architect Kuntze + Röhle Address cor. 3rd Ave + 7 Street
 Mason _____ Address _____
 Carpenter _____ Address _____

IF A WALL OR PART OF A WALL ALREADY BUILT IS TO BE USED, FILL UP THE FOLLOWING.


The undersigned give notice that they intend to use the westerly wall of building No. 636 E. 9th Street as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall 21" built of stone 20 inches thick, Eight feet below curb; the upper wall is built of brick, 12 inches thick; 48 feet deep, 50 feet in height.

(Sign here) Char + Aug Ruff & Kuntze + Röhle
 Architects

NOTE.—In making application for the erection of buildings the following drawings must be furnished: Plans of each and every story, front, rear and side elevations, and longitudinal and transverse erections. All plans must be drawn to a uniform scale and must be on tracing cloth, properly designated and colored.

THE BUILDING LAW REQUIRES :

- 1st—All stone walls must be properly bonded.
- 2d—All skylights having a superficial area of more than 9 square feet must be of iron and glass.
- 3d—All buildings over two stories or above 25 feet in height, *except dwellings, school houses, and churches.* on streets less than 30 feet wide, must have iron shutters on every window and opening *except over 30 feet wide are exempted.*



ments before they are used as such.
 9th—No iron beam, lintel, or girder, intended to span an opening over eight feet, *intended* a wall, shall be used for that purpose, *until tested and approved as provided by law.*

DEPARTMENT OF BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 181st St.,
Bronx

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall,
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE and ONE copy sworn to by Applicant.

BUILDING NOTICE

Application for Minor Structures, Minor Alterations and Repairs

PERMIT No. 193

APPLICATION No. 193

WARD No. 391
23

LOCATION 632 East 9th Street

ZONE

USE T. H.

HEIGHT 5

BOROUGH OF Man.

, CITY OF NEW YORK, 3/10/ 1938

AREA 27'6 x 93

To THE COMMISSIONER OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the erection or alteration of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all the rules and regulations of the Department of Buildings for the Borough of Man., all provisions of the Building Code of the City of New York, and with every other provision of law relating to the erection or alteration of said building in effect at this date.

(Sign Here)

APPLICANT

SEPARATE PERMIT SHOWING PROOF OF WORKMEN'S COMPENSATION, MUST BE PROCURED BEFORE COMMENCING WORK.

(HERE STATE DEFINITELY NATURE OF PROPOSED WORK)

I propose to Remove the existing wood stairs and replace with iron stairs. no structural changes.

State Insurance Fund #64072, expires 9/9/38 shown

3-18-38

3/25/38

also fast and affix guide in cells of my 115 studs, etc.

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF ~~MANHATTAN~~, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.

QUEENS
120-55 Queens Blvd.,
Kew Gardens

RICHMOND
Boro Hall,
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE

BUILDING NOTICE

APPLICATION FOR MINOR STRUCTURES, MINOR ALTERATIONS AND REPAIRS,
ELEVATOR REPAIRS, DROP CURB, FIRE ESCAPES, MISCELLANEOUS

APPLICATION No. 551 ¹⁹⁴² ~~1943~~ Block 391 Lot 23

LOCATION 632 East 9th Street
(Give Street Number)

FEES REQUIRED FOR

DISTRICT (under building zone resolution) Use _____ Height _____ Area _____

STATE AND CITY OF NEW YORK, }
COUNTY OF New York } ss.:

Otto A. Staudt being duly
(Typewrite Name of Applicant)

sworn deposes and says: That he resides at 15 East 40th Street Borough of
Manhattan City of New York;

that he is the agent for the (owner-lessee) of the premises above described, and is duly authorized to make this application for approval of the plans and specifications herewith submitted, and made a part hereof, for the work to be done in the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code and all laws and regulations applicable to the erection or alteration of said structure in effect at this date; that the work to be done is duly authorized by the owner.

Deponent further says that the full names and residences of the owners or lessees of said premises are:

Owner Krafas Holding Corp. Address 410 East 10th Street, N. Y. C.
Louis Kraman Pres. Sidney Kraman Sec.

Lessee _____ Address _____

Sworn to before me this 27
day of February, 1942 (Sign here)

Notary Public or Commissioner of Deeds

Otto A. Staudt



If Licensed Architect or Professional Engineer, and seal

COMPENSATION INSURANCE has been secured in accordance with the requirements of the Workmen's Compensation Law as follows: Glens Falls Indemnity, C No. 112424 Expires March 22nd 1942

State proposed work in detail: New partition of stud and plaster enclosing new water-closet compartments. Close up door openings and provide new door openings to present water-closet compartments. New toilet sash for new compartments. Plan filed herewith.

1. Drain hall opening & must be steel metal with concrete
leads both sides same
NO STRUCTURAL CHANGES. PLUMBING FILED.

*1.55
PSP 9/1/42*