

467



FORM No. 2-1887.

*Original*

BUREAU INS. OF BUILDINGS.

PLAN No. 467

Received. MAY 11 1887

B 391  
L 24

APPLICATION TO ALTER, REPAIR, ETC.

1

Application is hereby made to alter as per subjoined detailed statement of specification for Alterations, Additions or Repairs to buildings already erected, and herewith submit Plans and Drawings of such proposed alterations; and do hereby agree that the provisions of the Building Law will be complied with, whether the same are specified herein or not.

(Sign here) Barnett Marks

NEW YORK, May 10 18887

1. State how many buildings to be altered, Three
2. What is the street or avenue and the number thereof? 636-638 or 646 East 9th St.
3. How much will the alteration cost, \$ 400.00

GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING:

1. Size of lot on which it is located, No. feet front, 25; feet rear, 25; feet deep, 100
2. Size of building, No. of feet front, 25; feet rear, 25; feet deep, 50; No. of stories in height, 5; No. of feet in height, from curb level to highest point of beams, 60
3. Material of building, brick; material of front, brick
4. Whether roof is peak, flat, or mansard? Flat
5. Depth of foundation walls \_\_\_\_\_ feet; thickness of foundation walls, \_\_\_\_\_; materials of foundation walls, Stone + mortar
6. Thickness of upper walls, \_\_\_\_\_ inches. Material of upper walls, \_\_\_\_\_
7. Whether independent or party-walls. party
8. How the building is occupied, Store + Tenement

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION:

1. How many stories will the building be when raised? \_\_\_\_\_
2. How high will the building be when raised? \_\_\_\_\_
3. Will the roof be flat, peak or mansard? \_\_\_\_\_
4. What will be the thickness of wall of additional stories? \_\_\_\_\_ story, \_\_\_\_\_ inches; \_\_\_\_\_ story, \_\_\_\_\_ inches.
5. Give size and material of floor beams of additional stories; \_\_\_\_\_ 1st tier, \_\_\_\_\_; \_\_\_\_\_ 2d tier, \_\_\_\_\_ Distance from centres on \_\_\_\_\_ tier, \_\_\_\_\_ inches; \_\_\_\_\_ tier \_\_\_\_\_ inches.
6. How will the building be occupied? \_\_\_\_\_

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

4. What will be the base—stone or concrete? ..... If base stones, give size, and how laid  
..... If concrete, give thickness. ....
5. What will be the sizes of piers? .....
6. What will be the thickness of upper walls in 1st story.....inches; 2d story, .....inches;  
3d story, .....inches; from thence to top, .....inches; and of what materials to  
be constructed,.....
7. Whether independent or party-walls; if party-walls, give thickness thereof, .....inches.
8. With what material will walls be coped?.....
9. What will be the materials of front? ..... If of stone, what kind  
Give thickness of front ashlar, ....., and thickness of backing thereof, .....
10. Will the roof be flat, peak, or mansard?.....
11. What will be the materials of roofing?.....
12. Give size and material of floor beams, 1st tier, ....., x .....; 2d tier, .....  
x .....; 3d tier, ....., x .....; 4th tier, ....., x .....; 5th  
tier, ....., x .....; 6th tier, ....., x .....; roof tier, .....  
x ..... State distance from centres on 1st tier.....inches; 2d tier, .....inches;  
3d tier, .....inches; 4th tier, .....inches; 5th tier, .....inches; 6th tier,  
.....inches; roof tier, .....inches.
13. If floors are to be supported by columns and girders, give the following information: Size and  
material of girders under 1st floor, ....., x ..... under upper floors, .....  
..... Size and material of columns under  
1st floor, ..... under upper floors, .....
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels,  
give definite particulars, .....
15. If girders are to be supported by brick piers and columns, state the size of piers and columns.  
.....
16. How will the extension be connected with present or main building? .....
17. How will the extension be occupied? If for dwelling purposes, state how many families are to  
occupy each floor,.....

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE  
BUILDING WILL BE OCCUPIED:

*In building No 36. Aspire to repair stone by putting in new beds,  
also door jambs new plastering where required also to take out old  
stone window in building. 6257 6256 replace same with new ones  
to be composed of double glass the same not to project over 12 inches from face  
of building. will be at least 18 inches from the ground, no columns pier or brick work  
touched or disturbed.*

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE  
TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN  
WHAT MANNER:

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B301  
L24

Office of the Borough President of the Borough of Manhattan,  
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,  
Office, No. 220 FOURTH AVENUE,  
S. W. Corner 18th Street.

Plan No. 104

### APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) *Heinmann*

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, *March 28 1904*

### LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered. *one*
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) *South Side of 9th St 200 ft West of Ave C # 636.*
- How was the building occupied? } *tenement*  
How is the building to be occupied? }
- Is the building on front or rear of lot? *front* Is there any other building erected on lot or permit granted for one? *no* Size \_\_\_\_\_; height \_\_\_\_\_ How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
- Size of lot? *25* feet front; *25* feet rear; *93* feet deep.
- Size of building which it is proposed to alter or repair? *25* feet front; *25* feet rear; *45* feet deep. Number of stories in height? *5* Height from curb level to highest point? *53 ft*
- Depth of foundation walls below curb level? *8 ft* Material of foundation walls? *Stone* Thickness of foundation walls? front *20* inches; rear *20* inches; side *20* inches; party \_\_\_\_\_ inches.
- Material of upper walls? *brick* If ashlar, give kind and thickness \_\_\_\_\_
- Thickness of upper walls:  
Basement: front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches; party \_\_\_\_\_ inches.  
1st story: " *10* " " *10* " " *10* " " " "  
2d story: " *12* " " *12* " " *12* " " " "  
3d story: " *12* " " *12* " " *12* " " " "  
4th story: " *12* " " *12* " " *12* " " " "  
5th story: " *12* " " *12* " " *12* " " " "  
6th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " " "
- Is roof flat, peak or mansard? *flat*

*1894*

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. front wall of Cellar & first story to be taken out upper front wall to be supported by 2. 18" 65 lbs per ft steel beams set on 12" x 16" x 1 1/4" C. I. columns set on 24" x 24" bonded brick piers with 24" x 24" x 10' granite top & 48" x 48" x 12" concrete base. Part of rear wall to be taken out, upper walls supported by 2. 6" 12 lbs per ft steel beams set on 1 1/2" x 12" x 12" r. 2. plates front area & short windows to be build as shown on plans.

If altered Internally, give definite particulars, and state how the building will be occupied :

48. Partitions in first story to be removed.

Windows set in all cross partitions throughout the whole house

49. How much will the alteration cost? *\$ 8000.*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what :

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

58. Dimensions of water-closet windows? .....  
 Dimensions of windows for living rooms? .....
59. Of what materials will hall partitions be constructed?.....  
 .....
60. Of what materials will hall floors be constructed?.....  
 .....
61. How will hall ceilings and soffits of stairs be plastered? .....
62. Of what material will stairways be constructed? .....
- Give sizes of stair well holes?.....
63. If any other building on lot, give size; front.....; rear.....; deep.....;  
 stories high.....; how occupied.....; on front or rear  
 of lot.....; material.....  
 How much space between it and proposed building?.....
64. How will floors and sides of water closets to the height of 16 inches be made waterproof?.....  
 .....
65. Number and location of water closets: Cellar.....; 1st floor.....; 2d floor.....;  
 3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....
66. This building will safely sustain per superficial foot upon the first floor..... lbs.; upon 2d floor  
 ..... lbs.; upon 3d floor..... lbs.; upon 4th floor..... lbs.; upon 5th floor  
 ..... lbs.; upon 6th floor..... lbs.; upon 7th floor..... lbs.; upon 8th floor  
 ..... lbs.

Owner, M. Hohn Address, 171. Ave C.  
 Architect, O. Reimann " 20 First St  
 Superintendent, owner "  
 Mason, \_\_\_\_\_ "  
 Carpenter, \_\_\_\_\_ "

BOROUGH OF Manhattan, CITY OF NEW YORK

DEPARTMENT OF BUILDINGS

MANHATTAN  
Municipal Bldg.,  
Manhattan

BROOKLYN  
Municipal Bldg.,  
Brooklyn

BRONX  
Bronx County Bldg.,  
Grand Concourse & E. 161st St.  
Bronx

QUEENS  
21-19 49th Avenue,  
L. I. City

RICHMOND  
Boro Hall  
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.

Use for Specifications of "ALTERED" Buildings

ALTERED BUILDINGS

PERMIT No. 19

BLOCK No. 91

LOT No. 24

APPLICATION No. 19

WARD No. \_\_\_\_\_

VOL. No. \_\_\_\_\_

LOCATION 636 East 9th Street

DISTRICT (under building zone resolution) USE Res. HEIGHT 1 1/2 AREA B

SPECIFICATIONS

- (1) NUMBER OF BUILDINGS TO BE ALTERED 1  
Any other building on lot or permit granted for one? NO  
Is building on front or rear of lot? front
- (2) ESTIMATED COST OF ALTERATION: \$ 200/
- (3) OCCUPANCY (in detail): Class A Multiple Dwelling. (No change)

*N.C.O. Dept.  
9/25/14/36*

STORY (include cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION				
	APTS.	ROOMS	USE	LIVE LOAD	No. OF PERSONS	APTS.	ROOMS	USE
Cellar			storage					storage
1st			stores					stores
2nd	2	10	dwelling			2	10	Dwelling
3rd	"	"	"			"	"	"
4th	"	"	"			"	"	"
5th	"	"	"			"	"	"

If building is to be occupied other than dwelling with ordinary store on the first floor, give permit number under which it was erected or legally converted.