

(1) APPLICATION FOR CERTIFICATE OF OPERATION

Premises 334/336 E. 14th St. Boro. Manhattan
 Application for permission to install new boiler and new oil burner
 Owner Towne & Village Synagogue Address 334/336 E. 14th St., NYC
 Block 455 Lot 24 Bldg. height above grade ft. 45 Equipment Located On Floor No. Cellar
 New Existing Type Synagogue Stories 3 No. Families none No. Rooms
 Dept. bldgs. Const. App'l No. Alt. 841-62 Dept. Marine & Aviation App'l No.

BUILDING
(1)

BOILERS & FURNACES
(2)

Boilers & Warm Air Furnaces—Gross output 1,000,000 Btu/hr.
 Other furnaces: Size—Area of grate sq. ft.
 Fuel Consumption—Coal lbs./hr. Oil 8.7 gal./hr. Gas cu. ft./hr.

INCINERATOR
(3)

No. Mfr. Primary Chamber Area sq. ft.

SPRAY BOOTHS DRYING OVENS
(4)

No. Booths Air exhausted cfm
 No. Ovens Air exhausted cfm
 Fuel—Oil gph. Gas cfm. Elect. kwh.

DRY CLEANING
(5)

Wholesale No. of Systems Total Exhaust cfm
 Retail

DUST COLLECTORS- PRECIPITATORS- SCRUBBERS-
(6)

Air Handling Capacity Max. cfm

PROCESS VENTILATION
(7)

Equipment or Process Ventilated Exhaust cfm

PROCESS FURNACE
(8)

Material Processed Exhaust cfm Input Btu/hr

OTHER EQUIPMENT
(9)

COMPLETE TECHNICAL DATA DESCRIBING THE PROPOSED INSTALLATION SHALL BE ATTACHED IN TRIPLICATE TO THIS FORM. REFER TO INSTRUCTIONS—APPLICATIONS FOR PERMITS.



I certify to the accuracy of all data and state further that the equipment, if installed in accordance with the plans submitted, will comply with the requirements of law.
Ribelle Perotto
 Signature of P.E. or R.A.

Name Ribelle Perotto
 Address 172-21 Hillside Avenue
 City Jamaica 32, New York

I certify that I will make the installation of the equipment as applied for and specified in this application and in accordance with the plans filed and approved by the Commissioner of Air Pollution Control.

Name Paco Mechanical Corp.
 Address 176 Morgan Ave. Boro. N.Y.
 License No. 1838 Class A B
 Signature [Signature]

PENALTY FOR MISSTATEMENT
 Adm. Code
 Sec. 982-9.0
 (12)

I state that I have read the above application and the facts are correct to the best of my knowledge and belief.
Town & Village Synagogue
 Name of Owner (print or type) Signature of Owner or Officer [Signature] Title CHAIRMAN OF BOARD

Dept. of Air Poll. Control Appl. # and Date Rec'd. 3073 OCT 18 63 Dept. of Buildings:
 Approved to install Oil Burner Appl. #
 Examined by Date Receipt #
 Inspected by Date 8/10/64 Date Cashier

Bribery is a Crime: A person who gives or offers a bribe to any employee of The City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000 or more, or both. From Penal Law, Section 378 and 1826.

84

Original

844
Feb 9-76

DETAILED STATEMENT OF SPECIFICATIONS FOR ALTERATIONS, ADDITIONS, OR REPAIRS TO BUILDINGS, ALREADY ERECTED.

1

B 455

1. State how many buildings to be altered, One

2. What is the Street Avenue, and the number thereof. E. 14th Street below first second av.

3. What is the lot number. W: 334 + 335.

PRESENT BUILDING.

Give the following information as to the present building:

1. Size of lot on which it is located, No. feet front 60; feet rear, 60; feet deep, 103

2. Size of building, No. feet front, 60; feet rear, 50; feet deep, 70; No. of stories

2 in height, 39; No. of feet in height, from curb level to highest point, _____

3. Material of Building, Bricks; Material of Front, marble

4. Whether roof is Peak, Flat, or Mansard, Peak

5. Material of Roofing, Tim

6. Depth of foundation walls, 6 feet. Thickness of foundation walls, 24 inches. Material of foundation walls, blue stone

7. Thickness of upper walls, 16" inches. Material of upper walls, Bricks

8. Whether Independent or Party-walls, Independent

9. Whether there is any other building on the lot, none

10. How the building is occupied, worship Church

HOW TO BE ALTERED.

IF RAISED OR BUILT UPON,

Give the following information:

1. How many stories will the building be when raised, _____

2. How many feet high will the building be when raised, _____

3. Will the roof be Flat, Peak, or Mansard, _____

4. What will be the material of roofing, _____

5. What will be the material of cornices and gutter, _____

6. What will be the means of access to roof, _____

7. Will a Fire-escape be provided, if required, _____

8. Will Iron shutters be provided, if required, _____

9. How will the building be occupied, _____

IF EXTENDED ON ANY SIDE,

Give the following information :

1. Size of extension, No. of feet front, 36 ; feet rear, 36 ; feet deep, 29 ; No. of stories in height, 10 ; No. of feet in height, 10
2. What will be the material of foundation walls of extension, Brick What will be the depth, 4 feet. What will be the thickness, 12" inches. Brick in Cement mortar
3. What will be the material of upper walls of extension Bricks . How thick will the upper walls be, 8 inches.
4. Will the roof of extension be Flat, Peak, or Mansard, flat
5. What will be the material of roofing, Tin
6. What will be the material of cornice and gutter, galvanized iron
7. Will iron shutters be provided, if required, no
8. How will the extension be occupied, for church use
9. How will the extension be connected with present or main building, by doing on the rear benches all - By door made from present rear window of Church

IF ALTERED INTERNALLY,

Give definite particulars, and state how the building will be occupied, and if for a dwelling, state by how many families.

for church use.

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT,

Give Definite particulars, and state in what manner.

one window will be taken out on the rear wall and a door be put on place of it

THE FOLLOWING INFORMATION IS ALSO REQUIRED.

1. If the building is to be occupied as a tenement building after the proposed alteration, will it be altered in every respect to conform with the provisions of Section 28 of the Building Law,

2. How much will the Alteration cost, \$ about 1200 Dollars

3. Will all materials and workmanship be in accordance with the provisions of the Law, yes

Owner First German Baptist Church Address

Architect William Seibel Address 36 Hill Street Brooklyn

Mason Address

Carpenter Address

FORM No. 2.—1888.

Plan No. 1198 *Original*

Received JUN 15 1889

2

APPLICATION TO ALTER, REPAIR, ETC.

B 435
L 24

Application is hereby made to alter as per subjoined detailed statement of specification for alterations, additions or Repairs to buildings already erected, and I herewith submit Plans and Drawings of such proposed alterations; and I do hereby agree that the provisions of the Building Law will be complied with, whether the same are specified herein or not.

(Sign here) Bruno W. Berger
Architect

NEW YORK, June 15th 1889

1. State how many buildings to be altered, one
2. What is the street or avenue and the number thereof? Give diagram of property.
334 + 336 East 14th Street
3. How much will the alteration cost, \$ 10000

GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING :

1. Size of lot on which it is located, No. of feet front, 60; feet rear, 60; feet deep, 102
2. Size of building, No. of feet front, 60; feet rear, 50; feet deep, 68.6 No. of stories in height, Two; No. of feet in height, from curb level to highest point of beams, 59
3. Material of building, Brick; material of front, Granite
4. Whether roof is peak, flat, or mansard? Peak
5. Depth of foundation walls 10 feet; thickness of foundation walls, 24; materials of foundation walls, Blue Stone
6. Thickness of upper walls, 16 inches. Material of upper walls, Brick
7. Whether independent or party-walls, Independent
8. How the building is or was occupied? Church purposes

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION

1. How many stories will the building be when raised?
2. How high will the building be when raised?
3. Will the roof be flat, peak, or mansard?
4. What will be the thickness of wall of additional stories? _____ story, _____ inches; _____ story, _____ inches.
5. Give size and material of floor beams of additional stories; _____ 1st tier, _____, _____ x _____ 2d tier, _____, _____ x _____ Distance from centres on _____ tier, _____ inches; _____ tier _____ inches.
6. How will the building be occupied?

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION :

1. Size of extension, No. feet front, 55; feet rear, 54; feet deep, 27; No. of stories in height, Three; No. of feet in height, 39 feet
2. What will be the material of foundation walls of extension, Stone What will be the depth, 1.0 feet. What will be the thickness, 2.0 inches.
3. Will foundation be laid on earth, sand, rock, timber or piles, Earth


LD to Archit
Jun 25 1889

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

4. What will be the base—stone or concrete? Stone If base stones, give size and thickness and how laid 2 ft 8" x 3 ft x 10" laid crosswise the walls. If concrete, give thickness, _____
5. What will be the sizes of piers? 12" x 16". What will be the sizes of the base of piers? 3 ft x 3 ft 4"
6. What will be the thickness of upper walls? 1st story, 12 inches; 2d story, 12 inches; 3d story, 12 inches; 4th story, _____ inches; 5th story, _____ inches; 6th story, _____ inches; 7th story, _____ inches; from thence to top, _____ inches; and of what materials to be constructed, Brick
7. Whether independent or party-walls; if party-walls, give thickness thereof, Independent inches;
8. With what material will walls be coped? Blue Stone
9. What will be the materials of front? Brick. If of stone, what kind, _____ Give thickness of front ashlar, _____ and thickness of backing thereof, _____
10. Will the roof be flat, peak, or mansard? Flat
11. What will be the materials of roofing? Tin
12. Give size and material of floor beams. 1st tier, yellow pine, 3 x 12; 2d tier, yellow pine 3 x 12; 3d tier, yellow pine, 3 x 12; 4th tier, _____; 5th tier, _____; 6th tier, _____; 7th tier, _____; roof tier, yellow pine, 3 x 10. State distance from centres on 1st tier, 16 inches; 2d tier, 16 inches; 3d tier, 16 inches; 4th tier, _____ inches; 5th tier, _____ inches; 6th tier, _____ inches; 7th tier, _____ inches; roof tier, 18 inches.
13. If floors are to be supported by columns and girders, give the following information: Size and material of girders under 1st floor, yellow pine 8 x 10 under each of the upper floors, _____ Size and material of columns under 1st floor, Brick piers 12" x 16" under each of the upper floors, _____
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars, _____
15. If girders are to be supported by brick piers and columns, state the size of piers and columns. _____
16. How will the extension be connected with present or main building? Large Door openings
17. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy each floor. Parsonage + Sexton for two families in the building, one to occupy the 1st story and one to occupy the 2d + 3d story
18. State who will superintend the alterations, B. W. Berger

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE BUILDING WILL BE OCCUPIED:

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN WHAT MANNER:



DEPARTMENT OF HOUSING AND BUILDINGS
 BOROUGH OF MANHATTAN, CITY OF NEW YORK

MANHATTAN
 Municipal Bldg.,
 Manhattan

BROOKLYN
 Municipal Bldg.,
 Brooklyn

BRONX
 Bronx County Bldg.,
 Grand Conc. & E. 161st St.

QUEENS
 21-10 49th Avenue,
 L. I. City

RICHMOND
 Borough Hall,
 St. George, S. I.

RECEIVED MAY 28 1939

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE

ALTERED BUILDING

PERMIT NO. 19 BLOCK 455 LOT 24

Application No. 1820 1939 SEC. OR WARD VOL.

N.B. ALT. 334-336 East 14 St.

LOCATION

DISTRICT (under building zone resolution) Use Bus. Height 1 1/2 Area B

EXAMINED AND RECOMMENDED

FOR APPROVAL ON 6/15 1939

APPROVED JUN 16 1939 19

Borough Superintendent

SPECIFICATIONS

- (1) NUMBER OF BUILDINGS TO BE ALTERED one
 Any other building on lot or permit granted for one? no
 Is building on front or rear of lot? front
- (2) ESTIMATED COST OF ALTERATION: \$ 50000.00 ✓
- (3) PROPOSED OCCUPANCY: CHURCH

STORY (include Cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
			NO CHANGE IN OCCUPANCY							after alterations

ORIGINAL

- (4) SIZE OF EXISTING BUILDING:
 At typical floor level 60' feet front 103' 3 3/4 feet deep 60' feet rear
 At street level 60' feet front 103' 3" feet deep 60' feet rear
 Height¹ 1 story & Baset. stories 50'
- (5) SIZE OF BUILDING AS ALTERED:
 At street level feet front feet deep feet rear
 At typical floor level Same feet front Same feet deep Same feet rear
 Height¹ stories feet

If volume of building is to be increased, give the following information:

- (6) AREA² OF BUILDING AS ALTERED: At street level Total floor area² sq. ft.
- (7) TOTAL HEIGHT³ Cubic Contents⁴ cu. ft.

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structure where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.
 2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.
 3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.
 4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)

(8) CHARACTER OF PRESENT BUILDING:

Frame—		Fire-Protected—
Non-fireproof—	Non fire proof	Metal—
Fireproof—		Heavy Timber—

(9) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

**Exterior to be remodeled. And change as per. plans and Elev:
ation.**

Additional details will be filed if conditions require.

1. **All sash marked A-B-C-D-E-F-G- H-I-J-K-L-M-N-&O to be leaded
Cathedral glass (murals)**

2. **Sand or steam blast entire front etc. 3. Crosses copper on steel frames**

3. **All stone joints pointed and filled 8. Sash where shown to pivot.**

4. **All woodwork painted 3 coats**

5. **New wire screens to windows**

6. **Three new copper cupolas, etc.**

If the building is to be raised in height or if the occupancy is changed so that the floor loads will be increased, the following information must be given as to the EXISTING BUILDING and the thickness of existing walls and size of footings must be clearly shown on the plans.

(10) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(11) FOOTINGS: Material

(12) FOUNDATION WALLS: Material

(13) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(14) PARTY WALLS: Any to be used?

Thickness of Walls

If building is to be enlarged or extended, the following information as to NEW WORK must be given:

(15) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(16) FOOTINGS: Material

(17) FOUNDATION WALLS: Material

(18) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(19) PARTY WALLS: Any to be used?

Thickness of Walls

(20) FIREPROOFING: Material and Thickness

For Columns

For Girders

For Beams

(21) INTERIOR FINISH: Material

Floor Surface

Trim, Sash, Doors, etc.

Plaster

(22) OUTSIDE WINDOW FRAMES AND SASH: Material

(23) ANY ELECTRICAL WORK TO BE DONE?

REMARKS

Inspector

DEPARTMENT OF HOUSING AND BUILDINGS MAY 26 1939

BOROUGH OF MANHATTAN, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Conc. & E. 161st St.,

QUEENS
21-10 49th Avenue,
L. I. City

BOROUGH OF MANHATTAN
Boro Hall
St. George, S. I.

NOTICE—This Application must be filed in triplicate.

1939

ALT APPLICATION No. 1820

19


(N.B., Alt., Etc.)

LOCATION 334-336 East 14 Street

PLOT DIAGRAM

The lot lines and exterior walls of the building must be drawn to indicated scale—show dimensions of lot, building, courts and yards.

The following information must be obtained from the departments and bureaus concerned and verified by them. A diagram must be made showing the correct street lines from the city plan; the plot to be built upon in relation to the street lines and the portion of the lot to be occupied by the building; the legal grades of streets at nearest points from the proposed buildings in each direction; the sewer data; the house numbers; and the Block, Lot, Section and Volume numbers.



DEPARTMENT OF HOUSING AND BUILDINGS
BOROUGH OF , CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.
Bronx

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall,
St. George, S. I.

PERMIT No. _____ 19

ALT. APPLICATION No. 1820 ¹⁹³⁹ ~~19~~

LOCATION 334-36 East 14 St.

*W. M. Church
one family apt & one school room
1 apt school building*

REFERRED TO INSPECTOR _____, 19____, FOR IMMEDIATE REPORT AS TO

CUPANCY (If vacant, how last occupied?)

Basement _____	6th Floor _____
1st Floor <u>school</u>	7th Floor _____
2d Floor <u>Church and apt near.</u>	8th Floor _____
3d Floor <u>one apt</u>	9th Floor _____
4th Floor _____	10th Floor _____
5th Floor _____	

State exit conditions _____

Is Building ~~Fireproof~~, Non-fireproof or Frame? non FP

What are the posted floor capacities? _____

Is the PRESENT building to be connected with any ADJOINING building? _____ If so, state dimensions and material of adjoining building, viz.: Material _____; feet front _____; feet rear _____; feet deep _____; feet in height _____; number of stories _____; how occupied _____

Remarks: _____

Violations Pending?

Unsafe?

Certificate of Occupancy?

Classification of Bldg. Public Bldg and 2 apts.

(Dated) June 2nd, 1939

(Signed) _____

Inspector.

5

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN Municipal Bldg., Manhattan

BROOKLYN Municipal Bldg., Brooklyn

BRONX Bronx County Bldg., Grand Conc. & E. 161st St.,

QUEENS 21-10 49th Avenue, L. I. City

RICHMOND Bofo Hall, St. George, S. I.

RECEIVED JUL 26 1939 CITY OF NEW YORK BOROUGH OF MANHATTAN

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPLICATE

AMENDMENT

Alt. 1820/39 APPLICATION No. 1820/39, 19 PERMIT No. 19 (N.B., Alt., Elev., Etc.)

LOCATION 334-336 East 14 st. New York City

BLOCK 455 LOT 24 SEC. VOL.

July 24, 1939

To THE BOROUGH SUPERINTENDENT:

Application is hereby made for approval of the following AMENDMENT to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

(Signed) [Signature]

Applicant 276 Fifth Avenue Address



Request to permit the erection of a new central cupola located on hip roof front wall of church in place of small copper work now shown.

This new cupola will be approximately 14 feet above ridge without the cross.

The construction for this new work will consist of timber bracing and blocking of hard pine or oak. All connections to be bolted with lock nuts and steel plates. Other work to be heavily spiked.

This entire cupola will be sheathed with 1 1/2 inch cedar boards and finish will be 16 oz copper work.

The center cross will be 4"x4" oak or locust braced solid to 4"x10" tie beam of roof rafters. All necessary windbracing as conditions will require.

Entire base resting on roof to be ~~skan~~ with copper flashing.

Aug. 3rd, 1939

AJD-JI

Amendment disapproved.

1- File section through cupola parallel to ridge beam.

2. Construction above roof should be of incombustible material.

[Signature]

BOROUGH SUPERINTENDENT

NOTE—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears. Only those items that appear above the endorsements at the bottom of the page can be considered.

EXAMINED AND RECOMMENDED FOR APPROVAL ON _____, 19

Examiner.

APPROVED _____, 19

Borough Superintendent.

Call. 9

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Conc. & E. 161st St.,

RICHMOND
Boro Hall
St. George, S.I.

NOTICE—This Amendment must be TYPEWRITTEN

AMENDMENT

Alt. APPLICATION No. 1820
(N.B., Alt., Elev., Etc.)

LOCATION 334-336 East 14 th street N.Y.C.

BLOCK 455 LOT 24 SEC. _____

CITY OF NEW YORK
BOROUGH OF MANHATTAN

To THE BOROUGH SUPERINTENDENT:

Application is hereby made for approval of the following AMENDMENT with the above numbered application, with the stipulation that this amendment be subject to all the conditions, agreements and stipulations of the original application and subject to all the conditions, agreements and stipulations of the original application.

to the _____ plans filed
a _____ aforesaid

(Signed) _____

276

1. Section now shows bracing corrected as per object.
2. Construction above roof now shows angle iron frame for cupola.
~~Also wire lath and cement fire retardant~~
~~new work from interior; at roof.~~

NOTE.—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears. Only those items that appear above the endorsements at the bottom of the page can be considered.

EXAMINED AND RECOMMENDED FOR APPROVAL ON Aug 11, 1939

APPROVED _____, 1939

Examiner.

AUG 11 1939

[Signature]
10' call