

ORIGINAL

FORM No. 1-1911.

28 x-1-11 (B) 6000

B
L

400

29

Office of the Borough President of the Borough of Manhattan

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 572

APPLICATION FOR ERECTION OF BRICK BUILDINGS

RECEIVED SEP 20 1911
OFFICE OF THE BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN
CITY OF NEW YORK

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the erection of the building herein described. All provisions of the Law shall be complied with in the erection of said building, whether specified herein or not.

(Sign here) Geo. F. Pellam

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, Sept. 20th, 1911

- State how many buildings to be erected One
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) South side of 5th St. 150 ft. West of Second Ave. 236-238-240 East 5th St.
- Will the building be erected on the front or rear of lot? Front
- How to be occupied? Tenement If for dwelling, state the number of families in each house 31
- Size of lot? 63'0 feet front; 63'0 feet rear; 96'2 feet deep.
Give diagram of same.
- Size of building? 63'0 feet front; 63'0 feet rear; 82'0 feet deep.
Size of extension? ✓ feet front; ✓ feet rear; ✓ feet deep.
Number of stories in height: main building? Six Extension? ✓
Height from curb level to highest point: main building? 65'8" feet. Extension? ✓ feet.
- What is the character of the ground: rock, clay, sand, etc.? hard clay
- Will the foundation be laid on earth, rock, timber or piles? earth
- Will there be a cellar? Yes
- What will be the base, stone or concrete? concrete. If base stones, give size and thickness, and how laid 1'-0" thick 6" wider than walls If concrete, give thickness
- What will be the depth of foundation walls below curb level or surface of ground? 10'-0" ±
- Of what will foundation walls be built? Stone & brick
- Give thickness of foundation walls: front, 2'-4" inches; sides, 2'-0" inches; rear 2'-0" inches; party, 2'-8" inches.
- Will interior supports be brick partition walls or piers, iron columns or wooden posts? B.B. Piers
Give size of same ✓
- If piers, give thickness of cap stones or plates 16" x 16" x 10" Cap Stones
bond stones or plates 16" x 16" x 5" Bond Stones

16. Give base course, width and thickness _____
 17. Will any part of front, side or rear wall be supported on piers in cellar?
 Give size: front _____ size of base course _____
 rear _____ " " " " _____
 side _____ " " " " _____

Size of cap stones _____ size of bond stones _____

18. Of what materials will the upper walls be constructed? Brick

What will be thickness of upper walls, exclusive of ashlar, if any?

Basement, front	<u>28</u>	inches; rear	<u>24</u>	inches; side	<u>24</u>	inches; party	<u>32</u>	inches.
1st story,	<u>20</u>	"	<u>16</u>	"	<u>16 + 20</u>	"	<u>20</u>	"
2d story,	<u>12</u>	"	<u>12</u>	"	<u>12 + 16</u>	"	<u>16</u>	"
3d story,	<u>12</u>	"	<u>12</u>	"	<u>12 + 16</u>	"	<u>16</u>	"
4th story,	<u>12</u>	"	<u>12</u>	"	<u>12 + 16</u>	"	<u>16</u>	"
5th story,	<u>12</u>	"	<u>12</u>	"	<u>12 + 16</u>	"	<u>16</u>	"
6th story,	<u>12</u>	"	<u>12</u>	"	<u>12 + 16</u>	"	<u>16</u>	"
7th story,	_____	"	_____	"	_____	"	_____	"

19. What will be the materials of the front? Brick and Stone If of stone, what kind? Limestone If ashlar, give thickness _____

20. Will flues be lined with pipe or have 8 inches of brick around the same? 8" of Brick

21. Will any wall be supported on iron or steel girders? Yes

Front, material	_____	size	_____	weight or thickness	_____
Side,	"	"	_____	"	"
Rear,	"	"	_____	"	"
Interior,	<u>Steel</u>	"	<u>8" L + 8" I^s</u>	"	<u>1 1/4 + 18"</u>

Will any wall be supported on iron or steel columns?

Front, material	_____	size	_____	weight or thickness	_____
Side,	"	"	_____	"	"
Rear,	"	"	_____	"	"
Interior,	"	"	_____	"	"

22. Give material of girders Steel of columns _____

Under 1st tier, size of girders	<u>7" @ 15' - 8" @ 18' - 9" @ 21'</u>	size of columns	_____
" 2d tier,	"	"	_____
" 3d tier,	"	"	_____
" 4th tier,	"	"	_____
" 5th tier,	"	"	_____
" Roof tier,	"	"	_____

23. Give material, size and distance on centres of floor beams.

1st tier, material	<u>Steel</u>	size	<u>as shown</u>	distance on centres	<u>as shown</u>
2d tier,	"	"	<u>3" x 10"</u>	"	<u>16"</u>
3d tier,	"	"	<u>"</u>	"	<u>"</u>
4th tier,	"	"	<u>"</u>	"	<u>"</u>
5th tier,	"	"	<u>"</u>	"	<u>"</u>
6th tier,	"	"	<u>"</u>	"	<u>"</u>
7th tier,	"	"	<u>"</u>	"	<u>"</u>
8th tier,	"	"	<u>"</u>	"	<u>"</u>
Roof tier,	"	"	<u>3" x 9"</u>	"	<u>20"</u>

Give thickness of headers 6" x 10" of trimmers 6" x 10"

24. Specify construction of floor filling Brick Arches

25. Is the building to be fireproof? No
26. Of what material will partitions be built? Cross Spine fore and aft Spine
27. Give material of skylights Iron & Glass; size as shown
28. What will be the material of roofing? Slag Will roof be flat, peak or mansard? Flat
29. What will be the material of dumb waiter shafts? S. C. Blks.
30. What will be the material of elevator shafts? Galv. Iron
31. What will be the material of cornices? Galv. Iron
32. What will be the material of bay windows? ✓
33. What kind of fire escape will be provided? No per Sec. 16. S. N. L.
34. Will cellar be plastered? Yes. How? White coat
35. Will access to roof be by scuttle or bulkhead? Bulkhead If by bulkhead, how constructed? 8" Brick Walls
36. With what material will walls be coped? S. C.
37. How will building be heated? Steam
38. Is there any other building erected on lot or permit granted for one? No
 Size _____ x _____; height _____ feet. How occupied? _____
 Give distance between same and proposed building _____ feet.
39. Are any buildings to be taken down? No; how many? _____

If the building is to be occupied as a Flat, Apartment, Tenement or Lodging House, give the following particulars:

40. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar.	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor	7th Floor
41. How many families will occupy each? - - -	1	✓	5	5	5	5	5	5	
42. Height of ceilings? - - - - -	9'0"		9'0"	9'0"	9'0"	9'0"	9'0"	9'0"	

43. How basement to be occupied? _____
 How made water-tight? _____
44. How will cellar stairs be enclosed? _____
45. How cellar to be occupied? _____
 How made water-tight? _____
46. Will shafts be opened or covered with louvre skylights full size of shafts? _____
 Size of each shaft? _____
47. Dimensions of water-closet windows? _____
 Dimensions of windows for living rooms? _____
48. Of what materials will hall partitions be constructed? _____
49. Of what materials will hall floors be constructed? _____

Office of the Borough President of the Borough of Manhattan, Of the City of New York.

51. Of what material shall stairways be constructed? _____
Give sizes of stair well holes? _____
52. If any other building on lot, give size: front _____; rear _____; deep _____;
stories high _____; how occupied _____; on front or rear
of lot _____; material _____.
How much space between it and proposed building? _____
53. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____
54. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor _____;
3d floor _____; 4th floor _____; 5th floor _____; 6th floor _____;
7th floor _____.
55. This building will safely sustain per superficial foot upon the 1st floor 60 lbs.; upon 2d floor
60 lbs.; upon 3d floor 60 lbs.; upon 4th floor 60 lbs.; upon 5th floor
60 lbs.; upon 6th floor 60 lbs.; upon 7th floor _____ lbs.; upon 8th floor
_____ lbs.
56. What is the estimated cost of each building, exclusive of lot? \$ 40000.00
57. What is the estimated cost of all the buildings, exclusive of lots? \$ 40000.00
58. Is architect to supervise the erection of the building or buildings mentioned herein? No
Name _____
Address _____
59. If not the architect, who is to superintend the erection of the building or buildings described herein?
Name Harris S. Polski
Address 354 Grand St.
- Owner, Harris S. Polski Address, 354 Grand St.
Architect, G. F. Delkham " 507 5th Ave.
Mason, _____ " _____
Carpenter, _____ " _____

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, _____ 191

The undersigned gives notice that _____ intend to use the _____ wall of building
_____ as party wall in the erection of the building hereinbefore described, and respectfully requests that the
same be examined and a permit granted therefor. The foundation wall _____ built of _____
_____ inches thick, _____ feet below curb; the upper wall _____ built of _____
_____ inches thick, _____ feet deep, _____ feet in height.

(Sign here) _____