

B460
L21

APPLICATION TO ALTER, REPAIR, ETC.

11

Application is hereby made to alter as per subjoined detailed statement of specification for Alterations, Additions or Repairs to buildings already erected, and herewith submit Plans and Drawings of such proposed alterations; and do hereby agree that the provisions of the Building Law will be complied with, whether the same are specified herein or not.

(Sign here)

M. Furdtenicht.

J. Wm. Gaul. Archt.

NEW YORK,

June 20th

1887

- 1. State how many buildings to be altered, One
- 2. What is the street or avenue and the number thereof? 220 Fifth Str.
- 3. How much will the alteration cost, \$ 250

GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING:

- 1. Size of lot on which it is located, No. feet front, 21'6"; feet rear, 21'6"; feet deep, 97
- 2. Size of building, No. of feet front, 21'6"; feet rear, 21'6"; feet deep, 42; No. of stories in height, Per 3 stories; No. of feet in height, from curb level to highest point of beams, 40
- 3. Material of building, brick; material of front, brick
- 4. Whether roof is peak, flat, or mansard? flat
- 5. Depth of foundation walls, 10 feet; thickness of foundation walls, 20; materials of foundation walls, Stone
- 6. Thickness of upper walls, 12 inches. Material of upper walls, Brick
- 7. Whether independent or party-walls, party wall
- 8. How the building is occupied, as Dwelling

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION:

- 1. How many stories will the building be when raised?
- 2. How high will the building be when raised?
- 3. Will the roof be flat, peak or mansard?
- 4. What will be the thickness of wall of additional stories? story, inches; story, inches.
- 5. Give size and material of floor beams of additional stories; 1st tier, x; 2d tier, x. Distance from centres on tier, inches; tier inches.
- 6. How will the building be occupied?

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

- 1. Size of extension, No. feet front, ; feet rear, ; feet deep, ; No of stories in height, ; No. of feet in height, .
- 2. What will be the material of foundation walls of extension, . What will be the depth, feet. What will be the thickness, inches.
- 3. Will foundation be laid on earth, rock, timber or piles,

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

4. What will be the base—stone or concrete? If base stones, give size, and how laid
..... If concrete, give thickness,
5. What will be the sizes of piers?
6. What will be the thickness of upper walls in 1st story inches; 2d story, inches;
3d story, inches; from thence to top, inches; and of what materials to
be constructed,
7. Whether independent or party-walls; if party-walls, give thickness thereof, inches.
8. With what material will walls be coped?
9. What will be the materials of front? If of stone, what kind
Give thickness of front ashlar,, and thickness of backing thereof,
10. Will the roof be flat, peak, or mansard?
11. What will be the materials of roofing?
12. Give size and material of floor beams, 1st tier,, x; 2d tier,
x; 3d tier,, x; 4th tier,, x; 5th
tier,, x; 6th tier,, x; roof tier,
x State distance from centres on 1st tier inches; 2d tier, inches;
3d tier, inches; 4th tier, inches; 5th tier, inches; 6th tier,
..... inches; roof tier, inches.
13. If floors are to be supported by columns and girders, give the following information: Size and
material of girders under 1st floor,, x under upper floors,
..... Size and material of columns under
1st floor, under upper floors,
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels,
give definite particulars,
15. If girders are to be supported by brick piers and columns, state the size of piers and columns.
.....
16. How will the extension be connected with present or main building?
17. How will the extension be occupied? If for dwelling purposes, state how many families are to
occupy each floor,

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE
BUILDING WILL BE OCCUPIED:

*Building to be repaired throughout and will be
occupied as dwelling*

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE
TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN
WHAT MANNER:

*wooden main cornice to be taken down and put up a galvanized
iron one also have galv iron Sills + Lintels for front windows*

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan, In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. _____

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) *George [unclear]*

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, 190

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered 1
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) South side of Fifth Street 275-0 East of the Bowery
- How was the building occupied? Tenement + shop
How is the building to be occupied? dwelling + kitchen + bathroom
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? No Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 21-0 feet front; 21-0 feet rear; 95-0 feet deep.
- Size of building which it is proposed to alter or repair? 21-0 feet front; 21-0 feet rear; 42-0 feet deep. Number of stories in height? 4 Height from curb level to highest point? _____
- Depth of foundation walls below curb level? 10'-0" Material of foundation walls? Stone Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party 20 inches.
- Material of upper walls? Brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front 12 inches; rear 12 inches; side 12 inches; party 12 inches.
1st story: " 1 " " 1 " " 1 " " 1 "
2d story: " 1 " " 1 " " 1 " " 1 "
3d story: " 1 " " 1 " " 1 " " 1 "
4th story: " _____ " _____ " _____ " _____ "
5th story: " _____ " _____ " _____ " _____ "
6th story: " _____ " _____ " _____ " _____ "
- Is roof flat, peak or mansard? _____

11. Size of present extension, if any? _____ feet front; 6-0 feet deep; 20-0 feet high.
12. Thickness and material of foundation walls? Brick 12"
13. Material of upper walls? _____ If ashlar, give kind and thickness _____
14. Thickness of upper walls :
 Basement: front _____ inches; rear 6 inches; side 6 inches; party 6 inches.
 1st story: " _____ " " _____ " " _____ " " _____ "
 2d story: " _____ " " _____ " " _____ " " _____ "
 3d story: " _____ " " _____ " " _____ " " _____ "
 4th story: " _____ " " _____ " " _____ " " _____ "
15. Is present building provided with a fire escape? _____

If to be extended on any side, give the following information :

16. Is extension to be on side, front or rear? _____
17. Size of proposed extension, feet front _____; feet rear _____; feet deep _____; number of stories in height? _____ number of feet in height? _____
18. Material of foundation walls? _____; depth _____ feet; material of base course _____; thickness of base course _____; thickness of foundation walls, front _____ inches; side _____ inches; rear _____ inches; party _____ inches.
19. Will foundation be on rock, sand, earth or piles? _____
20. What will be the size of piers in cellar? _____; distance on centres? _____; size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____.
21. Material of upper walls? _____; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls :
 1st story: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 2d story: " _____ " " _____ " " _____ " " _____ "
 3d story: " _____ " " _____ " " _____ " " _____ "
 4th story: " _____ " " _____ " " _____ " " _____ "
 5th story: " _____ " " _____ " " _____ " " _____ "
 6th story: " _____ " " _____ " " _____ " " _____ "
23. With what will walls be coped? _____
24. Will roof be flat, peak, or mansard? _____; material _____
25. Give size and material of floor and roof beams
 1st tier, material _____; size _____; distance on centres _____
 2d tier, " _____ " _____ " _____ "
 3d tier, " _____ " _____ " _____ "
 4th tier, " _____ " _____ " _____ "
 5th tier, " _____ " _____ " _____ "
 Roof tier, " _____ " _____ " _____ "
- Give thickness of headers _____ of trimmers _____
26. Give material of girders _____ of columns _____
 Under 1st tier, size of girders _____; size of columns _____
 " 2d " " " _____; " " _____
 " 3d " " " _____; " " _____
 " 4th " " " _____; " " _____
 " 5th " " " _____; " " _____
 " Roof tier, " " _____; " " _____

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner:

47. Removing rear wall in basement and on 1st story and building in place of same, new hollow brick piers in basement & on 1st story at both side walls with 2-12" x 3 1/2" steel beams resting on new piers at second tier level to carry rear walls above 1st story

If altered internally, give definite particulars, and state how the building will be occupied:

48. Removing all present plumbing fixtures, partitions in basement and on 1st story and set new fixtures and partitions as shown on plans.

49. How much will the alteration cost?

\$ 4,000.00

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-	-	-	-	-	-	-
52. Height of ceilings?	-	-	-	-	-	-	-	-

53. How basement to be occupied? _____
How made water-tight? _____

54. Will cellar or basement ceiling be plastered? _____ How? _____

55. How will cellar stairs be enclosed? _____

56. How will cellar be occupied? _____
How made water-tight? _____

57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

Size of each shaft? _____

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B0430
L 22

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

RECEIVED
FILED
OCT 11 1912
OFFICE OF THE BOROUGHS
OF MANHATTAN
2

Plan No. _____

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Carroll Livingston

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, Oct. 7 1912

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 222 E 5th St
5' 5" 308' 4" W of Second Ave.
- How was the building occupied? Dwelling
How is the building to be occupied? Stores & "
- Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? no Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 20'-6" feet front; 20'-6" feet rear; 92'-4" feet deep.
- Size of building which it is proposed to alter or repair? 20'-6" feet front; 20'-6" feet rear; 42 feet deep. Number of stories in height? 3 Height from curb level to highest point? 40
- Depth of foundation walls below curb level? 10' Material of foundation walls? Stone Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party _____ inches.
- Material of upper walls? Brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front 12 inches; rear 12 inches; side 12 inches party _____ inches.
1st story: " " " " " " " " " "
2d story: " " " " " " " " " "
3d story: " " " " " " " " " "
4th story: " " " " " " " " " "
5th story: " " " " " " " " " "
6th story: " " " " " " " " " "
- Is roof flat, peak or mansard? Flat

11. Size of present extension, if any? none feet front; _____ feet deep; _____ feet high.
12. Thickness and material of foundation walls? _____
13. Material of upper walls? _____ If ashlar, give kind and thickness _____
14. Thickness of upper walls :
 Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 1st story: " _____ " " _____ " " _____ " " _____ " " _____ "
 2d story: " _____ " " _____ " " _____ " " _____ " " _____ "
 3d story: " _____ " " _____ " " _____ " " _____ " " _____ "
 4th story: " _____ " " _____ " " _____ " " _____ " " _____ "
15. Is present building provided with a fire escape? no

If to be extended on any side, give the following information :

16. Is extension to be on side, front or rear? Rear
17. Size of proposed extension, feet front 20'-6"; feet rear 20'-6"; feet deep 47'-4"; number of stories in height? Cellar, base & 1st number of feet in height? 27'-0"
18. Material of foundation walls? Brick; depth 10'-0" feet; material of base course Concrete; thickness of base course 12; thickness of foundation walls, front _____ inches; side 16 inches; rear 16 inches; party _____ inches.
19. Will foundation be on rock, sand, earth or piles? Earth
20. What will be the size of piers in cellar? _____; distance on centres? _____; size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____
21. Material of upper walls? Brick; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls :
 Basement: 12 inches; rear 12 inches; side 12 inches; party _____ inches.
 1st story: front 12 inches; rear _____ inches; side _____ inches; party _____ inches.
 2d story: " _____ " " _____ " " _____ " " _____ " " _____ "
 3d story: " _____ " " _____ " " _____ " " _____ " " _____ "
 4th story: " _____ " " _____ " " _____ " " _____ " " _____ "
 5th story: " _____ " " _____ " " _____ " " _____ " " _____ "
 6th story: " _____ " " _____ " " _____ " " _____ " " _____ "
23. With what will walls be coped? J.C.
24. Will roof be flat, peak, or mansard? Flat; material _____
25. Give size and material of floor and roof beams
 1st tier, material Y.P.; size 3" x 9"; distance on centres 16"
 2d tier, " _____ " _____ " _____ " _____ "
 3d tier, " _____ " _____ " _____ " _____ "
 4th tier, " _____ " _____ " _____ " _____ "
 5th tier, " _____ " _____ " _____ " _____ "
 Roof tier, " _____ " _____ " _____ " _____ "
 Give thickness of headers 4" x 6" of trimmers 4" x 6" 20"
26. Give material of girders _____ of columns _____
 Under 1st tier, size of girders _____; size of columns _____
 " 2d " " " _____; " " _____
 " 3d " " " _____; " " _____
 " 4th " " " _____; " " _____
 " 5th " " " _____; " " _____
 " Roof tier, " " _____; " " _____

27. If front, rear or side is to be supported on columns or girders, give :
 Girders, material _____ ; front _____ ; side _____ ; rear _____
 size _____ " _____ " _____ " _____
 Columns, material _____ " _____ " _____ " _____
 size _____ " _____ " _____ " _____
28. If constructed of frame, give material _____ ; size of sill _____ ;
 plate _____ ; enterties _____ ; posts _____ ; studs _____ ;
 braces _____
29. If open on one side, give size of plate _____ posts _____
30. How will extension be occupied? *Stores* _____ If for
 dwelling, give number of families on each floor _____
31. How will extension be connected with main building? *Rear wall rem'd* _____
32. Give size of skylights *as shown* ; material *glass & iron* _____
33. Give material of cornices *galv. iron* _____
34. Give material of light shafts _____ ; size _____

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? Give particulars _____

36. How many stories high will building be when raised? _____ ; feet high _____
37. Will the roof be flat, peak or mansard? _____ ; material _____
38. Material of coping? _____
39. Give material of new walls _____ thickness of _____ story _____ inches ;
 _____ story _____ inches ; _____ story _____ inches ; _____ story
 _____ inches ; _____ story _____ inches ; _____ story _____ inches ;
 _____ story _____ inches.
40. Material of floor beams? _____ Size _____ tier _____
 centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____
41. Material of girders? _____ Size under 1st tier _____ ;
 2d tier _____ ; 3d tier _____ ; 4th tier _____ ; 5th tier _____ ;
 6th tier _____
42. Material of columns? _____ Size under 1st tier _____ ; 2d tier _____ ;
 3d tier _____ ; 4th tier _____ ; 5th tier _____ ; 6th tier _____
43. Size of piers in cellar _____ ; distance on centres _____ ; thickness of cap stones
 to piers _____ ; bond stones _____
44. If constructed of frame, give material of frame _____ ; size of sills _____ ;
 corner posts _____ ; middle posts _____ ; enterties _____ ; plates _____
 braces _____ ; studs _____
45. How will building be occupied when altered? _____
 If for dwelling, state number of families on each floor? _____

46. With what kind of fire escape will building be provided? _____

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. *Front ^{rear} walls in basement & 1st sty removed & supported on iron beams. New Extension erected at rear - new front at basement & 1st sty. Present stoop & basement stairs remain.*

If altered internally, give definite particulars, and state how the building will be occupied :

48. *Partitions re-arranged, new plumbing etc.*

49. How much will the alteration cost? *\$ 5000*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-						
52. Height of ceilings?	-	-	-	-				

53. How basement to be occupied? _____
How made water-tight? _____

54. Will cellar or basement ceiling be plastered? _____ How? _____

55. How will cellar stairs be enclosed? _____

56. How will cellar be occupied? _____
How made water-tight? _____

57. Will shafts be open or covered with louvre skylights full size of shafts? _____

Size of each shaft? _____

**B
L**

400
21

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 514

514
BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK
Rec'd 10 AM 11 12 1913
BOROUGH OF MANHATTAN

APPLICATION TO ALTER, REPAIR

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Michael Bronstein

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, March 11th 1913

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered One
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) South Side of East 5th St. 328'-10" west of 2nd Ave (No. 220 East 5th St.) Per. Univ. W.C.
- How was the building occupied? Tenement
How is the building to be occupied? Tenement + stores
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? No Size — x —; height — How occupied? — Give distance between same and proposed building — feet.
- Size of lot? 21'-2" feet front; 21'-2" feet rear; 92'-1" feet deep.
- Size of building which it is proposed to alter or repair? 21'-2" feet front; 21'-2" feet rear; 42'-4" feet deep. Number of stories in height? 3 above base + cellar height from curb level to highest point? 39 ft.
- Depth of foundation walls below curb level? 10' Material of foundation walls? Brick + stone Thickness of foundation walls? front 20" inches; rear 20" inches; side 16 + 20 inches; party 16 + 20 inches.
- Material of upper walls? Brick If ashlar, give kind and thickness ashlar 4" on front base wall.
- Thickness of upper walls:
Basement: front 16 inches; rear 12 inches; side 12 inches party 12 inches.
1st story: " 12 " " 12 " " 12 " " 12 "
2d story: " 12 " " 12 " " 12 " " 12 "
3d story: " 12 " " 12 " " 12 " " 12 "
4th story: " — " " — " " — " " — "
5th story: " — " " — " " — " " — "
6th story: " — " " — " " — " " — "
- Is roof flat, peak or mansard? flat

11. Size of present extension, if any? 21'-2" feet front; 9' feet deep; 17' feet high.
12. Thickness and material of foundation walls? brick
13. Material of upper walls? brick + frame If ashlar, give kind and thickness none
14. Thickness of upper walls:
 Basement: front 12 inches; rear 12 inches; side 12 inches; party _____ inches.
 1st story: " 12 " " 6" frame " " 12 " " _____ "
 2d story: " _____ " " _____ " " _____ " " _____ "
 3d story: " _____ " " _____ " " _____ " " _____ "
 4th story: " _____ " " _____ " " _____ " " _____ "
15. Is present building provided with a fire escape? No. New fire escapes to be provided at rear.

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? front show windows
17. Size of proposed extension, feet front 21'-2"; feet rear 21'-2"; feet deep 3'; number of stories in height? one number of feet in height? 7' above curb level
18. Material of foundation walls? present side walls to be used; depth 10' feet; material of base course _____; thickness of base course _____; thickness of foundation walls, front _____ inches; side _____ inches; rear _____ inches; party _____ inches.
19. Will foundation be on rock, sand, earth or piles? _____
20. What will be the size of piers in cellar? _____; distance on centres? _____; size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____
21. Material of upper walls? _____; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls:
 1st story: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 2d story: " _____ " " _____ " " _____ " " _____ "
 3d story: " _____ " " _____ " " _____ " " _____ "
 4th story: " _____ " " _____ " " _____ " " _____ "
 5th story: " _____ " " _____ " " _____ " " _____ "
 6th story: " _____ " " _____ " " _____ " " _____ "
23. With what will walls be coped? present, bluestone
24. Will roof be flat, peak, or mansard? flat; material tin
25. Give size and material of floor and roof beams floor of show windows to be nailed to sleepers 3x4 spruce set in concrete; Roof of 2x4-18" centres & bracketted to the girders
 1st tier, material _____; size _____; distance on centres _____
 2d tier, " _____ " _____ " _____ "
 3d tier, " _____ " _____ " _____ "
 4th tier, " _____ " _____ " _____ "
 5th tier, " _____ " _____ " _____ "
 Roof tier, " _____ " _____ " _____ "
- Give thickness of headers _____ of trimmers _____
26. Give material of girders _____ of columns _____
 Under 1st tier, size of girders _____; size of columns _____
 " 2d " " " _____; " " _____
 " 3d " " " _____; " " _____
 " 4th " " " _____; " " _____
 " 5th " " " _____; " " _____
 " Roof tier, " " _____; " " _____

27. If front, rear or side is to be supported on columns or girders, give :

Girders, material _____ ; front _____ ; side _____ ; rear *Steel girders + C.I. Cols*
size _____ " _____ " _____ "*{two 12" 3 1/2" I.B.s*
Columns, material _____ " _____ " _____ "*" 6-12 1/4" " "*
size _____ " _____ " _____ "*Cast iron*
" *8x12x1 and 6 dia x 1"*

28. If constructed of frame, give material _____ ; size of sill _____ ;
plate _____ ; enteties _____ ; posts _____ ; studs _____ ;
braces *show windows to be of wood + exposed surfaces covered with metal.*

29. If open on one side, give size of plate _____ posts _____

30. How will extension be occupied? *for show windows to stores* If for
dwelling, give number of families on each floor _____

31. How will extension be connected with main building? *with braces + anchors.*

32. Give size of skylights _____ ; material _____

33. Give material of cornices *galv. iron*

34. Give material of light shafts _____ ; size _____

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? Give particulars *no*

36. How many stories high will building be when raised? _____ ; feet high _____

37. Will the roof be flat, peak or mansard? _____ ; material _____

38. Material of coping? _____

39. Give material of new walls _____ thickness of _____ story _____ inches;
_____ story _____ inches; _____ story _____ inches; _____ story
_____ inches; _____ story _____ inches; _____ story _____ inches;
_____ story _____ inches.

40. Material of floor beams? _____ Size _____ tier _____
centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
centres _____

41. Material of girders? _____ Size under 1st tier _____ ;
2d tier _____ ; 3d tier _____ ; 4th tier _____ ; 5th tier _____ ;
6th tier _____

42. Material of columns? _____ Size under 1st tier _____ ; 2d tier _____ ;
3d tier _____ ; 4th tier _____ ; 5th tier _____ ; 6th tier _____ ;

43. Size of piers in cellar _____ ; distance on centres _____ ; thickness of cap stones
to piers _____ ; bond stones _____

44. If constructed of frame, give material of frame _____ ; size of sills _____ ;
corner posts _____ ; middle posts _____ ; enteties _____ ; plates _____ ;
braces _____ ; studs _____

45. How will building be occupied when altered? _____
If for dwelling, state number of families on each floor? _____

46. With what kind of fire escape will building be provided? _____

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner:

47. Front wall above back to be shored up & the underneath portion removed.

The wall above to be supported with steel beams & C.I. Cols with brackets & plates. Granite bases to be 20x24x12 set in cement on top of present 20" stone foundations.

Front stone stoop to be cut 24" off the width.

New rear areas to be of brick 12" & 16" thick with concrete footings. Areas to be concreted.

If altered internally, give definite particulars, and state how the building will be occupied:

48. Stud & plaster partitions to be erected in basement & 2" thick solid plaster partition with stiffened expanded metal where shown on plans.

New flues to be cut in walls for the Kitchens of basement & 1st story & to be lined with clay pipe. Window openings between living rooms & Kitchens of back to be widened. Present interior cellar stairs to be removed & the opening framed in with 3x9 spruce, floored over & plastered underneath. Entire ceiling of back to have metal work.

49. How much will the alteration cost? \$ 800⁰⁰

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	2	1	1	1	-	-	-
52. Height of ceilings?	6'-6"	7'-4 $\frac{1}{2}$ "	10'-9 $\frac{1}{2}$ "	9'-3"	8'-6"	front rear	-	-

53. How basement to be occupied? Stores & living rooms

How made water-tight? with Cement

54. Will cellar or basement ceiling be plastered? yes How? 2 coats of plaster

55. How will cellar stairs be enclosed? present to be removed

56. How will cellar be occupied? Coal storage

How made water-tight? with Cement

57. Will shafts be open or covered with louvre skylights full size of shafts? —

Size of each shaft? —

58. Dimensions of water-closet windows? 1-2' x 3'-1 - in the map -
 Dimensions of windows for living rooms? 3' x 6'
59. Of what materials will hall partitions be constructed? present stud + plaster; to remain
60. Of what materials will hall floors be constructed? present of wood; to remain
61. How will hall ceilings and soffits of stairs be plastered? present to remain
62. Of what material will stairways be constructed? " " "
 Give sizes of stair well holes? " " "
63. If any other building on lot, give size; front _____; rear _____; deep _____
 stories high _____; how occupied _____; on front or rear
 of lot _____; material _____
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____
with slate
65. Number and location of water closets: Cellar Basement 2; 1st floor 1; 2d floor 1;
 3d floor 1; 4th floor _____; 5th floor _____; 6th floor _____
66. This building will safely sustain per superficial foot upon the ^{Basement 120th} 1st floor 60 lbs.; upon 2d floor
60 lbs.; upon 3d floor 60 lbs.; upon 4th floor _____ lbs.; upon 5th floor
 _____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
 _____ lbs.
67. Is architect to supervise the alteration of the building or buildings mentioned herein? no.
 Name _____
 Address _____
68. If not the architect, who is to superintend the alteration of the building or buildings described herein?
 Name Joseph Coolman
 Address 56 - 2nd Ave. Bor. Man. N.Y.C.

Owner, Joseph Coolman Address, 56 - 2nd Ave. Bor. Man. N.Y.C.

Architect, Michael Bernstein " 185 Madison Ave " " "

Mason, _____ " _____

Carpenter, _____ " _____