

65. How will all portions of cellar be lighted and ventilated? (Sec. 92.) *windows + doors.*
66. Will there be a door at bottom of each inner court and vent shaft? (Sec. 106.) *Yes*
67. Will all courts, vent shafts, areas and yards be properly graded and drained and connected with the street sewer? (Sec. 93.) *Yes*... How will they be paved? *concreted*
68. Is the street on which building is proposed to be erected now provided with a public sewer? *Yes*..... If not, what disposition will be made of waste and sewage?
- 68 a. State diameter depth of sewer in street and depth below curb level. *2'-0" diam. - 9'-0" below curb.*
State distance of sewer in street from building line. *20'-2"*
69. How many water-closets, baths and other plumbing fixtures will be provided? (Sec. 95.)

	Cellar.	Basement.	1st Story.	2d Story.	3d Story.	4th Story.	5th Story.	6th Story.	7th Story.	8th Story.	9th Story.	Total.
Water-closets (how many)			5	6	6	6	6	6				35
Sinks,	1		6	6	6	6	6	6				37
Wash-tubs,				6	6	6	6	6				30
Bath-tubs,				6	6	6	6	6				30
Shower-baths,												
Wash-basins,			1	1	1	1	1	1				6
Urinals,			1									1

70. If water-closets or bath-rooms are ventilated by means of a vent-shaft, give dimensions of same. (Sec. 85.)..... feet wide by feet long. Will vent-shafts be entirely open at the top?..... Describe intake for vent-shaft..... Give size of same..... State arrangements for cleaning same.....
71. How will water-closet compartments be lighted and ventilated? (Sec. 95.)
Give source of light by day... *windows to court, yard + street*
Give source of light by night... *Gas*
72. Will there be any water-closet compartment or bath-room less than 2 feet 4 inches wide? (Sec. 95.) *No*.....
73. How will floors of water-closet compartments be made water-proof? (Sec. 95.)
..... Specify material. *Slate or tile*..... Will there be a base 6 inches high of water-proof material around same, and state of what material? *Yes: slate or marble.*
74. Will vertical lines of plumbing pipes be exposed? (Sec. 96.) *Water risers only, other pipes covered with lath + plaster.*
75. Describe location and character of water supply for each apartment. (Sec. 94.)
Sink with running water in each apartment
Will there be a roof tank? *Yes*..... Give capacity. *2500 gals.*
76. What part of the building will be used as a store, or for any business purpose? (Sec. 110.) *Stores in 1st story*
77. Remarks

State and City of New York, }
County of New York } ss.:

Samuel Sass

being duly sworn, deposes and says: That he resides at Number 23 Park Row in the Borough of Manhattan in The City of New York in the County of New York in the State of New York that he is architect for the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, in The City of New York, aforesaid, and known and designated as ~~Number~~ N.E. Cor. of Ave. B. & 10th St.

and hereinafter more particularly described; that the statements made in the foregoing application are true; that the two sets of plans accompanying this application are identical in all particulars, and that said specifications and plans contain a correct description of such tenement house, lot, and proposed work, and that the construction of such tenement house will be in accordance with such plans and specifications as approved, and that he is duly authorized by the aforesaid owner to make application in compliance with Chapters 334 and 466 of the Laws of 1901, as amended, for the approval of such detailed statement of specifications and plans in his behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, either as owner, lessee, or in any representative capacity, are as follows:

Jaw Golding No. 230 Grand St Manhattan as Owner
Samuel Sass No. 23 Park Row Manhattan as Architect

No. as

The said land and premises above referred to are situate at, bounded and described as follows, viz.:

BEGINNING at a point on the N.E. side of Ave. B., distant feet from the corner formed by the intersection of (north-south-east-west) Ave. B. and 10th St. running thence North 47'-4" feet; thence East 93'-0" feet; thence South 47'-4" feet; thence West 9'-0" feet to the point or place of beginning.

Sworn to before me this day of Nov 1901

Notary Public County

Note:—Any false swearing in a material point in this affidavit is deemed perjury. (Sec. 121, Tenement House Act)

1
110
OFFICE OF BUILDINGS
FOR THE BOROUGH OF
MANHATTAN

Plan No. 26

APPLICATION FOR ERECTION OF BRICK BUILDINGS.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here)

Samuel Ross

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN,

Jan

1908

How many buildings to be erected? *1*
What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof)

21 E. Co. of Ave. B & 10th St.

On what side of the lot? *Front*
How many buildings to be erected on the front or rear of lot? *1*
How many buildings to be occupied? *tenement & stores* If for dwelling, state the number of families in use *30 families*
What is the size of the lot? *47'-4"* feet front; *47'-4"* feet rear; *93'-0"* feet deep.

What is the program of same.
What is the size of the building? *47'-4"* feet front; *47'-4"* feet rear; *83'-7"* feet deep.
What is the size of the extension? *9'-5"* feet front; *9'-5"* feet rear; *46'-9"* feet deep.

What is the number of stories in height: main building? *6* Extension? *1*
What is the height from curb level to highest point: main building? *68'-6"* feet. Extension? *13'-6"* feet.

What is the character of the ground: rock, clay, sand, etc.? *Natural earth*

How is the foundation to be laid on earth, rock, timber or piles? *earth*

Are there to be a cellar? *Yes*

What will be the base, stone or concrete? *concrete* If base stones, give size and thickness, how laid.

under walls & 18" under piers

What will be the depth of foundation walls below curb level or surface of ground? *10'-0"*

What will foundation walls be built? *Brick & stone*

What is the thickness of foundation walls: front, *Piers* inches; sides, *Piers, 20 & 24* inches; rear, *16* inches; party, *16* inches.

What are the exterior supports be brick partition walls or piers, iron columns or wooden posts? *lally cols*

What is the size of same? *4" lally cols.*

What is the thickness of cap stones or plates? *12" x 12" x 5" blue stone* bond stones or *under lally cols.*

How made water-tight? *concreted*

46. Will shafts be open or covered with louvre skylights full size of shafts? *D.W. shaft*

Size of each shaft? *See plans*

47. Dimensions of water-closet windows? *At least 1'-0" x 3'-0"*

Dimensions of windows for living rooms? *At least 3'-0" x 5'-0"*

48. Of what materials will hall partitions be constructed? *Brick walls*

49. Of what materials will hall floors be constructed? *Brick arches*

50. How will hall ceilings and soffits of stairs be plastered? *Stair halls & entrance hall to be plastered*
51. Of what material will stairways be constructed? *6.9 strings & risers & slate treads & platform*
Give sizes of stair well holes *6"*
52. If any other building on lot, give size: front *None*; rear _____; deep _____; stories high _____; how occupied _____; on front or rear of lot _____; material _____
How much space between it and proposed building? _____
53. How will floors and sides of water closets to the height of 16 inches be made waterproof? *Water tile floor*
54. Number and location of water closets: Cellar _____; 1st floor *5*; 2d floor *6*; 3d floor *6*; 4th floor *6*; 5th floor *6*; 6th floor *6*; 7th floor _____
55. This building will safely sustain per superficial foot upon the 1st floor *60 #* lbs.; upon 2d floor *60 #* lbs.; upon 3d floor *60 #* lbs.; upon 4th floor *60 #* lbs.; upon 5th floor *60 #* lbs.; upon 6th floor *60 #* lbs.; upon 7th floor _____ lbs.; upon 8th floor _____ lbs.
56. What is the estimated cost of each building, exclusive of lot? \$ *65000*
57. What is the estimated cost of all the buildings, exclusive of lots? \$ _____

Owner, *Samuel Golding* Address, *230 Grand St.*
 Architect, *Samuel Suss* " *23 Park Row*
 Superintendent, *Carroll* " _____
 Mason, _____ " _____
 Carpenter, _____ " _____

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, *Jan* 1908

The undersigned gives notice that *he* intends to use the *Southerly* wall of building *North of the herein described building* as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall *is* built of *brick* *20"* inches thick, *10-0'* feet below curb; the upper wall *is* built of *brick* *16" & 12"* inches thick, *90-0'* feet deep, *60-0'* feet in height.

(Sign here) *Samuel Suss*

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.
"SPECIFICATIONS-SHEET A" [Form 152-1913] must be filed with EVERY Alteration Application.
"SPECIFICATIONS-SHEET B" [Form 158-1913] must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. 3034 1914 ✓

MAY 3 1914
BOROUGH OF MANHATTAN
CITY OF NEW YORK

LOCATION East side of Ave. B. 50' - North of E. 10th St. #163

Examined Apr 7 1914 L. Miller
Examiner

SPECIFICATIONS-SHEET A

- (1) NUMBER OF BUILDINGS TO BE ALTERED One
Any other building on lot or permit granted for one? No.
- (2) ESTIMATED COST OF ALTERATION: \$ 200-
- (3) OCCUPANCY (in detail):
Of present building Store & Tenement
Of building as altered Store & Tenement
- (4) SIZE OF EXISTING BUILDING:

At street level	25' -	feet front	80' -	feet deep
At typical floor level	25' -	feet front	80' -	feet deep
Height	5	stories	55' -	feet
- (5) SIZE OF BUILDING AS ALTERED:

At street level	25' -	feet front	80' -	feet deep
At typical floor level	25' -	feet front	80' -	feet deep
Height	5	stories	55' -	feet
- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING:
Ordinary [Frame, Ordinary or Fireproof]
- (7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Remove the present show window of store on first story and erect new show window, set flush with the building line, to comply with Sec. 73 of the Code.

LOCATION 163 Avenue B

REFERRED TO INSPECTOR 6/14 1916, FOR IMMEDIATE REPORT AS TO OCCUPANCY:

Basement Storage 6th Floor
1st Floor Store 7th Floor
2d Floor 3 Families 8th Floor
3d Floor " " 9th Floor
4th Floor " " 10th Floor
5th Floor " "

Is Building Fireproof? No

Remarks:

(Dated) June 17th 1916

(Signed)

Henry C. Cole

Inspector *et c.*

(5)

no C of O found
10/14/08

(if any) proposed to be done upon the same premises and specified in separate applications filed herewith, and all subsequent amendments thereto—is duly authorized by **Israel Nurick** (Name of Owner or Lessee)

and that **Chas. M. Straub** is

duly authorized by the aforesaid **Israel Nurick** to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in **his** behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner **Israel Nurick** **1905 Park Ave. Weehawken N.J.**

Lessee _____
Architect **Chas. M. Straub** **147 Fourth Ave. N.Y.C.**
Superintendent **Owner**

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING at a point on the **east** side of **Ave B.**

distant **47' 4 3/4"** feet **north** from the corner formed by the intersection of **Ave B.** and **10. str.** running thence **north 23' 8 3/5"** feet; thence **east 33** feet; thence **south 23' 8 3/8"** feet; thence **west 33** feet

to the point or place of beginning,—being designated on the map as Block No. **393** Lot No. **3**
(SIGN HERE) **Chas. M. Straub** Applicant

Sworn to before me, this **14th** day of **June** 191**6**
Fredrick A. Locke
Com. of Deeds - City of New York
My Comm. Expires March 28/18 - Residing -
130 West 42nd St. N.Y.C.

Dimensions and Lot and Block numbers agree with Land Map

Samuel S. Gause
6/14/16 **Deputy Com. of Deeds**
(Title)

ALTERATION PERMIT
BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN
CITY OF NEW YORK

Block
393. Lot 1

LOT 1

SPECIFICATIONS—SHEET B [Form 155] must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. 191 6

LOCATION 163 Ave B.

Examined 191

Examiner

SPECIFICATIONS—SHEET A

- (1) NUMBER OF BUILDINGS TO BE ALTERED **one**
Any other building on lot or permit granted for one? **no**
- (2) ESTIMATED COST OF ALTERATION: \$ 1500
- (3) OCCUPANCY (in detail):
Of present building **Store and Tenement - 12 families**
Of building as altered **Store and Tenement - 12 families**

(4) SIZE OF EXISTING BUILDING:

At street level	23'.8 3/8"	feet front	81	feet deep
At typical floor level	23'.8 3/8"	feet front	81	feet deep
Height	5	stories	53	feet

(5) SIZE OF BUILDING AS ALTERED:

At street level	23'.8 3/8"	feet front	81	feet deep
At typical floor level	23'.8 3/8"	feet front	81	feet deep
Height	5	stories	53	feet

(6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: **brick**

[Frame, Ordinary or Fireproof]

(7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Stud partitions in upper floors to be altered as shown on plans. Vent shaft and dumbwaiter shaft above cellar to be removed and openings in floors filled in with 2" x 6" beams. Lower end of first flight of stairs to be altered as shown on plan.

First story hall floor to be filled up with cinders 2 ft and tiled. New windows to be cut through south and north court-walls as per plan. 16 gauge iron flue to be erected in yard, fastened to rear wall by iron anchors every 10 ft in height, flue to be 2 ft from windows and to extent 10 ft above roof.

Hot water boiler and heater to be installed in cellar rear boiler room enclosed by 8" brick walls with fire proof door.

All as shown on plans.

(Sign here)

Chas. W. Stewart

Applicant

JUN 14 1916

Block 393, Lot 1

lot 1

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen or Cloth.

ALT. APPLICATION No. 191 6

LOCATION 163 Ave B BLOCK 393 LOT 3

When properly signed by the Superintendent of Buildings of the Borough of Manhattan, this application becomes a PERMIT as required by the Building Code of The City of New York, to perform such work as is described in the foregoing statement and the attached plans and specifications which are a part hereof.

EXAMINED AND RECOMMENDED FOR APPROVAL ON July 14 191 6
E. F. [Signature]
Examiner

APPROVED 191
[Signature]
Superintendent of Buildings, Borough of Manhattan

New York City, June, 14. 1916

TO THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all the rules and regulations of the Bureau of Buildings for the Borough of Manhattan, all provisions of the Building Code of The City of New York, and with every other provision of law relating to this subject in effect at this date.

STATE, COUNTY AND }
CITY OF NEW YORK } SS.: Chas. M. Straub
Typewrite Name of Applicant

being duly sworn, deposes and says: That he ~~resides~~ ^{has an office} at Number 147 Fourth Ave.
in the Borough of Manhattan
in the City of New York, in the County of N.Y.
in the State of N.Y., that he is the Architect and

Israel Nurick is the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 163 Ave. B.

and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPLICATE

Alt.

APPLICATION No. 1642

191 6

[N. B., ALT., ELEV., ETC.]


LOCATION 163 Ave B.

New York City July 11, 191 6

TO THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the following AMENDMENT to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

(Signed)



Applicant

✓ 1- Headers and trimmers around openings and method of filling in now shown on plan. 3" beams will be used.

✓ 2- Hallway in first story will not be raised. There will be no cinder fill.

✓ Dumbwaiter shaft will not be removed and lower part of first flight of stairs will not be altered.

✓ Bathroom in southerly apartment will be placed as shown on plan. Present kitchen window will be partly built up and new window to be cut through southerly shaft wall for kitchen, as shown on plan. Two 6"x4" angles placed over new opening.

✓ All new brickwork laid up in Portland cement.

✓ All as shown on plans.

✓ Similar amendment made and approved in the Tenement House Dept.

EXAMINED AND RECOMMENDED FOR APPROVAL ON

July 14, 1916 

Examiner

APPROVED

191

Superintendent of Buildings, Borough of Manhattan

[PAGE (9)]

HSD

ORIGINAL

NEW LAW TENEMENT

Form 121-1927

39-2017-27-Bt

TENEMENT HOUSE DEPARTMENT

OF

THE CITY OF NEW YORK

MANHATTAN AND RICHMOND OFFICE
MUNICIPAL BUILDING
Centre and Chambers Streets
Borough of Manhattan

BRONX OFFICE
BERGEN BUILDING
Tremont and Arthur Avenues
Borough of The Bronx

TENEMENT HOUSE DEPARTMENT
RECEIVED
DEC 30 1927
PLAN CLERK

BROOKLYN AND QUEENS OFFICE
MUNICIPAL BUILDING
Joralemon and Court Streets
Borough of Brooklyn

PLAN No. ALT. 969 1927 FILED PLAN CLERK 1927

APPLICATION FOR ALTERATIONS

APPLICATION is hereby made to the Tenement House Commissioner of The City of New York for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration of the Tenement House herein described. THE APPLICANT AGREES TO COMPLY WITH ALL PROVISIONS OF LAW AND ORDINANCES IN THE ALTERATION OF SAID BUILDING WHETHER SPECIFIED HEREIN OR NOT.

(Sign here) Chas. M. Straub

Address 147 Fourth Ave. Manh.

NOTE—The above signature to be that of the owner or of the person authorized by him to make application.

WARNING The approval of plans, procured by misrepresentation of facts, or conditions, misstatements in applications, or through improper action by any officer or employee of this department, does not legalize an illegal construction, arrangement or condition.

INSTRUCTIONS

VERY IMPORTANT THAT SAME BE CAREFULLY READ

Three sets of Applications and two sets of Drawings must be filed.

All plans must be drawn to a uniform scale, not less than one-quarter inch to the foot, and be on linen tracing cloth or be cloth prints, and the proposed new work must be clearly distinguished from the old work by dotted lines or by other conventional methods.

After approval by the Tenement House Department, one set of plans and a certificate of approval will be at once forwarded to the Bureau of Buildings by the Department.

The dimensions and boundaries of each lot must be clearly marked on plans, as must the clear measurements of all courts, yards, shafts, rooms, stairs and halls, the location of all fire-escapes, and the use to which each room and the several portions of the cellar are to be put. With each application, not personally signed by the owner, must be filed a written statement (see page 5), authorizing the person signing this application to make such application. Thereafter no person other than the owner whose signature appears in the papers, or the person authorized by him as above explained, will be recognized by the Department. A new owner or a new architect may be substituted during the progress of the work only after filing a new authorization, as per page 5.

Disapproved amendments are rejected in their entirety. A subsequent amendment, filed to meet the objections, must also contain all items proposed in the original amendment not specifically disapproved.

All amendments to plans and applications must be made on a separate blank provided for that purpose, and where changes affecting the sizes of lots, buildings, courts, rooms or halls are made, separate drawings, showing such changes must be filed, if required by the Department. Amendments must be typewritten. All changes made in drawings or applications, after the date of original filing, must be made in RED INK, and each change or correction dated and initialed or signed by the person making the same. Corrected drawings will be required if changes made, in the opinion of the Department make same necessary.

NOTE—Where it is proposed to convert or alter to the purposes of a tenement house a building not a tenement house, the form of application used for the erection of a new tenement house must be filed in the Department and must be completely filled out. Application for "three or four family converted dwellings" must be made on Form 270.

Borough of Manhattan Date DEC 27 1927

- How many tenement houses to be altered. one
- Location 347 E. 10th St. and 159-161 Ave. B. N. E. Cor.
- Owner Estate of Victor Muller Address 60 Ozone Park, Boro Queens
- Architect Chas. M. Straub Address 147 Fourth Ave. Manh.
- Estimated cost of alterations or repairs. \$
- Size of each lot? 47' x 4' 4" front; 93' 6" deep
- Size of building on front of lot? 47' x 4' 4" front; 80' 7" deep
- Size of building on rear of lot? front; deep
- Material of building? brick
- Is the building that is to be altered on the front or rear of the lot? front
- Is there any other building on the lot? NO For what purpose is it used?

12. When it is proposed to change occupancy or create or remove rooms, this schedule must be filled out. If more than one building is to be altered, and the buildings are not similar, separate schedules must be filed.

	CELLAR		BASEMENT		1ST STORY		2ND STORY		3RD STORY		4TH STORY		5TH STORY		6TH STORY	
	Before	After	Before	After	Before	After	Before	After	Before	After	Before	After	Before	After	Before	After
How many apartments on each floor?																
How many rooms on each floor?																

13. Is there a basement? *no* ... Is there a cellar? *yes* ... Is there a sub-cellar? *no* ...

14. Number of stories above cellar or basement? *6* ... Height of cellar or basement ceiling above curb? *not above* ...

15. Will the building or any part thereof, or any part of the premises, be occupied during the progress of the proposed alteration? *yes* ...

If the building is to be occupied during alterations, give the following information:

A. Will the front, rear, or side walls, or any portion thereof be removed? *yes* ...
 State in detail in what manner and for what purpose *Wall in 1st story between corner stone and store adjoining to be removed* ...

B. Will a proper and sufficient means of egress from the building to street, to yard, and to fire escapes be maintained at all times during the progress of the alteration? *yes* ...

C. Are the fire escape balconies, stairs or ladders, or any portion of same to be altered or removed? Give details *no* ...

D. Are new fire escapes to be erected? *no* ... Will they comply with Section 16 and with the Rules and Regulations of this Department? ...

E. Will the entrance hall, stairs, stair halls, public halls or access to roof be altered? *no* ... State in what respects. ...

F. State present location of water closets and whether they are to be maintained or removed? *on all floors to remain* ...

G. Will the occupants of the building be fully provided with proper water-closet accommodations during the progress of the alterations? *yes* ...

H. Will there be adequate and sufficient supply of water on all floors at all hours of the day and night? *yes* ...

I. Will there be a light kept burning in the public hallway near the stairs upon the entrance story, and on each other story where required by Sec. 76, from sunset to sunrise? State character of light *Electric* ...

16. No alterations or repairs except the following are proposed to be made to the said tenement house:

Wall in 1st story between corner stone and store adjoining to be taken out, upper wall supported by steel.

(NOTE.—If additional space is necessary insert plain sheet.)

PLUMBING AND DRAINAGE

(To be filled out when alterations are to be made to plumbing)

17. How many new water-closets, baths and other plumbing fixtures will be provided? (See schedule below.)

	Yard	Cellar	Base-ment	1st Story	2nd Story	3rd Story	4th Story	5th Story	6th Story	7th Story	8th Story	Total
Water-closets.....												
Sinks.....												
Wash-tubs.....												
Bath-tubs.....												
Wash-basins.....												
Urinals.....												
Dental Cuspidors.....												

18. How will floors of new water-closet compartments be made water-proof? State material

Will there be a water-proof base six inches high above floor extending entirely around such compartments? State of what material.

19. Where will new water-closets be located?.....

State character of enclosing partitions (Sec. 93)

Give minimum dimensions in the clear of new water-closet compartments

.....How will water-closet compartments be lighted and ventilated?How lighted at night?

Give size of windows for new water-closet compartments (between stop beads)

20. NEW LINES	NUMBER	DIAMETER	MATERIAL
House Drain.....		inch	
House Sewer.....		"	
Soil Pipes.....		"	
Waste Pipes.....		"	
Vent Pipes.....		"	
Fresh Air Inlet.....		"	
Yard Drains.....		"	
Court, Shaft and Area Drains.....		"	}outside }inside
Leaders.....		"	
Refrigerator Waste.....		"	

21. Will a roof tank be provided? If so, state location and give capacity

