
BUREAU INS. OF BUILDINGS.

	Received DEC 19 1887
APPLICATION TO A	LTER, REPAIR, ETC.
pelicator is hereby made to alter as pe	er subjoined detailed statement of specification for
	ready erected, and herewith submit Plans and
	do hereby agree that the provisions of the Build-
ing tw will be complied with, whether the same	e are specified herein or not.
10753	(Sign here) Chas Office (Roles
New York,188	.71
1. State how many buildings to be altered,	Cone
2. What is the street or avenue and the number	- di
z. What is the street of avenue and the number	er thereof (a) Solo (b)
3. How much will the alteration cost, \$ 151	A 1/2 0
3. How much will the alteration cost, \$.7.	V. f
	/
GIVE THE FOLLOWING INFORMAT	ION AS TO THE PRESENT BUILDING:
	194" . 194" . 04 (
1. Size of lot on which it is located, No. feet front,	eet rear, 194; feet deep, 70, 4 No. of stories
2. Size of building, No. of feet front, / / ; fe	eet rear, / 9. 4; feet deep, Y C. & No. of stories
	rom curb level to highest point of beams, 3 4. O.
	; material of front, / Tree ck
	lat-
5. Depth of foundation walls feet;	thickness of foundation walls, I materials
of foundation walls,	Material of upper walls, Brick
6. Thickness of upper walls,inches	Material of upper walls, Brick
7. Whether independent or party-walls, LaZ	
8. How the building is occupied, Atics	at Swelling
0 1	
IF TO BE RAISED OR BUILT UPON,	GIVE THE FOLLOWING INFORMATION:
1. How many stories will the building be when r	aised
 How many stories will the building be when r How high will the building be when raised? 	aised)
 How many stories will the building be when r How high will the building be when raised? Will the roof be flat, peak or mansard? 	aised)
 How many stories will the building be when r How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of additions 	aised)
 How many stories will the building be when r How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of additions story, inches. 	al stories ? story, inches;
 How many stories will the building be when r How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of additions story, inches. Give size and material of floor beams of additions. 	al stories? story, inches; al stories; 1st tier, , x ;
 How many stories will the building be when r How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of additions story, inches. Give size and material of floor beams of additional contents. 	al stories ? story, inches;
 How many stories will the building be when r How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of additions story, inches. Give size and material of floor beams of additional control of the size and material of floor beams of additional co	al stories? story, inches; nal stories; 1st tier, , x ; Distance from centres on tier,
 How many stories will the building be when r How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of additions story, inches. Give size and material of floor beams of additional control of the size and material of floor beams of additional co	al stories? story, inches; al stories; 1st tier, , x ;
 How many stories will the building be when r How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of additions story, inches. Give size and material of floor beams of additional control of the size and material of floor beams of additional co	al stories? story, inches; nal stories; 1st tier, , x ; Distance from centres on tier,
 How many stories will the building be when r How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of additions story, inches. Give size and material of floor beams of additional control of the size and material of floor beams of additional co	al stories? story, inches; nal stories; 1st tier, , x ; Distance from centres on tier,
 How many stories will the building be when r How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of additions story, inches. Give size and material of floor beams of additional control of the size and material of floor beams of additional co	al stories? story, inches; nal stories; 1st tier, , x ; Distance from centres on tier,
 How many stories will the building be when raised? How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of additions story, inches. Give size and material of floor beams of additional control of the control	al stories ? story, inches; nal stories ; 1st tier, , x ; Distance from centres on tier,
 How many stories will the building be when raised? How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of addition story, inches. Give size and material of floor beams of additional entries. How will the building be occupied? 	al stories? story, inches; nal stories; 1st tier, , x ; Distance from centres on tier,
 How many stories will the building be when raised? How high will the building be when raised? Will the roof be flat, peak or mansard? What will be the thickness of wall of addition story, inches. Give size and material of floor beams of additional entries. How will the building be occupied? How will the building be occupied? Size of extension, No. feet front, figure in the story. 	al stories? story, inches; nal stories; 1st tier, , x ; Distance from centres on tier, GIVE THE FOLLOWING INFORMATION: Geet rear, // 0; feet deep, 25.0; No of
1. How many stories will the building be when reased? 2. How high will the building be when raised? 3. Will the roof be flat, peak or mansard? 4. What will be the thickness of wall of additions story, inches. 5. Give size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material of floor beams of additional end of the size and material end of floor beams of additional end of the size and material end of floor beams of additional end of the size and material end of floor beams of additional end of the size and material end of floor beams of additional end of the size and material end of floor beams of additional end of the size and end of the size	al stories? story, inches; nal stories; 1st tier, , x; Distance from centres on tier, GIVE THE FOLLOWING INFORMATION: Seet rear, / / ; feet deep, 25 ; No of n height, 23
1. How many stories will the building be when raised? 2. How high will the building be when raised? 3. Will the roof be flat, peak or mansard? 4. What will be the thickness of wall of additions story, inches. 5. Give size and material of floor beams of additional end of the complete story. 1. Size of extension, No. feet front, stories in height, stories in height, stories in height, stories of foundation walls.	al stories? story, inches; nal stories; 1st tier, , x; Distance from centres on tier, GIVE THE FOLLOWING INFORMATION: leet rear, // O; feet deep, 25.0; No of n height, 23.0 of extension, Hand & Canal. What will be the
1. How many stories will the building be when raised? 2. How high will the building be when raised? 3. Will the roof be flat, peak or mansard? 4. What will be the thickness of wall of additions story, inches. 5. Give size and material of floor beams of additional entry. 2d tier, x inches. 6. How will the building be occupied? IF TO BE EXTENDED ON ANY SIDE, 1. Size of extension, No. feet front, stories in height, stories	al stories? story, inches; nal stories; 1st tier, , x; Distance from centres on tier, GIVE THE FOLLOWING INFORMATION: Elect rear, // feet deep, 25.0; No of in height, 23.0 of extension, from & Complex What will be the the thickness, 20 inches.
1. How many stories will the building be when raised? 2. How high will the building be when raised? 3. Will the roof be flat, peak or mansard? 4. What will be the thickness of wall of additions story, inches. 5. Give size and material of floor beams of additional end of the complete story. 1. Size of extension, No. feet front, stories in height, stories in height, stories in height, stories of foundation walls.	al stories? story, inches; nal stories; 1st tier, , x; Distance from centres on tier, GIVE THE FOLLOWING INFORMATION: Elect rear, // feet deep, 25.0; No of in height, 23.0 of extension, from & Complex What will be the the thickness, 20 inches.
1. How many stories will the building be when raised? 2. How high will the building be when raised? 3. Will the roof be flat, peak or mansard? 4. What will be the thickness of wall of additions story, inches. 5. Give size and material of floor beams of additional entry. 2d tier, x inches. 6. How will the building be occupied? IF TO BE EXTENDED ON ANY SIDE, 1. Size of extension, No. feet front, stories in height, stories	al stories? story, inches; nal stories; 1st tier, , x; Distance from centres on tier, GIVE THE FOLLOWING INFORMATION: Elect rear, // feet deep, 25.0; No of in height, 23.0 of extension, from & Complex What will be the the thickness, 20 inches.
1. How many stories will the building be when raised? 2. How high will the building be when raised? 3. Will the roof be flat, peak or mansard? 4. What will be the thickness of wall of additions story, inches. 5. Give size and material of floor beams of additional entry. 2d tier, x inches. 6. How will the building be occupied? IF TO BE EXTENDED ON ANY SIDE, 1. Size of extension, No. feet front, stories in height, stories	al stories? story, inches; nal stories; 1st tier, , x; Distance from centres on tier, GIVE THE FOLLOWING INFORMATION: Elect rear, // feet deep, 25.0; No of in height, 23.0 of extension, from & Complex What will be the the thickness, 20 inches.

	Telescopies and healed
(6)	base—stone or concrete? To
	e sizes of piers /
	e thickness of upper walls in 1st story / inches; 2d story, 8 inches;
3d story,	inches; from thence to top, inches; and of what materials to
	ndent or party-walls; if party-walls, give thickness thereof, Cude perce inches.
	rial will walls be coped? Blue Tone
	e materials of front? Beck. If of stone, what kind
	of front ashlar, and thickness of backing thereof,
. Will the roof be	flat, peak, or mansard?
	e materials of roofing?
Give size and ma	aterial of floor beams, 1st tier, J, , , x 9 .; 2d tier.
ks x 9;	aterial of floor beams, 1st tier, , , , , x , ; 2d tier. 3d tier, , , , x , ; 5th
	; 6th tier,; roof tier,
	State distance from centres on 1st tier 6 inches; 2d tier, 6 inches;
	inches; 4th tier, inches; 5th tier, inches; 6th tier,
	inches; roof tier, 20, inches.
	be supported by columns and girders, give the following information: Size and ers under 1st floor,
·	Size and material of columns under
1st floor,	under upper floors,
, -	be supported by brick piers and columns, state the size of piers and columns.
Building	
Buildena	tension be connected with present or main building? Oze Eeas of from
Builden	
Builder g Builder g	tension be connected with present or main building? Or Elas of from
How will the extended to the control of the control	tension be connected with present or main building? Or Elle officen
7. How will the extocution occupy each fi	tension be connected with present or main building? THE THE CONTROL OF THE CONTR
7. How will the extended occupy each fi	tension be connected with present or main building? THE THE CONTROL OF THE CONTR
7. How will the extocution occupy each fi	tension be connected with present or main building? THE THE CONTROL OF THE CONTR
7. How will the extoccupy each fi	tension be connected with present or main building? THE THE TOTAL STATE HOW THE TERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE
F THE FRONT,	tension be connected with present or main building? The second of the s
How will the extoccupy each fi	tension be connected with present or main building? The second of the s
How will the extended occupy each fi	tension be connected with present or main building? Control of the connected with present or main building. Control of the connected with present or main building?
How will the extended occupy each fi	tension be connected with present or main building? Control of the connected with present or main building. Control of the connected with present or main building?
How will the extoccupy each fi	tension be connected with present or main building? The second of the s

	Owner Goorge Clay Address 324 52 74
	Architect, Address 139.
	Mason Address Address
	Carpenter (Lein Address / 92, 6) Hour
	REPORT UPON APPLICATION.
	Fire Department, City of New York,
	BUREAU OF INSPECTION OF BUILDINGS.
	NEW YORK, 2 188)
	To the Superintendent of Buildings:
	I respectfully report that I have thoroughly examined the foregoing-described building, and find the the same to be built of
	roof. I have thoroughly examined and measured the walls, and find the foundation walls
	to be built of me 2001/2 inches thick; the upper walls are built of mes 12"-8"
	besiment males 12 " 1 to Clony 12"
	and that the mortar in said walls is and that all the walls are
70	(The Inspector must here state what defects, if any, are in the walls, beams or other part of the building)
	They is a on ofing extension and gran brush of more 19 feet
	D'occupier by Dfameir
	tal Harrell
	Inspector.
	THE BUILDING LAW REQUIRES 1st—All stone walls must be properly bonded.
	2d—All skylights, over 3 feet square, must be of iron and glass. 3d—All buildings over 2 stories or above 25 feet in height, except dwellings and churches, on streets
	less than 30 feet wide, must have iron shutters on every window and opening above the 1st story.
	The front windows on streets over 30 feet wide are exempted. 4th—Outside fire escapes are required on all dwelling houses over two stories in height, occupied or
	built to be occupied by two or more families on any floor above the first, and on office buildings, hotels, lodging houses and factories; and the balconies of such fire escapes must take in one
	window of each suite of apartments, all to be constructed as follows:
	BRACKETS must not be less than \(\frac{1}{2}\) x 1\(\frac{1}{2}\) inches wrought iron, placed edgewise, or 1\(\frac{1}{2}\) inch angle iron, well braced, and not more than three feet apart, and the braces to brackets must be not less than \(\frac{1}{2}\) inch square wrought iron, and must extend two-hirds of the width of the respective brackets or balconies. In all cases the brackets must go through the wall, and be turned down three inches
	BRACKETS ON NEW BUILDINGS must be set as the wans are being built. When blackets are to be put of the best set as the wans are being built.
	through the wall shall not be less than one inch diameter, with screw nuts and washers not less than have inches square and \(\frac{1}{2}\) inch the thick. Top RAILS—The top rail of balcony must be 1\(\frac{1}{2}\) inch \(\frac{1}{2}\) inch wrought iron, and in all cases must go through the walls, and be secured by nuts and \(\frac{1}{2}\) inch square washers, at least \(\frac{1}{2}\) inch thick, and no top rail shall be connected at angles by the use of cast iron. Borrom Rails—Botiom rails must be 1\(\frac{1}{2}\) inch \(\frac{1}{2}\) inch wrought iron, well leaded into the wall. In frame buildings the top rails must go through the studding and be secured on the inside by washers and nuts as above.
	and well riveled to the top and bottom rails.
	may be of cast iron of the same width of strings, or inch round iron, double rungs, and well riveted to the strings. The stairs must be secured to a bracket on top and rest on and be secured to a bracket or extra cross bar at the bottom. All stairs must have a inch hand rail of wrought iron, well braced. The decring of belowing of belowing must be of wrought iron it is inch slats placed not over it inches apart, and secured to iron battens
	FLOORS—The flooring of balconies must be of wrought iron $1\frac{1}{2} \times \frac{1}{2}$ inch slats placed not over $1\frac{1}{4}$ inches apart, and secured to iron battens $1\frac{1}{2} \times \frac{1}{2}$ inch, not over three feet apart and riveted at the intersection. The openings for stairways in all balconies shall not be less than 20 inches wide and 36 inches long, and 1 ave no covers. The openings for stairways in all balconies shall not be less than 20 inches wide and 36 inches long, and 1 ave no covers. The openings for stairways in all balconies shall not be less than 14 inches wide, and shall be made of $1\frac{1}{2} \times \frac{1}{2}$ inch sides
	PROP LADDERS.—Drop ladders from lower balconies where required shall not be less than 14 inches wide, and shall be made of 1½ x \(\frac{1}{2}\) inch sides and \(\frac{1}{2}\) inch rungs of wrought iron. In no case shall a drop ladder be more than 12 feet in length. In no case shall the ends of balconies extend more than nine inches over the brackets. Scuttle Ladders to scuttles shall be constructed in all cases the same as the stairs or step-ladders from balconies of fire escapes.
	The Height of Railing around balconies shall not be less than two feet nine inches. In constructing all balcony fire escapes, the manufacturer thereof shall securely fasten to each balcony
	in a conspicuous place, a Cast Iron Plate having suitable raised letters on same, to read as follows:
	"Notice! Any person placing any incumbrance on this balcony is liable to a penalty of ten dollars and imprisonment for ten days."
	No Fire Escape will be approved by this Bureau if not in accordance with above specifications. [36] 5th—All walls must be coped with stone or terra cotta. If coped with stone, the stone must not be
	less than 2½ inches thick; and if with terra cotta, the terra cotta must be made with proper lap joints.
	6th—Roofs must be covered with fire-proof material. 7th—All cornices must be fire-proof.
	8th—All FURNACE FLUES OF DWELLING HOUSES shall have at least eight inch walls on each side. The inner four inches from the bottom of flue to the top of the second tier of floor beams, shall be
	built of fire-brick laid with fire-clay mortar. No furnace flue shall be of less size than eight inches
	square, or four inches wide and sixteen inches long, inside measure. When furnace flues are located in the usual chimney stacks, the side of the flue inside of the house to which it belongs may
	be four inches thick. If preferred, the furnace flues may be made of cast iron or fire-clay pipe of proper size built in the walls, with an air space of not less than one inch between said pipes, and
	four inches of brick wall on the outside. All BOILER FLUES must be lined with fire-brick at least fifteen feet in height from the bottom,
	and in no case shall the walls of said flues be less than eight inches thick. All flues not built for furnace or boiler flues must be altered to conform to the above require-
	monts before they are used as such
	9th—No iron beam, lintel, or girder, intended to span an opening over eight feet, or iron post, or column, intended to support a wall of stone or brick, or any floor or part thereof, shall be used for
	that purpose, until tested and approved as provided by law.



FORM 2.—1887. Original	Drawing migde. New York, 1887		Dece Lein-
FIRE DEPARTMENT, CITY OF NEW YORK,	This is to sortify that I have are mined the within		
Bureau of Inspection of Buildings.	detailed statement, together with the copy of the		1
Detailed Statement of Specification	to be in accordance with the provisions of the laws relating to Buildings in the City of New York, that		
ALTERATIONS TO BUILDINGS.	the same has been approved,		
No. 2030 Submitted Sec / 188) Duly LOCATION	Definer when dent of Buildings.		
0wner Serge Weiss Architect Chil Start Kober	1	******	
Builder William William		=	
Received by John Hayee 1884	s /1		
Returned by 1887 Report favorable.			
FINAL REPORT.			
To the Superintendent of Buildings: Work was commenced on the within described			
building on the day of left 188 and completed on the day of and has been done in accordance with the fore-			
going detailed statement, except as a ted below.			3 -
REMARKS: Inspector.	1. <u>1</u>		
Referred to Inspector Sales			*
Returned See 1 1888			
James Duffy Inspector.		₹ =	
U			

BUREAU OF BUILDE

BOROUGH OF MANHATTAN, CITY OF NEW 1

NOTICE—This Application must be TYPEWRITTEN and filed in FORTHE BOROUGH MANNy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen or Cloth.

ALT. APPLICATION No.

LOCATION 532 East 5th Street New York City BLOCK

New York City,

7-8-27

192

To The Superintendent of Buildings:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York, and with the provisions of all other laws and rules relating to the alteration of said building in effect at this date.

Work under this approval will not be commenced until a permit has been secured, application for which will be filed with the Superintendent of Buildings, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law.

EXAMINED AND RECOMMENDED FOR APPROVAL ON ..

APPROVED

Superintendent of Buildings, Borough of Manhattan.

STATE, COUNTY AND

SS.: Joseph J Farrell for Frank A Holby Corporation

being duly sworn, deposes and says: That he resides at Number

4 East 39th Street

, in the Borough of

Manahattan

in the City of

New York

, in the County of

New York

in the State of

New York

, that he is architect & engineer

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated 532 Bast 5th Street as Number

and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work (if any) proposed to be done upon the same premises and specified in separate applications filed herewith,

and all subsequent amendments thereto—is duly authorized by

Or. Charles N Paley
(Name of Owner or Lessee)

and that

Joseph J Farrell for Frank A Holby Corp

duly authorized by the aforesaid Owner to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in his behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

		Namo	es and Addresses		
Owner Dr. Char	les N.Paley		532-5th Street		[ahhattan
	_3,J	******************		1 1 1	A
	14. 2.			***************************************	r
					ol tu
Lessee		*		1 300 jaw	er tegi
			4 East 39th Street	•	
			·		The state of the s
_					DECINING
			e situate at, bounded and o	lescribed as Iollo	ws, viz.: BEGINNING
at a point on the	S 242		le of E 5th Street	the seems forms	d by the intersection of
distant ,	Avenue I	feet	n . 1 es	the corner forme th Street:	d by the intersection of
			. and		foots
running thence	S 90 N 90		feet; thence	W 20 E 20	feet;
thence	ы эо		feet; thence	B 20	feet
(SIGN HERE)	Alia II	- Andrews	w gu		sions and Lot and Block s agree with Land Map.
Sworn to before me	COM EXPINES	IN LOSS	\$. 	Date	(Signature)Tax Dept. (Title)
	TERATION	REAU OF BUILDINGS BOROUGH OF MANHATTAN CITY OF NEW YORK	ALL elevations and grades for curbs and sidewalks must be obtained from the Commissioner of Public Works, Municipal Building, New York City		8 10

BUREAU OF BUILDINGS

BOROUGH	OF	MANHA?	ΓΤΑΝ,	CITY	OF THE OFT	REU	iluing
							EM LOUK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.

"SPECIFICATIONS—SHEET A" (Form 152) must be filed with EVERYING THE DURING IS to be raised in height or occupancy changed so as to increase floor loads, or if building is to be smarge and one side.

ALT. APPLICATION No. 1613 19227	BLOCK 400 LOT 22
LOCATION 532 East 5th Street New York City	
DISTRICT (under building zone resolution) Use Business	Height 1 ½ Area B
Examined July 192 M-Jly	Examiner.

SPECIFICATIONS—SHEET A

- (1) Number of Buildings To Be Altered one Any other building on lot or permit granted for one?
- (2) Estimated Cost of Alteration: \$

\$ 200.00

(3) OCCUPANCY (in detail): Of present building

Two family residence

Of building as altered

Two family residence

(4)	Size of Existing Building: At street level At typical floor level Height	20 20 3	feet front feet front stories	65 65 35	feet deep feet deep feet
(5)	Size of Building as Alterei At street level	SAMO	feet front	same	feet deep
	At typical floor level	same	feet front	same	feet deep
	Height	same	stories	same	feet
(0)	0	D D			

(6) Character of Construction of Present Building:

ordinary

[Frame, Ordinary or Fireproof]

- (7) NUMBER OF OCCUPANTS (in each story of building as altered, giving males and females separately in the case of factories):
- (8) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

 I propose to install one 750 gallon fuel oil tank to be used in connection

 with an approved fuel oil burning system.

DEPARTMENT OF HOUSING AND BUILDINGS

BOROU A L , CITY OF NEW YORK

MANHATTAN Municipal Bldg., Manhattan BROOKLYN Municipal Bldg., Brooklyn BRONX Bronx County Bldg., Grand Cone. & E. 161st St. QUEENS
21-10 49th Avenue,

CORNER OF LARGE

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and one copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, one affidavit is sufficient for all.

AFFIDAVIT

FORM A

APPLICATION NO.	2047	1939	BLOCK	400	_LOT	22
PERMIT NO		.19	SEC.		VOL	
LOCATION 532 Eas	t 5th Street			***************************************	***************************************	
FEES REQUIRED FOR				MINIOTO TO THE STATE OF THE STA		······································
EXAMINED AND RECOMMENDE	P ()	. /) 5	A su
FOR APPROVAL OF	ling	3/	_19 3 9		371a	Examiner
Approved	U.	19				Examiner
	AUGSTIS	*			Borough	Superintendent
TO THE BOROUGH SUPERINTEN	DENT:					
Application is hereby near thereof for the structure of If this application shall notice of partial disapproval, in Any permit issued under	herein described, be disapproved it shall be automa	with the unin part and itically with	oderstanding d if no furt bdrawn.	that: her action is take	n thereon wi	thin one year after
by limitation. (Adm. Code C Work will be supervise who has had ten years' experi C-26-187.0).	-26-177.0). d by Licensed A	rchitect. P	rofessional	Engineer or by a	Superintende	nt of Construction
Work under this appro- filed with the Borough Supe- obtained in accordance with Work will be carried or York and with the provisions	rintendent, accom the provisions of ut in compliance	panied by the Worl with all th	satisfactory kmen's Com e provisions	evidence that concernsation Law. of the Administration	ompensation i (Adm. Code rative Code o	nsurance has been C-26-161.0). f the City of New
STATE AND CITY OF NE						
COUNTY OF New York	} ss. :			Seymour A. M	itteldorf	
			***************************************	Typewrite N	ame of Applica	nt
being duly sworn, deposes and	says: That he res	sides at	286 Fif	th Avenue		
in the City of New Yor	k		in the Boro	(Number arough of	nd Street) Ianhattan	
New Y	ork					1.5.1
in the State ofand specifications herewith sub		a part her	eof, for the	building therein	described.	
says that he has personally sup	ervised the prepar	ation of the	eAr	Chitocturel Str	ectural or Me	chanical)
plans and that to the best of I form to the Administrative Co The Multiple Dwelling Law; provisions of law applicable th	nis knowledge and de; the Rules and The Labor Law; hereto, except as l	l belief, the Regulation The General hereinafter	e structure, is of the B ral City La otherwise n	if built in accord oard of Standar w; The Building oted.	lance with suds and Appe Zone Resolu	ch plans, will con- als: The Charter:
14.	1 2 1 - 4. 1 1 1 2 0			Ž.	ri u	
Deponent further says to owner in fee of all that certain	hat he is in lot, piece or pa	the reg	istered a	rchitect n the diagram a	nnexed hereto	for the
hereof, situate, lying and being						
and designated as Number. be done upon the said premise and plans of such proposed w Elevator and Plumbing work (ork, including all (if any) proposed	amendmen to be done	its to the se upon the	ame which may learner premises an	be filed herea d specified in	fter—and also all separate applica-
tions filed herewith and all sul			(Name of Owner or	Lessee who h	as Owner's concent)
and that Seymour A. Mitt to make application for the app	eldorf roval of such deta	_duly auth	orized by t	he aforesaid I	r. Nathan	Sohel
in his behalf.						·
Deponent further says said land, and also of every popremises, wall, platform, stagin	erson interested in	said build	ing or pro	oosed building, s	tructure or π	roposed structure

	Nathan	Sobel	NAMES ANI	532 Eas	es st 5th Str	eet, N.Y.C.	
Owner			***************************************	•			
. 7 - 5							
Lessee							
Architect		• Mitteldori			h Avenue,	N.Y.C.	-
						A	
	- O	-11	77 6		and describe	d as follows, viz.:	BEGINNING
at a point on t	пс	Side 0	f East 5	th Street			
distant 2421		feet	West	(Constant)		orner formed by the	intersection of
		th Stre et West 19'-4	4/ 3	feet; thence			£
running thence		East 19'-	24/ 3"	feet; thence		h 96'-2"	feet fee
to the point or	nlace of 1	eginning.—bein	g designated on the		k No. 400	Lot No.	
			ymos (11.	1	
(SIGN HERE		101	7		my	a h	APPLICANT
Sworn to befor					Regist	offix Seal of ered Architect or	3
day of			19	- 37	Prote	ssional Engineer Here	-
Note	ary Public	or Commissioner	of Deeds				
Note.	If buildi	ng is a Multiple	e Dwelling, the fol	lowing authori	ization is req	uired:	
			AUTHORIZAT	ION OF OW	NER		
				***************************************	Depo	ses and says: That	reside
at	1.75			100			
							i
the City of Ne	w York,	and located on t	he	_side of			an
Note.— premises descri	This classibed here	h Chapter 713 of use to be used in.	of the Laws of 192 only when the per- nes and residences,	son executing street and nur	this authori	approval of such sp zation is not the so owner or owners of welling either as o	le owner of th
otherwise, as r	equired b	y Section 300 c	of the Multiple Dw	elling Law, are	e as follows:	waning clarer as o	wher, resect, t
	Vame and	Relationship to p	wemices	No		Address	- 13 NV
Planta.	Name and	Kerationsmb to f	A CHILSES		1. 1.	Audi ess	
	Name and	Relationship to 1	oremises	No		Address	,
***************************************	Name and	Relationship to 1	oremises	No		Address	
- 3 -	KLIFE.					Signature	
11	188	7 te 177	-real-t-		ಕರ1	શ જ જો 🗗	1
					SUPT. LIMIT.	9 s true ed has Rules	tor
						report is true indicated has by the Rules except where	
INSPECTORS					COMPLETED CANCELED BY	report indicate by the	Ī
77			Э	W 05	COMPLETE CANCELED CANCELED	ork red	
SPE			T E		843	abo e w equi	
NI	NG.		RE		.H.	the the	
PO	3		L		INSP	d Offthat the above of that the work nanner required this Department	
	DWELLING		D STEEL CED CONCRET OR	NO	AL.	te Signed Off	ly.
ECORD	\sim	TS ING	D STE CED (CONSTRUCTION	ONS	Date Signe I hereby certify in every respect an been done in the r	versely.
2		JUZ ZRI	AND ORC	RU(rio F F	+ 0 - = T	adv
DS	SPRINKL	CURB CU. PLASTER	REINFORCE ELEVATOR	CONSTRU	VIOLATIC RESULT 1	Da I hereby in every re been done	reported ad
BONDS	PR	LA LU	RO.	ME ON	TIO ES	I I I I ev	roda
u A	ഗ ≽	ОНД	H K H P	Y O A	> 14	ă ă E.	i I