

ORIGINAL

Tenement House Department
of the City of New York
Received DEC 28 1903 190

Form 101-1903.

TENEMENT HOUSE DEPARTMENT
OF
THE CITY OF NEW YORK.

Manhattan Office:
No. 61 IRVING PLACE,
S. W. Cor. 18th Street.

Bronx Office:
2806-8 3d AVENUE,
Near 148th Street.

Brooklyn Office:
No. 44 COURT STREET,
Cor. Joralemon Street.

Plan No. 372 190 . Filed DEC 28 1903 190 .

APPLICATION FOR ERECTION OF NEW TENEMENT HOUSE.

APPLICATION is hereby made to the Tenement House Commissioner of The City of New York for the approval of the detailed statement of the specifications and plans herewith submitted for the erection of the 2 Tenement House s herein described. The applicant agrees to comply with all provisions of law and ordinances in the erection of said building whether specified herein or not.

(Sign here) S. E. Gage Architect
Address 3 Union Sq. N. Y.

Applications must be filed in TRIPLICATE and drawings in DUPLICATE.

NOTE.—In making application for the approval of plans for a new tenement house the following drawings must be furnished: Plans of all floors, including cellar, basement and roof, an elevation showing heights of stories, a section showing stairs and stair-hall windows, and, if necessary, transverse and longitudinal sections. All plans must be drawn to a uniform scale, not less than one-quarter inch to the foot, and be on linen tracing cloth or be cloth prints. After approval by the Tenement House Department one set of plans and a certificate of approval will be at once forwarded to the Bureau of Buildings by the Department. The dimensions and boundaries of each lot must be clearly marked on plans, as must the measurements of all courts, yards, shafts, rooms, stairs and halls, the location of all fire escapes, and the use to which each room and the several portions of cellar are to be put. With each application must be filed a written statement signed by the owner of the proposed building, authorizing the person signing this application to make such application. There must also be filed with this application a diagram or survey of the property, on linen tracing cloth, showing the width and depth of the lot and its location and distance from adjacent streets, and the distance of the street sewer below the street level.

All amendments to plans and applications must be made on a separate blank provided for that purpose, and where changes affecting the sizes of lots, buildings, courts, rooms or halls are made, separate drawings showing such changes must be filed.

NOTE.—Where it is proposed to convert or alter to the purposes of a tenement house a building not used for such purpose, the form of application used for the erection of a new tenement house must be filed in the Department and must be completely filled out.

THE CITY OF NEW YORK,

BOROUGH OF Manhattan Date Dec 23 1903

1. State how many tenement houses to be erected two

2. Location. Give street and number. (If there is no street number, state on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof.)

536-538-540-542 → LOT 26
East 5th St - N. Y.

3. Owner Morgan Lewis Address 115 W. 122

4. Architect S. E. Gage Address 3 Union Sq. N. Y.

5. Person superintending construction of building Architect
(Whether Owner or Architect.)

Address

6. Estimated cost of each building, exclusive of the lot, \$ 30000 -

7. Estimated cost of all buildings, exclusive of the lot, \$ 60000 -

- 8. Will the building be erected on the front or rear of lot? *front*
- 9. State the number of families on each floor *four on first floor two on first*
(Secs. 13, 18, 19, 23, 28, 58, 59, 61, 62, 72.)
The number in each house *twenty-two*
- 10. Size of each lot?
40 feet, 0 inches front; 40 feet, 0 inches rear; 96 feet, 2 inches deep.
- 11. Size of each building?
40 feet, 0 inches front; 33 feet, 6 inches rear; 83 feet, 2 inches deep.
- 12. Will each apartment extend through from street to yard? (Secs. 58, 59, 61, 62.)
no
- 13. Number of stories above cellar or basement? (Sec. 11.) *5*
- 14. Will there be a basement? *no* Will there be a cellar? (Sec. 11.) *yes*
- 15. State height of basement or cellar ceiling above curb? (Sec. 11.) (at center of facade.)
6" below in front - 12" above in rear

FIRE PROVISIONS.

- 16. State material of building? (Secs. 11, 28.) *non fireproof*
(If building is of wood, questions 19, 21, 22, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 37, 39, 40 and 41 need not be answered.)
- 17. If building is of wood, will it be outside the fire limits? (Sec. 28.) *-*
- 18. If of wood, will side walls be brick filled? (Sec. 28.) *-*
- 19. Will building be a fireproof tenement house throughout? (Secs. 2, 11.) *no* If so, state
 - a. The material of floor beams *-*
 - b. Specify the construction of floor filling *-*
 - c. Specify the construction of the partitions *-*
- 20. If building is not to be a fireproof tenement house, give the following information. (Sec. 12.)
 - a. Will there be fireproof outside stairways or fire escapes opening directly from at least one room in each apartment? *yes* State whether stairs or fire escapes *fire escapes*
 - b. Will such fire escapes be constructed in accordance with the provisions of Section 12 of the Tenement House Act? *yes*
 - c. State distance of lowest fire escape balcony above ground, street, court or area bottom, as the case may be. *not over 14 ft.*
- 21. Will there be a bulkhead in roof with stairs leading thereto? (Sec. 13.) *yes*
Of what material will it be constructed? *brick*
- 22. Give number of stairways in building. (Secs. 14, 15, 16, 17.) *one in each*
- 23. Give width of stairs. (Secs. 14, 15, 16.) *3' 0"*
Number of apartments in building above entrance story (Secs. 15, 16.) *20 in each*
- 24. Give the rise of steps. (Sec. 17.) *less than 8"* Width of treads *10" or more*
Length of treads in the clear *3' 0" or more*

25. Will there be winders? (Sec. 17.) *no*... If so, will the treads at a point 18 inches from the strings on the well side be not less than 10 inches wide?.....
Will building contain a power passenger elevator? *no*.....

26. State material of risers. (Sec. 18.) *iron*... Of strings *iron*... Of banisters *iron*... Of treads *stone*... Of hand rails *hard wood*... How will soffits of stairs be covered? *not covered*.....

27. Stair halls and entrance halls. (Secs. 18, 19, 20.)
a. State material of floor beams.....; of floor filling..... *concrete*
b. Will there be wooden flooring or sleepers over fireproof filling? *no* -
c. If beams are of wood, will there be 5 inches of cement deafening between them?
.....

d. State material of ceiling..... *brick arch in entrance hall*
stone in stair leas -

28. Will all wainscoting, bases, door trim, window trim and all other trim in stair halls and entrance halls be fireproof? (Sec. 18.)..... *yes*
Specify method of fireproofing..... *Kalamien doors & trim*

29. How will stair halls and entrance halls be enclosed? (Secs. 19, 20.) Specify material *brick*..... give thickness of same..... *8" & 12"*
If uprights and filling are used, specify material, and sizes of same, also how covered

30. Will all doors from stair halls and entrance halls be fireproof and self-closing? (Secs. 19, 20.) *yes*. Specify method of fireproofing *Kalamien*.....

31. Will each stair hall and entrance hall be shut off from all non-fireproof portions of the building by self-closing fireproof doors? *yes*.....

32. Will there be any transoms or sashes from stair halls and entrance halls to the other parts of the building? (Secs. 19, 20.) *no*.....

33. State width of entrance hall up to and including stair enclosure (Sec. 20.) *3' 6" or more*
Beyond that point *3' 0" or more*.....

34. Describe egress from street to yard (Sec. 20.) *through inner court & intake*

35. State material of first tier of beams. (Sec. 21.) *7" x 25 lbs, 9" x 21 lbs + 10" x 25 lbs I beams* Specify material of floor filling *Some fire proof construction approved by Bureau of Buildings*

36. How will cellar ceiling be constructed? *It will be the under side of fire proof* Will it be plastered? (Sec. 101.) *only in stores*.....

37. Will stairs to cellar be inside the building? (Sec. 23.) *no*... If so, will they be enclosed in the cellar with brick walls and fireproof self-closing doors?

38. Will there be an entrance to the cellar from the outside of the building? (Sec. 26.) *yes*.....

39. Will all shafts be fireproof throughout? (Sec. 37.) *no shafts*..... Specify method of construction and material

40. Will all openings, except window openings, to shafts be provided with self-closing fireproof doors? (Sec. 37.).....
Specify material of same

NOTE.—Under the provisions of sections 51 to 64 of the Tenement House Act (chapter 334 of the Laws of 1901, as amended), the size of all open spaces is regulated by the height of the building. Under the provisions of these sections the following *minimum* sizes are prescribed for buildings not over the heights shown in table; certain exceptions are made for special types of houses mentioned in the act.

	AMOUNT OF INCREASE FOR EACH 12 FT. OF HEIGHT.	BUILDINGS 24-36 FEET IN HEIGHT.	BUILDINGS 36-48 FEET IN HEIGHT.	BUILDINGS 48-60 FEET IN HEIGHT.	BUILDINGS 60-72 FEET IN HEIGHT.	BUILDINGS 72-84 FEET IN HEIGHT.	BUILDINGS 84-96 FEET IN HEIGHT.
Outer courts, on lot line, width . . .	6 in.	5 ft.	5 ft. 6 in.	6 ft.	6 ft. 6 in.	7 ft.	7 ft. 6 in.
Outer courts, between wings, width	1 ft.	10 ft.	11 ft.	12 ft.	13 ft.	14 ft.	15 ft.
Inner courts, on lot line, width . . .	6 in.	11 ft.	11 ft. 6 in.	12 ft.	13 ft. 6 in.	13 ft.	13 ft. 6 in.
Inner courts, on lot line, length . . .	1 ft.	22 ft.	23 ft.	24 ft.	25 ft.	26 ft.	27 ft.
Inner courts, between wings, width	1 ft.	22 ft.	23 ft.	24 ft.	25 ft.	26 ft.	27 ft.
Inner courts, between wings, length	1 ft.	22 ft.	23 ft.	24 ft.	25 ft.	26 ft.	27 ft.
Yard, depth of, on interior lots	1 ft.	10 ft.	11 ft.	12 ft.	13 ft.	14 ft.	15 ft.
Yard, depth of, corner lots 100 ft. or more deep	0	10 ft.	10 ft.	10 ft.	10 ft.	10 ft.	10 ft.
Yard, depth of, corner lots less than 100 ft. deep	0	10 per centum of depth of lot					

51. Give sizes of unoccupied space in schedule below (Secs. 51-64, incl.):

SCHEDULE OF UNOCCUPIED SPACE.
SIZES OF COURTS, YARDS, ETC.

House No. 1.					House No. 2.				
	Height of Wall Forming Court.	Width of Court.	Depth of Court.	Area of Court.		Height of Wall Forming Court.	Width of Court.	Depth of Court.	Area of Court.
Outer Court No. 1	6.3	6'6"	58'2"		Outer Court No. 1	6.3	6'6"	58'2"	376.40
<i>less 1 2/3 ft</i> 2				376.40	<i>less 1 2/3 ft</i> 2				
" 3					" 3				
" 4					" 4				
Inner Court No. 1	6.3	12 1/2	25	312.50	Inner Court No. 1	6.3	12 1/2	25	312.50
" 2					" 2				
" 3					" 3				
" 4					" 4				
Outer Court Offset No. 1					Outer Court Offset No. 1				
" 2					" 2				
" 3					" 3				
" 4					" 4				
Inner Court Offset No. 1					Inner Court Offset No. 1				
" 2					" 2				
" 3					" 3				
" 4					" 4				
Rear Yard	6.3	13	40	576	Rear Yard	6.3	13	40	576
<i>less 4 ft.</i>					<i>less 4 ft.</i>				
Front Yard					Front Yard				
Total of Unoccupied Space				1204.90	Total of Unoccupied Space				1204.90
		Width	Depth	Area			Width	Depth	Area
Size of Lot		40	96.2	3846.6	Size of Lot				3846.6
Size of House				2641.7	Size of House				2641.71
Per Cent. of Lot Occupied, Ground Level				68.62	Per Cent. of Lot Occupied, Ground Level				68.62
2d Story Level				68.62	2d Story Level				68.62

52. Describe intakes or ducts for each inner court. (Sec. 63.) *Vaulted bricks*
door Give size of each *7* feet high
 *4* feet wide. Will they always be kept open? *yes*
53. Will each room have at least one window opening directly upon the street, or upon a yard or court? (Sec. 67.) *yes* Will such windows be 1-10 of the area of the room? (Sec. 68.) *yes* Will each window be not less than 12 sq. ft. in area between stop-heads? *yes except bath rooms*
54. Will each room opening on an inner court less than 10 feet wide be provided with a sash window communicating with another room in the same apartment, such window to contain not less than 10 sq. ft. of glazed surface and to be arranged so as to readily open? (Sec. 67.) *-*
55. Will living rooms be provided with fan-lights over doors? *no*
except as shown on plans
56. Will each water closet compartment and bathroom have a window not less than one foot by three feet between stop beads opening directly upon the street, or yard, or upon a court or vent shaft? (Sec. 95.) *yes*
57. Will each public hall and stair hall have at least one window not less than 2 feet 6 inches wide and 5 feet high between stop beads, opening directly upon the street or upon a yard or court? (Secs. 72, 73.) *yes*
58. Will any part of the public halls be shut off from any other part of the public halls by doors? *no* If so, state how such portions will be lighted and ventilated. (Sec. 72.) *-*
59. Will stair-hall windows have an aggregate area for each floor of 18 square feet between stop-heads? (Sec. 74.) *yes*
60. State area of glazed surface in entrance door. (Sec. 72.) *2' 0" x 3' 0"*
61. If stair halls are not provided with windows opening to the outer air, give width of stairwell. (Sec. 72.) *-* Will all doors leading from such stair halls be provided with translucent glass panels and fixed transoms of an area of not less than 5 sq. ft. for each door? (Sec. 72.) *-*
62. State area of glazed surface in roof of skylight over stairwell. (Sec. 73.) *2.0 sq. ft.*
 Will it be provided with fixed or movable louvres, or with ridge ventilators, or with both? *ridge ventilators of 40 sq. inches*

SANITARY PROVISIONS.

63. Will cellar or basement be occupied for living purposes; and state whether it is the cellar or the basement that is to be occupied? (Sec. 91.)
 *cellar* *no*
 Give height of such occupied rooms from finished floor to finished ceiling *-*
 Give height of ceiling of such rooms above the surface of the street or ground adjoining *-*
64. How will the cellar or lowest floor be made damp-proof? (Sec. 92.)
 *as necessary*
 What is the character of the ground or soil? *dry*
 How will the walls of the cellar or lowest floor be made damp-proof?
 *as necessary*

65. How will all portions of cellar be lighted and ventilated? (Sec. 92.) *By windows & doors*
to yards & courts
66. Will there be a door at the bottom of each inner court and vent shaft? (Sec. 106.)
67. Will all courts, vent shafts, areas and yards be properly graded and drained and connected with the street sewer? (Sec. 93.) *Yes* How will they be paved?
Concrete
68. Is the street on which building is proposed to be erected now provided with a public sewer? *Yes* If not, what disposition will be made of waste and sewage?
69. How many water-closets, baths and other plumbing fixtures will be provided? (Sec. 95.)

	Cellar.	Basement.	1st Story.	2d Story.	3d Story.	4th Story.	5th Story.	6th Story.	7th Story.	8th Story.	9th Story.	Total.
Water-closets (how many).	2	-	4	4	4	4	4	4				26
Sinks, "	3	-	4	4	4	4	4	4				27
Wash-tubs, "	0	-	4	8	8	8	8	8				44
Bath-tubs, "	0	-	2	4	4	4	4	4				22
Shower-baths, "	-	-	-	-	-	-	-	-				
Wash-basins, "	-	-	-	-	-	-	-	-				
Urinals, "	-	-	-	-	-	-	-	-				

70. If water-closets or bath-rooms are ventilated by means of a vent-shaft, give dimensions of same (Sec. 85), feet wide by feet long. Will vent-shafts be entirely open at the top? Describe intake for vent-shaft. Give size of same State arrangements for cleaning same
71. How will water-closet compartments be lighted and ventilated? (Sec. 95.)
 Give source of light by day *window*
 Give source of light by night *gas*
72. Will there be any water-closet compartment or bathroom less than 2 feet 4 inches wide? (Sec. 95.) *no*
73. How will floors of water-closet compartments be made water-proof? (Sec. 95.)
asbestoslith or similar materials Specify material Will there be a base 6 inches high of water-proof material around same, and state of what material? *asbestoslith or similar materials*
74. Will vertical lines of plumbing pipes be exposed? (Sec. 96.) *Yes*
75. Describe location and character of water supply for each apartment. (Sec. 94.)
Sink - bath & tubs - shower on floor
 Will there be a roof tank? *Yes* Give capacity *2500 gallons for 2 houses*
76. What part of the building will be used as a store, or for any business purpose? (Sec. 110.) *Two rooms in cellar*
77. Remarks *Two rooms in first floor*

State and City of New York, }
County of } ss.:

S. E. Gage

being duly sworn, deposes and says: That he resides at Number 309 Saugood Av.

Flushing in the Borough of Queens

in The City of New York, in the County of Queens

in the State of New York, that he is architect for

George J. Leard owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan

in The City of New York, aforesaid, and known and designated as Number 536, 538-540 + 542

East Fifth St N.Y., and hereinafter more particularly described; that the statements made in the foregoing application are true; that the two sets of plans accompanying this application are identical in all particulars, and that said specifications and plans contain a correct description of such tenement house, lot, and proposed work, and that the construction of such tenement house will be in accordance with such plans and specifications as approved, and that he is duly authorized by

George J. Leard to make application in compliance with Chapters 334 and 466 of the Laws of 1901, as amended, for the approval of such detailed statement of specifications and plans in his behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, either as owner, lessee, or in any representative capacity, are as follows:

George J. Leard No. 115 N. 122 St N.Y.
as owner

..... No.
as

..... No.
as

The said land and premises above referred to, are situate at, bounded and described as follows, viz.:

BEGINNING at a point on the South side of East Fifth St

....., distant 143' 70" feet

west from the corner formed by the intersection of East Fifth St and Av. B

..... running thence West 80 feet;

thence Southerly 96' 2" feet;

thence Easterly 80 feet;

thence Northerly 96' 2" feet

to the point or place of beginning.

Sworn to before me this 23rd day of December 1903

S. E. Gage

[Signature]
NOTARY PUBLIC, KINGS COUNTY

Notary Public... CERTIFICATE FILED IN NEW YORK COUNTY... County.

ORIGINAL

Form 101-1903

Tenement House Department

OF

THE CITY OF NEW YORK

Borough of

DETAILED STATEMENT OF SPECIFICATIONS FOR THE ERECTION OF NEW TENEMENT HOUSE.

No. 372 Submitted DEC 28 1903

LOCATION

536 542 E. 5 St

Owner George Land

Address 115 W 117 St

Architect C. Page

Address 3 Union Sq

THE CITY OF NEW YORK

BOROUGH OF

JAN 20 1904

This is to certify that the within detailed statement of specifications, and a copy of the plans relating thereto, have been submitted to the Tenement House Department and are hereby approved.

Tenement House Commissioner

Per

This approval expires by limitation one year from the time of its issuance, if no work has been done above the foundation walls. (Section 121, Tenement House Act.)

APPLICANT'S ACTION.

Amended JAN 6 - 1904

Amended SEP 26 1904

Amended DEC 2 2 1904

Amended JAN 8 - 1905

DEPARTMENTAL ACTION.

Disapproved JAN 5 1904
Amend't of Jan 6 1904 Disapproved JAN 11 1904

SEP 29 1904
Amend't of 12/15 1903 Disapproved SEP 21 1904
Amend't of 12/22 1903 Disapproved DEC 24 1903
Amend't of 1-9 1904 Disapproved JAN 12 1904

JAN 20 1904

12 - Drawings filed.
1 - Diagram of property.
1 - Authorization of owner.

Building Completed FOR FINAL REPORT TO CITY.

THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1982 Arthur Ave.,
New York 47

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall
St. George 1, S. I.

Fuel Oil 1500/61

ORIGINAL

NOTICE - This Application must be TYPEWRITTEN and filed in TRIPLICATE.

- CHECK ONE BOX
- ORIGINAL INSTALLATION
 - REPLACEMENT OR ALTERATION
(If work involves change of design of combustion chamber, maximum capacity, atomization, or grade of oil)
 - OTHER THAN ABOVE

N.B., ALT., OR B.N. NO. _____

BLOCK 400 LOT 24

LOCATION 536 East 5 St

OIL BURNING EQUIPMENT
DEPARTMENT OF BUILDINGS

NOV SEP 14 1961 1500

CITY OF NEW YORK
BOROUGH OF MANHATTAN

APC-5 FILED APC-48 FILED
DO NOT WRITE IN THIS SPACE

BOROUGH Manhattan

ALL ITEMS MUST BE FILLED IN EXCEPT WHERE OTHERWISE INDICATED

Maximum Input 4 312 000 BTU per hour Maximum Output 3 060 000 BTU per hour

Fee Computation FOR OIL BURNING EQUIPMENT \$ 50 TOTAL \$ _____
FOR ERECTION OR ALTERATION OF CHIMNEY \$ _____

FEE PAID SEP-13-61 250080 SL 1500 61 FID- 50.00

TO THE BOROUGH SUPERINTENDENT Date SEP 13 1961 19__

I hereby make application for approval of the installation described herein and certify to the accuracy of the statements given in this application and the computations, plans and detailed drawings which were prepared by me or under my supervision and that to the best of my knowledge and belief the installation if made in accordance therewith, will conform to the Administrative Code, the Rules of the Board of Standards and Appeals, and the Rules of the Board of Air Pollution Control and will not conflict with any provision of the Charter, the Multiple Dwelling Law and the Labor Law, the General City Law, the Building Zone Resolution, or any other provisions of law applicable thereto, except for the following:

Samuel Senfeld
(APPLICANT)

565 E Tremont Ave, Bronx 57
(ADDRESS)

Samuel Senfeld
(SIGNATURE OF APPLICANT)

Examined For Approval on OCT 31 1961 19__

Thomas V. Bignone
EXAMINER

Approved OCT 31 1961 19__

Thomas V. Bignone
BOROUGH SUPERINTENDENT

SPECIFICATIONS

Construction of building non fireproof

How is building occupied? Cl A-Mult Dwllg & Store State number of families 22

Proposed work To install fuel oil tank, oil burner and boiler

Name of Burner(s) Petro B.S. & A. Cal. No. _____

Capacity of Tank(s) 5000 Grade of Oil 6

Will system be fully automatic? yes Name of preheater Alstrom

B.S. & A. Cal. No. 425-51 Will preheater conform with Rule 7.2.2? yes

Will all safety and operating controls be provided as per B.S. & A. resolution approving the burner and/or preheater? yes Name of constant level device none

Name of anti-siphon or foot valve none Will tanks be inside or outside building? inside

Buried or above ground? above Will tank enclosure comply with Rule 6? yes

Any heating coils in tanks? no Will fill line comply with Rule 7.4? yes

Will vent line comply with Rule 7.3? yes

Location of shut-off valves at burner

Type of measuring device appd type gauge Name of pump Integral

Will pump of burner be below top of storage tank? _____

In dwelling will automatic control be installed? -

Will damper when closed completely cut off passage of flue gases? no

Location of remote control boiler room entr Labeled yes

Is ventilation adequate? yes Will fire protection comply with Rule 14? yes

Is installation along line of subway? no Will it conform with Rule 6.5.1? yes

Fill Box Permit No. 27168 - 3 floors

10-23-61 No M O Objections JOT Sennaw

Senfeld No Objections 10/31

OCT 23 1961

PROPOSED CONSTRUCTION WORK

Will installation include the erection or alteration of a chimney? no (YES OR NO). If answer is "yes", describe

and fill in either estimated cost \$ _____ or whether work is included in approved application _____ (N.E., ALT., OR B.N.)

No. _____ If answer is "no" fill in statement regarding construction of existing chimney. Will the tank be buried, enclosed, or installed outside the building? no (YES OR NO). If answer is "yes", specify _____

_____. If answer to either or both of the above questions is "yes", submit this form in quadruplicate.

STATEMENT REGARDING CONSTRUCTION OF EXISTING CHIMNEY

I hereby state that I have inspected the chimney at the premises wherein under this application I propose to install oil burning equipment and found that the chimney is in good condition and has walls of _____

8" Brick (GIVE MATERIAL AND THICKNESS)

and lining of TC (GIVE MATERIAL)

Gerald C O'Driscoll (NAME OF LICENSED INSTALLER)

Gerald C O'Driscoll (SIGNATURE)

3468 Webster Ave, Bronx (ADDRESS)

STATEMENT OF OWNER

I hereby state that I am the ~~sole~~ ^{sole} owner of the premises described in this application and that the premises are occupied as C1 A-Mult Dwllg & Store

I have authorized the applicant to file this application for the work specified herein.

If occupied as a Multiple Dwelling, also complete the following:

I hereby further state that a Central Heating Plant did exist at these premises prior to July 1st, 1951. (DID OR DID NOT)

The owner or owners of the said premises are

Ruth Berkowitz (NAME AND RELATIONSHIP TO PREMISES)

500B Grand St, NYC (ADDRESS)

(NAME AND RELATIONSHIP TO PREMISES)

(ADDRESS)

(NAME AND RELATIONSHIP TO PREMISES)

(ADDRESS)

Ruth Berkowitz (SIGNATURE OF OWNER OR OFFICER OF CORP.)

(IF A CORPORATION, GIVE NAME AND ADDRESS OF CORPORATION ON THE FIRST LINE ABOVE AND THE NAME AND ADDRESS OF TWO OFFICERS ON THE SECOND AND THIRD LINES; AND SIGNED BY AN AUTHORIZED OFFICER OF THE CORPORATION)

WORK PERMIT

I hereby state that I will make the installation described in this application and plans, if any, approved therewith and I certify that to the best of my knowledge and belief, the installation will conform to the Administrative Code, the rules of the Board of Standards and Appeals and the rules of the Department of Air Pollution Control and I have obtained Workmen's Compensation insurance as follows:

United States Casualty Co (INSURANCE COMPANY)

WC-334500 (POLICY NO.)

9/24/62 (EXPIRES)

Gerald C O'Driscoll Inc (NAME OF INSURED)

3468 Webster Ave, Bronx (ADDRESS)

Gerald C O'Driscoll (NAME OF LICENSED INSTALLER)

3468 Webster Ave, Bronx (ADDRESS OF LICENSED INSTALLER)

License No. 158 (CLASS A OR B)

11/30/61 (EXPIRES)

Gerald C O'Driscoll (SIGNATURE OF LICENSED INSTALLER)

PERMISSION IS HEREBY GRANTED TO INSTALL OIL BURNING EQUIPMENT AS DESCRIBED IN THE FOREGOING APPLICATION.

(DATE)

BOROUGH SUPERINTENDENT

ISSUED BY CLERK

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

FOR CONSTRUCTION INSPECTOR'S USE WHEN "PROPOSED CONSTRUCTION WORK" ABOVE, IS INVOLVED.

On _____ (DATE) I inspected the subject premises and found that the construction work involved in this application has been done in accordance with the approved application and plan.

Signed _____ (CONSTRUCTION INSPECTOR)

Handwritten notes and signatures on the right side of the page, including a large 'X' and the date '9/13/62'.