

B400
L52

1

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

Plan No. 421

APPLICATION FOR ERECTION OF BRICK BUILDINGS.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here).....

Ernst Reigelman
THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, June 6th 1900

1. State how many buildings to be erected. One
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof).
211 E. 4th Street
3. Will the building be erected on the front or rear of lot? In yard
4. How to be occupied? Pl. Rompts. If for dwelling, state the number of families in each house.....
5. Size of lot? 20'-6" feet front; 20'-6" feet rear; 95'-6" feet deep.
Give diagram of same.
6. Size of building? 16'-8" feet front; 16'-8" feet rear; 16'-2" feet deep.
Size of extension? _____ feet front; _____ feet rear; _____ feet deep.
Number of stories in height: main building? One story Extension? _____
Height from curb level to highest point: main building? 9'-2" feet. Extension? _____ feet.
7. What is the character of the ground: rock, clay, sand, etc.? Earth
8. Will the foundation be laid on earth, rock, timber or piles? Earth
9. Will there be a cellar? No
10. What will be the base, stone or concrete? Concrete If base stones, give size and thickness, and how laid _____ . If concrete, give thickness 12"
11. What will be the depth of foundation walls below curb level or surface of ground? 4'-0"
12. Of what will foundation walls be built? Brick
13. Give thickness of foundation walls: front, 12 inches; sides, 12 inches; rear, 12 inches; party, _____ inches.
14. Will interior supports be brick partition walls or piers, iron columns or wooden posts? _____
Give size of same _____
15. If piers, give thickness of cap stones or plates _____ bond stones or plates _____

16. Give base course, width and thickness _____
 17. Will any part of front, side or rear wall, be supported on piers in cellar? _____
 Give size: front _____ size of base course _____
 rear _____ " " " _____
 side _____ " " " _____

Size of cap stones _____ size of bond stones _____
 18. Of what materials will the upper walls be constructed? *Brick*
 What will be thickness of upper walls, exclusive of ashlar, if any?
 Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 1st story: " *8* " " *8* " " *8* " " _____
 2d story: " _____ " " _____ " " _____ " " _____
 3d story: " _____ " " _____ " " _____ " " _____
 4th story: " _____ " " _____ " " _____ " " _____
 5th story: " _____ " " _____ " " _____ " " _____
 6th story: " _____ " " _____ " " _____ " " _____
 7th story: " _____ " " _____ " " _____ " " _____

19. What will be the materials of the front? *Woodcovered with gats^f of stone, what*
 kind? _____ If ashlar, give thickness _____

20. Will flues be lined with pipe or have 8 inches of brick around the same? _____

21. Will any wall be supported on iron or steel girders? _____
 Front, material _____ size _____ weight or thickness _____
 Side, " _____ " _____ " " " _____
 Rear, " _____ " _____ " " " _____
 Interior, " _____ " _____ " " " _____
 Will any wall be supported on iron or steel columns? _____
 Front, material _____ size _____ weight or thickness _____
 Side, " _____ " _____ " " " _____
 Rear, " _____ " _____ " " " _____
 Interior, " _____ " _____ " " " _____

22. Give material of girders _____ of columns _____
 Under 1st tier, size of girders _____; size of columns _____
 " 2d tier, " " _____ " " _____
 " 3d tier, " " _____ " " _____
 " 4th tier, " " _____ " " _____
 " 5th tier, " " _____ " " _____
 " Roof tier, " " _____ " " _____

23. Give material, size and distance on centres of floor beams.
 1st tier, material *Spruce*; size *3"x6"*; distance on centres *16'*
 2d tier, " _____ " _____ " " _____
 3d tier, " _____ " _____ " " _____
 4th tier, " _____ " _____ " " _____
 5th tier, " _____ " _____ " " _____
 6th tier, " _____ " _____ " " _____
 7th tier, " _____ " _____ " " _____
 8th tier, " _____ " _____ " " _____
 Roof tier, " *Spruce* " *3"x4"* " " *20'*
 Give thickness of headers _____ of trimmers _____

24. Specify construction of floor filling _____

25. Is the building to be fire proof?
26. Of what material will partitions be built? Cross fore and aft.
27. Give material of skylights Galv Iron; size 1'-4" x 1'-4" & 1'-8" x 3'-0"
with 2" high cornice
28. What will be the material of roofing? Will roof be flat,
peak or mansard?
29. What will be the material of dumb waiter shafts?
30. What will be the material of elevator shafts?
31. What will be the material of the cornices? Galv. Iron
32. What will be the material of bay windows?
33. What kind of fire escape will be provided?
34. Will cellar be plastered? How?
35. Will access to roof be by scuttle or bulkhead? If by bulkhead, how
constructed?
36. With what material will walls be coped? Blue Stone
37. How will building be heated? Gas Radiator
38. Is there any other building erected on lot or permit granted for one? Yes
Size 20'-0" x 54'-6"; height feet. How occupied? Tenement
..... Give distance between same and proposed
building 10'-0" feet.
39. Are any buildings to be taken down? No; how many?

If the Building is to be occupied as a Flat, Apartment, Tenement or Lodging House, give the following particulars :

40. Is any part of building to be used as a store or for any other business purpose? If so state for what?
.....

	Cellar.	Base-ment.	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor	7th Floor
41. How many families will occupy each? - - -									
42. Height of ceilings? - - -									

43. How basement to be occupied?
- How made water-tight?
44. How will cellar stairs be enclosed?
45. How cellar to be occupied?
- How made water-tight?
46. Will shafts be open or covered with louvre skylights full size of shafts?
- Size of each shaft?
47. Dimensions of water-closet windows?
- Dimensions of windows for living rooms?
48. Of what materials will hall partitions be constructed?
49. Of what materials will hall floors be constructed?

50. How will hall ceilings and soffits of stairs be plastered?.....
51. Of what material will stairways be constructed?.....
Give sizes of stair well holes.....
52. If any other building on lot, give size: front.....; rear.....; deep.....; stories high.....; how occupied.....; on front or rear of lot.....; material.....
How much space between it and proposed building?.....
53. How will floors and sides of water closets to the height of 16 inches be made waterproof?.....
54. Number and location of water closets: Cellar.....; 1st floor.....; 2d floor.....; 3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....; 7th floor.....
55. This building will safely sustain per superficial foot upon the 1st floor..... lbs.; upon 2d floor..... lbs.; upon 3d floor..... lbs.; upon 4th floor..... lbs.; upon 5th floor..... lbs.; upon 6th floor..... lbs.; upon 7th floor..... lbs.; upon 8th floor..... lbs.
56. What is the estimated cost of each building, exclusive of lot? \$ $\begin{array}{r} 800 \\ 1100 \end{array}$
57. What is the estimated cost of all the buildings, exclusive of lots? \$ $\begin{array}{r} 800 \\ 1100 \end{array}$

Owner, Est. of Geo. Fennell
Mr. Geo. W. Fennell Esq. Address, 107 Avenue C

Architect, Henry Spiegelman " 133 - 7th St.

Superintendent, Henry Spiegelman " 133 - 7th St.

Mason, _____ " _____

Carpenter, _____ " _____

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, 190


The undersigned gives notice that..... intend to use the..... wall of building
.....
as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall..... built of..... inches thick,..... feet below curb; the upper wall..... built of..... inches thick,..... feet deep,..... feet in height.

(Sign here).....

Avenue C.



East 4th Street



East 5th Street

BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK
Received JUN 8 1900
FOR THE RECORD
OF MANHATTAN

421 MB 1°

Avenue D.

The Bureau of Buildings for the Borough of Manhattan.

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, 190

To the Superintendent of Buildings for the Borough of Manhattan:

I respectfully report that I have thoroughly examined and measured the wall____, etc., named in the foregoing application, and found the foundation wall____ to be built of _____ inches thick, _____ feet below curb, the upper wall____ built of _____ inches thick, _____ feet deep, _____ feet in height, and that the mortar in said wall____ is _____ hard and good. The _____ wall____ built as a party wall____ and _____ in a good and safe condition to be used as proposed.

What is the nature of the ground?.....

What kind of sand was used in the mortar?.....

(The Inspector must here state what defects, if any, are in the walls.)

(The Inspector must state the thickness of walls in each and every story.)

..... Inspector.

REPORT OF INSPECTOR AS TO COMMENCEMENT OF WORK.

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, April 1st 1901

To the Superintendent of Buildings for the Borough of Manhattan:

Work was commenced on the within described building on the 1st day of April 1901.

Respectfully submitted,

Edmond Fitzpatrick ^{Act.} Inspector.
14 D.

FINAL REPORT OF INSPECTOR.

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, May 23, 1901

To the Superintendent of Buildings for the Borough of Manhattan:


Work was completed on the within described building on the 23 day of May 1901, and all the iron and steel girders, beams and columns are properly set, and of size as per application, and all work upon said building has been done in accordance with the foregoing detailed statement, except as noted below.

Respectfully submitted,


Edmond Fitzpatrick ^{Act.} Inspector.
14 D.

REMARKS.

.....
.....
.....



NOTE - ALL FLOOR BEAMS ARE 3" x 10" SPRUCE 5 FT. 16 IN. (T5.)
 ALL TRIMMER AND HEADER BEAMS ARE 4" x 10" SPRUCE




CELLAR PLAN

1ST STORY PLAN

SCALE 1/8 INCH = ONE FOOT

BLDG. NO. 211 E. 4TH STREET N.Y. CITY



LONGITUDINAL SECTION

SCALE 1/8" INCH = ONE FOOT

BLDG. N^o 211 E 4th ST. N.Y. CITY.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE: This Application must be Typewritten, and Filed in Triplicate

54

RECEIVED
CITY OF NEW YORK
APR 24 1913
BUREAU OF BUILDINGS
FOR THE BOROUGH
OF MANHATTAN

Computation Application No. 191

Violation No. 193 1913.

City of New York April 2nd, 1913.

To the Superintendent of Buildings:

In compliance with the requirements of Section 132 of the Building Code of the City of New York, I have estimated the weight that the respective floors, or varying parts of such floors, of the following-described building, located in the Borough of Manhattan, will safely sustain upon each superficial foot thereof; and hereby file this computation, with the request that the same be examined and approved by you. I further request that I be furnished with a copy of such estimate when approved; and, as required by the Building Code, I agree to post a copy of such approved estimate in a conspicuous place on each story, or varying parts of each story, of the building to which it relates. I also agree to notify the Superintendent of Buildings of the Borough of Manhattan as soon as such approved computation has been properly posted. Plans are attached hereto [on sheets of tracing linen or cloth not exceeding 8½ inches by 14] showing the framing for each floor and a section showing posts and girders, with the sizes and spacing of all materials marked thereon.

PREMISES 211 East 4th Street, City, N. S. 325'0 E. of Ave. A

being a cellar & five story brick tenement building, 30'0" feet wide in front, 30'0" feet wide in rear, 24'0" feet deep and 33'0" feet in height.

FLOORS	OCCUPIED AS	POUNDS	FLOORS	OCCUPIED AS	POUNDS
First	Store	49	Sixth		
Second	2 fam.		Seventh		
Third	2 fam.		Eighth		
Fourth	2 fam.		Ninth		
Fifth	2 fam.		Tenth		

Owner Est. of Geo. Fennell, Mr. Geo. V. Fennell Exctr. Address 107 Avenue A-City

Lessee _____ Address _____

(Signed) Henry Regelmann Architect Address 122-7th St., N. Y. City
Applicant

STATE, COUNTY AND CITY OF NEW YORK } ss.: Henry Regelmann being duly sworn,

deposes and says that the foregoing statement subscribed by him is true.

Sworn to before me, this 2nd day of April 1913
James B. Lutz
Henry Regelmann

EXAMINED AND ACCEPTED:
May 2nd 1913 Isaac M. Rubin Examiner
H. Ober

(If not accepted, the Examiner will report on an Objection Sheet)

APPROVED:
MAY 3 - 1913 191 Russell Smith

7718

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen or Cloth.

Statement

ALT. APPLICATION No. 2218 191 7

211 East 4th Street

LOCATION North side of 4th Street: 325 ft east **BLOCK** 400 **LOT** 152
from Avenue A.

When properly signed by the Superintendent of Buildings of the Borough of Manhattan, this application becomes a **PERMIT** as required by the Building Code of The City of New York, to perform such work as is described in the foregoing statement and the attached plans and specifications which are a part hereof.

EXAMINED AND RECOMMENDED FOR APPROVAL ON 9/10 191 7.

C. A. Herman
Examiner

APPROVED 191

Superintendent of Buildings, Borough of Manhattan

New York City, August 17, 1917. 191 7.

TO THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the **ALTERATION** of the building therein described,—with the understanding that if no work is performed within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all the rules and regulations of the Bureau of Buildings for the Borough of Manhattan, all provisions of the Building Code of The City of New York, and with every other provision of law relating to this subject in effect at this date.

STATE, COUNTY AND }
CITY OF NEW YORK } ss.: Joseph Gans Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 824 Greene Avenue.

in the Borough of Brooklyn.

in the City of New York, in the County of Kings

in the State of New York, that he is the treasurer of the Beekman /

Investing Company who is the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 211 East 4th Street

and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work

(if any) proposed to be done upon the same premises and specified in separate applications filed herewith, and all subsequent amendments thereto—is duly authorized by Nassau Beekman Investing Co. [Name of Owner or Lessee]

and that Joseph Gans is duly authorized by the aforesaid Nassau Beekman Investing Company to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in their behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner Nassau Beekman Investing Company
140 Nassau Street, New York City
Joseph Gans, Treasurer
824 Greene Ave. Brooklyn
Lessee Delia Gans, President, 824 Greene Ave. Brooklyn

Architect _____

Superintendent _____

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING at a point on the northerly side of 4th Street,

distant 325 feet East inches from the corner formed by the intersection of Avenue A and _____ and 4th Street

running thence northerly 96 ft 2 inches; thence easterly 20 ft and 5 inches;

thence running southerly 96 ft 2 inches; thence westerly 20 ft and 5 inches

feet

to the point or place of beginning,—being designated on the map as Block No. 200 Lot No. 52

(SIGN HERE) _____ Applicant

Joseph Gans

Sworn to before me, this 20th day of August 1917.

Morris H. Bobis, Comm. of Seeds, NYC

Dimensions and lot and block numbers agree with Land Map

[Signature]
Date _____
[Signature]

ALTERATION PERMIT
DEPT. OF BUILDINGS
BOROUGH OF MANHATTAN
CITY OF NEW YORK

All elevations and grades for curbs and sidewalks must be obtained from the Commissioner of Public Works, Municipal Building, New York City.

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF Man, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall,
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE.

ALTERED BUILDING

PERMIT No. _____ 19

BLOCK 400

Alt. APPLICATION No. 28731939
N.B. ALT.

SEC. OR WARD _____

LOCATION 211 East 4th St NS 325' E of Ave A

DISTRICT (under building zone resolution) USE Bus

HEIGHT 1 1/2 AREA B

EXAMINED AND RECOMMENDED

FOR APPROVAL ON Nov 13th 1939

John J. Daniels
Examiner.

APPROVED NOV 13 1939 19

Joseph E. Herman
Borough Superintendent.

SPECIFICATIONS

- (1) NUMBER OF BUILDINGS TO BE ALTERED 1
Any other building on lot or permit granted for one? no
Is building on front or rear of lot? front
- (2) ESTIMATED COST OF ALTERATION: \$ 2500
- (3) PROPOSED OCCUPANCY C1.A MD old law

No Co of D to be issued - Plan examined for work shown only. Willed 10/10/39 S.R.G. 10-30-39

STORY (include cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
<u>C</u>			<u>storage</u>							<u>storage</u>
<u>1</u>			<u>store</u>							<u>store</u>
<u>2</u>	<u>2</u>	<u>6</u>	<u>Res</u>					<u>2</u>	<u>6</u>	<u>Res</u>
<u>3</u>	<u>2</u>	<u>6</u>	<u>Res</u>					<u>2</u>	<u>6</u>	<u>Res</u>
<u>4</u>	<u>2</u>	<u>6</u>	<u>Res</u>					<u>2</u>	<u>6</u>	<u>Res</u>
<u>5</u>	<u>2</u>	<u>6</u>	<u>Res</u>					<u>2</u>	<u>6</u>	<u>Res</u>

- (4) SIZE OF EXISTING BUILDING:
At typical floor level 20' 6" feet front 54' 6" feet deep 20' 6" feet rear
At street level 20' 6" feet front 54' 6" feet deep 20' 6" feet rear
Height¹ 5 stories
- (5) SIZE OF BUILDING AS ALTERED:
At street level _____ feet front _____ feet deep _____ feet rear
At typical floor level same feet front _____ feet deep _____ feet rear
Height¹ _____ stories

- (6) AREA² OF BUILDING AS ALTERED: At street level _____ Total floor area² _____ sq. ft.
- (7) TOTAL HEIGHT³ _____ Cubic Contents⁴ _____ cu. ft.

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structure where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.

2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.

3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.

(8) CHARACTER OF PRESENT BUILDING:

Frame—

Non-fireproof— **Brick**

Fireproof—

Fire-Protected—

Metal—

Heavy Timber—

(9) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Create foyers as shown

Fire retard public halls

Replace present wood stairs with new iron stairs.

If the building is to be raised in height or if the occupancy is changed so that the floor loads will be increased, the following information must be given as to the EXISTING BUILDING and the thickness of existing walls and size of footings must be clearly shown on the plans.

(10) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(11) FOOTINGS: Material

(12) FOUNDATION WALLS: Material

(13) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(14) PARTY WALLS: Any to be used?

Thickness of Walls

If building is to be enlarged or extended, the following information as to NEW WORK must be given:

(15) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(16) FOOTINGS: Material

(17) FOUNDATION WALLS: Material

(18) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(19) PARTY WALLS: Any to be used?

Thickness of Walls

(20) FIREPROOFING: Material and Thickness

For Columns

For Girders

For Beams

(21) INTERIOR FINISH: Material

Floor Surface

Trim, Sash, Doors, etc.

Plaster

(22) OUTSIDE WINDOW FRAMES AND SASH: Material

(23) ANY ELECTRICAL WORK TO BE DONE?

REMARKS

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF

Manhattan

CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.,

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT

PERMIT No. 4691 19 39 } N. B. ALT. P. & D. ELEV. D. W. SIGN } Application No. 2873 19 39

LOCATION 211 East 4th Street

BLOCK 400 LOT 52

FEES PAID FOR

New York City Nov. 16, 1939 19

To the Borough Superintendent:

Application is hereby made for a PERMIT to perform the carpenter work

work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance, this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:

State Ins Fund WCY 103772 exp 11-26-39

When the policy of a general contractor does not fully cover the work of any sub-contractor, such sub-contractor must file a certificate of workmen's compensation covering his particular work. No work is to be commenced by this sub-contractor until his certificate has been submitted and approved by this department.

The construction work covered by this permit will be supervised by a Licensed Architect, or a Professional Engineer, or by a Superintendent of Construction, having at least ten years' experience, acceptable to the Borough Superintendent.

STATE AND CITY OF NEW YORK } ss. Morris Waletzky
COUNTY OF New York }

Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 432 W. 38th St N.Y
in the Borough of Manhattan in the City of N.Y in the County of N.Y
in the State of N.Y, that he is contractor in the County of N.Y

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Man. 211 E. 4th St, City of New York aforesaid, and known and designated as Number

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Daniel Steingart

(Name of Owner or Lessee)

and that Morris Waletzky is duly authorized by the aforesaid owner to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE)

Morris Waletzky

Sworn to before me, this 16 day of Nov 1939

Notary Public or Commissioner of Deeds

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the carpenter work work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON NOV 16 1939 19

[Signature]

DEPARTMENT OF HOUSING AND BUILDINGS
BOROUGH OF , **CITY OF NEW YORK**

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.,

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT

PERMIT No. 4816 19..... } N. B. ALT. P. & D. ELEV. D. W. SIGN } Application No. Alt 2873 19 39

LOCATION 211 E. 4th St. N.S. 325' E. of AVE. A.
 BLOCK 400 LOT 52

FEES PAID FOR.....
 To the Borough Superintendent: New York City.....19.....

Application is hereby made for a **PERMIT** to perform the erection of fire-escapes front & rear described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance, this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:
State Ind Fund 92589 Exp 9-22-40 LANE IRON WORKS INC.
iggers License 262938 Exp 12-31-39 158 Skillman St. Brooklyn, N.Y.

When the policy of a general contractor does not fully cover the work of any sub-contractor, such sub-contractor must file a certificate of workmen's compensation covering his particular work. No work is to be commenced by this sub-contractor until his certificate has been submitted and approved by this department.

The construction work covered by this permit will be supervised by a Licensed Architect, or a Professional Engineer, or by a Superintendent of Construction, having at least ten years' experience, acceptable to the Borough Superintendent.

STATE AND CITY OF NEW YORK } ss. M.G. Lane, Vice Pres. Lane Iron works, Inc.
 COUNTY OF Kings } Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 158 Skillman St. in the Borough of Brooklyn in the City of New York, in the County of Kings in the State of New York, that he is contractor for owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Brooklyn, N.Y. City of New York aforesaid, and known and designated as Number 211 E. 4th St.

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Daniel M. Steingart (Name of Owner or Lessee)

and that M.G. Lane, Vice Pres. Lane Iron works, Inc. is duly authorized by the aforesaid OWNER to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) M.G. Lane Vice Pres.

Sworn to before me, this 24th day of November 1939
 Notary Public or Commissioner of Deeds
Victor Gunn
 Notary Public or Commissioner of Deeds

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the erection of fire-escapes work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON NOV 24 1939 19.....
NOV 24 1939
 Examiner [Signature]

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF

Manhattan

, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.,

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT

PERMIT No. 4854 19 39 N. B. ALT. P. & D. ELEV. D. W. SIGN } Alt. Application No. Alt. 2873 19 39

LOCATION 211 East 4th Street BLOCK 400 LOT 52

FEE PAID FOR

To the Borough Superintendent: New York City Nov. 27, 1939 19

Application is hereby made for a PERMIT to perform the iron stairs work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance, this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows: State Ins Fund WC Y 114774 exp. 7-18-40

When the policy of a general contractor does not fully cover the work of any sub-contractor, such sub-contractor must file a certificate of workmen's compensation covering his particular work. No work is to be commenced by this sub-contractor until his certificate has been submitted and approved by this department.

The construction work covered by this permit will be supervised by a Licensed Architect, or a Professional Engineer, or by a Superintendent of Construction, having at least ten years' experience, acceptable to the Borough Superintendent.

STATE AND CITY OF NEW YORK } ss. Julius Reich for New York Iron Works COUNTY OF New York } Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 638 E. 12th St in the Borough of Manhattan in the City of N.Y, in the County of N.Y in the State of N.Y, that he is agent for contractor for

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Man., City of New York aforesaid, and known and designated as Number 211 E. 4th St

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Daniel L. Steingart

and that New York Iron Works owner is duly authorized by the aforesaid to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) Julius Reich Sworn to before me, this day of Notary Public, Commissioner of Deeds

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the iron stairs work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON 19 Examiner