
# Office of the Borough President of the Borough of Manhattan, In The City of New York.



#### THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street.

## ADDITIONATION TOD EDECATION OF POICE DISTRIBUTED

APPLICATION FOR EXECTION OF DAILY DOILDINGS,
Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of
Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the
erection of the building herein described. All provisions of the law shall be complied within the greetion of said
building—whether specified herein or not.
(Sign pere) to min. revalle court
THE CITY OF REW YORK
BORDE MANHATTAN MARCH 16 - 1900
1. State how many buildings to be erected to be expected to be expected.
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from
the Gearest street or avenue, and the name thereof) Nos . 390-22-24
Cash // Street
same from the same and the same
3. Will the building be greated on the front or rear of lot?
4. How to be occupied the second of families in each
house I families and wines
5. Size of lot? 3/ 6 feet front; 3/6 feet rear; 74.8 feet deep.
Give diagram of same. 27 '. 20 1/43/2" Fl. A.
6. Size of building? 5/6 feet front: 50.// U.O.feet rear; feet deep.
Size of extension?feet front;feet rear;feet deep.
Number of stories in height: main building?
Height from curb level to highest point; main building?
7. What is the character of the ground; rock, clay, sand, etc., 2
8. Will the foundation be laid on earth, rock, timber or piles?
Course
how laid.
12" thick and 3 feet wide
11. What will be the depth of foundation walls below our level or surface of ground?
12. Of what will foundation walls be built? Wast Furnishing laid but in Consent
13. Give thickness of foundation walls: front; with inches; sides, inches; rear,
inches; party, 20 - inches.

14.	Will interior supports be brick partition walls or piers, iron columns or wooden post with the state of the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers, iron columns or wooden post with the brick partition walls or piers with the brick partition wall was a pier with the brick partition wall was a pier with the brick partition wall was a pier with the brick partition wall wall was a pier with the brick partition wall wall was a pier with the brick partition wall was a pier wall was a pier with the brick partition wall was a pier with the brick partition wall wall was a pier wall was a pier was a pier wall was a pier wall wall was a pier was a pier wall was a pier was a pier wall was a pier was
	Give size of same 01. 12. 1916
15.	If piers, give thickness of cap stones or platesbond stones or
	plates
16.	Give base course, width and thickness
17.	Will any part of front, side or rear wall be supported on piers in cellar?
	Give size: front 3/2.0×2.4 /1.8×2.8 /2.8×2.8 ON fort arga mell del
	rear " " "
1su	terior 12:44 2.4" oue Foot larger mall us
- 10	Size of cap stones 2" granute full yelles of bond stones 5" The stole full riges for
18.	Of what materials will the upper walls be constructed? Hard Turns hier
10.	What will be thickness of upper walls, exclusive of ashlar, if any?
	Visia Da Mu 20
	0.14
	12 12 12- 12-
	2d story: " " " " " " " " " " " " " " " " " " "
	3d story: " " " " " " " " " " " " " " " " " " "
	4th story: " " " " " " " " " " " " " " " " " " "
	5th story: " " " " " " " " " " " " " " " " " " "
	6th story: " " " " " " " " " " " " " " " " " " "
	7th story: " " " " " " " " " " "
وددو	***************************************
	n
*(*(*)*	A Land
19.	What will be the materials of the front Suck Astrone From If of stone, what kind?
19.	If ashlar give thickness
2.510	
20.	
20.	Will flues be lined with pipe or have 8 inches of brick around the same? The level
20.	Will flues be lined with pipe or have 8 inches of brick around the same? Here lived  Will any wall be supported on iron or steel girders? Here  2-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-6-
20.	Will flues be lined with pipe or have 8 inches of brick around the same? Held lived  Will any wall be supported on iron or steel girders? Held lived  Front, material like size 2-10 @ 350 + 2-12 @ 40 weight or thickness
20.	Will flues be lined with pipe or have 8 inches of brick around the same? Held lived  Will any wall be supported on iron or steel girders?  Front, material little size 2-/0@350/+2-/2"@40" weight or thickness  Side, "
20.	Will flues be lined with pipe or have 8 inches of brick around the same? The level  Will any wall be supported on iron or steel girders? The front, material lill size 2-/0 @ 350 +2-/2 @ 45 weight or thickness  Side, "The little "3-6 @ 12# +2-6 @ 12# **  Rear, "Therior, "The little "2-/2 @ 15 **  Interior, "The little "2-/2 @ 15 **  Interior "The little "2-
20.	Will flues be lined with pipe or have 8 inches of brick around the same? The line will any wall be supported on iron or steel girders? The front, material liller size 2-/0 @ 350 +2-/2 @ 40 weight or thickness.  Side, "The first of the first of the supported on iron or steel columns? "The first of the supported on iron or steel columns?"  Will any wall be supported on iron or steel columns? "The first of the supported on iron or steel columns?"  Will any wall be supported on iron or steel columns?
20.	Will flues be lined with pipe or have 8 inches of brick around the same? The level  Will any wall be supported on iron or steel girders? The front, material lill size 2-/0 @ 350 +2-/2 @ 45 weight or thickness  Side, "The little "3-6 @ 12# +2-6 @ 12# **  Rear, "Therior, "The little "2-/2 @ 15 **  Interior, "The little "2-/2 @ 15 **  Interior "The little "2-
20.	Will flues be lined with pipe or have 8 inches of brick around the same? The line will any wall be supported on iron or steel girders? The front, material lill size 2-/0 @ 350 + 2-/2 @ 40 weight or thickness.  Side, "The line will "2-/2 @ 15
20.	Will flues be lined with pipe or have 8 inches of brick around the same? The lined  Will any wall be supported on iron or steel girders?  Front, material little size 2-/0@350/2-/2-/2@40 weight or thickness  Side,  Rear,  Interior, Aluel 2-/2@45-2-80/6#2-/5@50 **71-7*@50  Will any wall be supported on iron or steel columns?  Front, material little supported on iron or steel columns?  Front, material little supported on iron or steel columns?  Front, material little supported on iron or steel columns?  Front, material little supported on iron or steel columns?  Front, material little supported on iron or steel columns?  Front, material little supported on iron or steel columns?  Front, material little supported on iron or steel columns?
20.	Will flues be lined with pipe or have 8 inches of brick around the same? The lines  Will any wall be supported on iron or steel girders? The lines  Front, material lile size. 2-10 @ 350 + 2-12 @ 45 weight or thickness  Side,  Rear,  Interior, I lead 2-12 @ 45 - 2-8 @ 15 - 2-15
20.	Will flues be lined with pipe or have 8 inches of brick around the same? The line of thickness  Will any wall be supported on iron or steel girders? The front, material little size 2-/0 @ 35/ +2-/2 @ 40 weight or thickness  Side, "The line of the line of the supported on iron or steel columns?  Will any wall be supported on iron or steel columns?  Front, material little (2-/1-0/4) -2-80/ 2-150/ 3 +1-7 @ 5  Will any wall be supported on iron or steel columns?  Front, material little (2-/1-0/4) -3-82/22/ -1-62/24/ -1-62/24/  Weight of thickness  Side,  Rear,  Interior, CMT MM 8 Mia Mutal Moule sheet further five material of girders  of columns
20.	Will flues be lined with pipe or have 8 inches of brick around the same? The line of thickness  Will any wall be supported on iron or steel girders? The form, material life size 2-10 a 350+2-12 at 5 at
20.	Will flues be lined with pipe or have 8 inches of brick around the same? Itel little will any wall be supported on iron or steel girders?  Front, material little size 2-/0@35/+2-/2@45 weight or thickness Side, "Itel "3-60/4" + 12-6@45  Rear, "Interior, Itel "2-1/0/45-2-80/6" 2-/5@55" + 12-7 @55  Will any wall be supported on iron or steel columns?  Front, material will little
20.	Will flues be lined with pipe or have 8 inches of brick around the same?  Will any wall be supported on iron or steel girders?  Front, material lill size 2-/0 2 35 + 2-/2 2 + 5 0 5
20.	Will flues be lined with pipe or have 8 inches of brick around the same? The line will any wall be supported on iron or steel girders?  Front, material little size 2-/0 3 35/72-12 0 45 weight or thickness Side, "Allel "2-/2-/2-/2-/2-/2-/2-/2-/2-/2-/2-/2-/2-/2
20.	Will flues be lined with pipe or have 8 inches of brick around the same?  Will any wall be supported on iron or steel girders?  Front, material lill size 2-/0 2 35 + 2-/2 2 + 5 0 5
20.	Will flues be lined with pipe or have 8 inches of brick around the same? The line will any wall be supported on iron or steel girders?  Front, material little size 2-/0 3 35/72-12 0 45 weight or thickness Side, "Allel "2-/2-/2-/2-/2-/2-/2-/2-/2-/2-/2-/2-/2-/2
20.	Will flues be lined with pipe or have 8 inches of brick around the same? **LLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLLL

	23.	Give material, size and distance on centres of floor beauty
		1st tier, material size size (2000) distance on centres / 2000
		2d tier, " Spruel " 428 " "
		3d tier, " 428 " " [6"
		4th tier, " Africal " 472"
		5th tier, " Africal " " "
		6th tier, " Larriel " 778."
		7th tier, "
7		8th tier, " 11 " " " " " " " " " " " " " " " " "
		Roof tier, "Africal " Fig."
5		Give thickness of headers of trimmers of trimmers
	24.	Specify construction of floor filling 4 regular toxaled wex were
	25.	Is the building to be fire proof?
	26.	
	27.	
	28	
		peak or mansard? The same of the way to the levente
	29	Market 100 April
	30	advine a wald shall
2	31	C VIXII
400	04	What will he the material of hore windows?
017	# 2	according & feveralut
	33	What kind of fire escape will be provided?
		Will collar be plastered? Hes. How? mine tathed plastered.
	34	Bullian
	3	5. Will access to respectly scuttle or bulkhead? I will auch there este by all now
		Partitions With what material will walls be coped? Blue Alme or Earthenware
	3	With what material with which is the property of the property
	3	and the second of the second s
	3	foot How occupied?
		Size x ; height
		fect. 2
		9. Are any buildings to be taken down? 10 ; how many?
	c	
		If the Building is to be occupied as a Flat, Apartment, Tenement or Lodging House, give the following particulars:
		10. Long part of building to be used as a sorre or for any other business purpose? If so state or what?
		Trout part of fever wing man for file on the
		Cellar Base- 1st 24 34 4th 5th 6th 7th Floor Floor Floor Floor Floor Floor Floor Floor
		125555V
		41. How many families will occupy cach?
		42. Height of ceilings?

· in	43.	How basement to be occupied?
		How made water-tight?
	44.	How will cellar stairs be enclosed? Tutaille in area and light towns
	45.	How cellar to be occupied?
		How made water-tight? . Cement Thor
	46.	Will shafts be open or overyth with louvra skylights full size of shafts?
		aplu to aty
		Size of each shaft?
	47.	Dimensions of water closet windows?
		Dimensions of windows for living rooms?
	48.	Of what materials will hall partitions be constructed?
Ħ	A.	Of what materials will half floors be constructed? I what materials will half floors be constructed? I what materials will half floors be constructed?
ľ	N L	ulrand hallelling Whis Public halls Handing
8	50.	How will hall ceilings and soffits of stairs by plastored?
	51.	Of what material will stairways be constructed? TOK ASSUME PROBLEM STATES
網絡		Give sizes of stair well holes
	52,	If any other building on lot, give size: front; rear; deep; stories high;
		how occupied; on front or rear of lot; material;
		How much space between it and proposed building?
	1	How will floor and sides of water closers to the Wight of the inches he made water proof / Wells A
		The first with to state past
	54.	Number and location of water closets: Cellar; 1st floor; 2d floor; 3d floor
		; 7th floor;
	55. 56.	What is the estimated cost of each building, exclusive of lot? \$. 49,000 (100)
	Own	What's the estimated cost of all the buildings, exclusive of lots? \$.
	Arch	Mer Selle Address, 1007 Handel College
		intendent
	Mase	
	Carr	nter, Ne
	•	If a Wall, or Part of a Wall already built is to be used, fill up the following:
		THE CITY OF NEW YORK, BOROUGH OF MANHATTAN,
		he undersigned gives notice thatintend to use thewall of building
	*(*(*)*	4
	as p	ty wall in the erection of the building hereinbefore described, and respectfully requests that the same be
	exan	ned and a permit granted therefor. The foundation wallbuilt ofbuilt,
		feet deep,feet in height.
		(Sign bore)

### THE CITY OF NEW YORK DEPARTMENT OF BUILDINGS

MANHATTAN BROOKLYN
Municipal Bldg., Municipal Bldg.,
New York, N. Y. 10007 Brooklyn, N. Y. 11201

R

BRONX 1932 Arthur Ave., Bronz, N. Y. 10457

QUEENS RICHMOND
120-55 Queens Blvd., Boro Hall,
Kew Gardens, N. Y. 11424 St. George, N. Y. 10301

#### NOTICE - This Application must be TYPEWRITTEN and filed in TRIPLICATE

Minor Structures, Minor Alterations and Repairs, Elevator Repairs, Drop Curb, Fire Escapes, Miscellaneous

BLOCK 404 LOT 14  ZONING DISTRICT R 7 - 2  Is sidewalk shed or fence required? 100  SIDE WALK SHED. No sidewalk shed or fence shall interfere with visibility or operation of any traffic light. The Department of Traffic shall be notified whenever such structure is to be erected within seventy five (75) feet of a traffic light. Failure to comply may be cause for revocation of this approval and any permit issued thereon.  LOCATION 520 East 11 Street  (Give Street Number)	HEROUGH OF MINNIATIAN
THIS IS NOT A WORK PERMIT. A PERMIT MUS	ST BE OBTAINED BEFORE WORK IS STARTED
	to replace the old.  After 1937  Totected
Initial fee payment—	63,777 P 1 68 Fig + 1
2nd payment of fee to be collected before a permit is issued	Date JAN 2 9 . 8
ADDITIONAL FEES REQUIRED(Yes or No	AMOUNT \$
· · ·	•

Bribery is a Crime: A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law, Section 378 and 1826.

REMARKS OR				CORNICE TO	1/	REPAIR	
1857 3ED	/	DRNICE		WITH -	L	\ .	
350		BULLHEA	D	METAL	5	PORM	nce Khe <b>a</b> d
NOVED			200 F	FRONÍ		INDE	X: A
RONT -				WALL	>4	2 F	in 110
	cation is for Dr			M showing pl	ot to be us		
Cut curb	Length in	ı Feet	Total	Splay	Leng	gth in Feet	
	insure the proper				yable to the	order of the	e Department o
Refer to N.B	Γ	19					
Bernar	d Magid fo (Typewrite Name		agid's So	ns Inc.			
States that he	e resides at	1846	Second A	ve.			Borough
with submitt understanding shall expire I Code and all the work to	nd is duly authored, and made a grathat if no work by limitation as plaws and regulation do done is duly cant further state.	part hereof, it is performed browided by law ions applicable authorized by	for the work in hereunder with v; and the applito to the erection the owner.	o be done in t in one year fr icant agrees to or alteration of	he building om the tim comply with said structi	therein descr e of issuance all provisionare in effect a	ribed,—with the e, this approva s of the Buildin at this date; that
	ensil Real					_	
Mike	Kuperberg	_ Pres. Y	Sady K	uperberg	520 Bast	il Str	ot, Sect
Lessee			A	ddress			
DATED. / O	/16/62	<u> </u>	(Sign here)	Bern	arde	Tus	ged
			/			sed Architect	or Professiona
AUTHORIZ the work spec	ATION OF O	WNER: I her	eby state that	· mk	1 Km	perly	ng
F. 1.10	of any statement not more than five	hundred dolla	under Section ars (\$500.00) o	982-9.0 of the	Administrat	NOfficer of Co	d is punishable
by a fine of n	and the same of th	00	1	Minuos	M-75	Keenx	
by a fine of n	NOV	11 8 1968	19	De Colly 1	_		
For A	pproval on	(S)	19	og widy = J Soct	Exan Borough Su	4	In-
For A	464 199	त्युः 19		ate signed off	Borough Su	perintendent	<b>19</b>

Inspector

CO 27516

#### Old Taw Class A

V 1622-73Boiler

NB 114-99\* BN 2482-34 FE 2110-35 FO 1185-36FP

V 2028-73Boiler\* V 2991-73Boiler

P 1444-36

Alt 2343-36 V 3166-36.

Per 3169-36G BN 3619-36

V 3722-36P\*

V 6105-39\*

V 6106-39\* V 1899-40\*

PRS 2109-49

V 5360-49P\* FQ 30-57

General Index—Housing and Development Administration—Department of Buildings

Form 114 , Rev. 6/201

518 h Street E.

B 404

FC 3853-59 383-99\* PRS 2442-60 3691-99\* BN 1827-67 911-99\* V 1095-71 114-99\* V 1191-72Doiler 953-99\* 182-99\* J23-99\* 323-99\* 325-99\*

2652-13\* 1142-24\* 09-38F\*

L 2392-50 ·16-51\*

140-57P