

B L 546 E 11 St

HOUSE NO. AND STREET

HOUSE NO. AND STREET

HOUSE NO. AND STREET

DIAGRAM

APPLICATIONS

	KIND	NO.	YEAR	FILED	COMPLETED	DRAWINGS
1	ALT	295	1906			INSIDE
2	MISC	1943	1959		1/8/63	11
3	BN	121	1963			Inside
4						
5						
6						
7						
8						
9						
10						
11						

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

**B404**  
**L127**

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

*Handwritten initials/signature*

**295**

Plan No. . . . .

### APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) *Reissmann*

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, *Feb. 7 -* 190 *6*

### LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered *one*
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) *South side of 11<sup>th</sup> St. 75 ft. west of Ave. B. #546*
- How was the building occupied? *1 tenement*  
How is the building to be occupied? *1 tenement*
- Is the building on front or rear of lot? *front* Is there any other building erected on lot or permit granted for one? *no* Size \_\_\_\_\_ x \_\_\_\_\_; height \_\_\_\_\_ How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
- Size of lot? *25* feet front; *25* feet rear; *94* feet deep.
- Size of building which it is proposed to alter or repair? *25* feet front; *25* feet rear; *27'6"* feet deep. Number of stories in height? *5* Height from curb level to highest point? *55 ft.*
- Depth of foundation walls below curb level? *8 ft.* Material of foundation walls? *stone* Thickness of foundation walls? front *24* inches; rear *24* inches; side *24* inches; party *24* inches.
- Material of upper walls? *brick* If ashlar, give kind and thickness \_\_\_\_\_
- Thickness of upper walls:  
Basement: front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches; party \_\_\_\_\_ inches.  
1st story: " *16* " " *16* " " *16* " " *10* "  
2d story: " *12* " " *12* " " *12* " " *12* "  
3d story: " *12* " " *12* " " *12* " " *12* "  
4th story: " *12* " " *12* " " *12* " " *12* "  
5th story: " *12* " " *12* " " *12* " " *12* "  
6th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "
- Is roof flat, peak or mansard? *flat*

*Handwritten mark*

11. Size of present extension, if any? \_\_\_\_\_ feet front; \_\_\_\_\_ feet deep; \_\_\_\_\_ feet high.

12. Thickness and material of foundation walls? \_\_\_\_\_

13. Material of upper walls? \_\_\_\_\_ If ashlar, give kind and thickness \_\_\_\_\_

14. Thickness of upper walls:

Basement: front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches; party \_\_\_\_\_ inches.

1st story: " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "

2d story: " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "

3d story: " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "

4th story: " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "

15. Is present building provided with a fire escape? *Yes*

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? *rear*

17. Size of proposed extension, feet front *13*; feet rear *13*; feet deep *29*;

number of stories in height? *5* number of feet in height? *47*

18. Material of foundation walls? *brick*; depth *4* feet;

material of base course *concrete*; thickness of base course *12* inches;

thickness of foundation walls, front *16* inches; side *16* inches;

rear *16* inches; party \_\_\_\_\_ inches.

19. Will foundation be on rock, sand, earth or piles? *earth*

20. What will be the size of piers in cellar? \_\_\_\_\_; distance on centres? \_\_\_\_\_;

size of base of piers? \_\_\_\_\_; thickness of cap stones? \_\_\_\_\_; of bond

stones? \_\_\_\_\_

21. Material of upper walls? *brick*; material of front? *brick*

22. Thickness, exclusive of ashlar, of upper walls:

1st story: front *12* inches; rear *12* inches; side *12* inches; party \_\_\_\_\_ inches.

2d story: " *12* " *12* " *12* " \_\_\_\_\_ "

3d story: " *12* " *12* " *12* " \_\_\_\_\_ "

4th story: " *12* " *12* " *12* " \_\_\_\_\_ "

5th story: " *12* " *12* " *12* " \_\_\_\_\_ "

6th story: " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "

23. With what will walls be coped? *terra cotta*

24. Will roof be flat, peak, or mansard? *flat*; material *tin*

25. Give size and material of floor and roof beams

1st tier, material *Spruce*; size *3" X 10"*; distance on centres *16"*

2d tier, " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "

3d tier, " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "

4th tier, " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "

5th tier, " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "

Roof tier, " \_\_\_\_\_ " *3" X 8"* " \_\_\_\_\_ "

Give thickness of headers ~~*2-3" X 10"*~~ *4"* of trimmers *2-3" X 10"*

26. Give material of girders \_\_\_\_\_ of columns \_\_\_\_\_

Under 1st tier, size of girders \_\_\_\_\_; size of columns \_\_\_\_\_

" 2d " " " \_\_\_\_\_; " " \_\_\_\_\_

" 3d " " " \_\_\_\_\_; " " \_\_\_\_\_

" 4th " " " \_\_\_\_\_; " " \_\_\_\_\_

" 5th " " " \_\_\_\_\_; " " \_\_\_\_\_

" Roof tier, " " \_\_\_\_\_; " " \_\_\_\_\_

27. If front, rear or side is to be supported on columns or girders, give  
 girders, material \_\_\_\_\_ ; front \_\_\_\_\_ ; side \_\_\_\_\_ ; rear \_\_\_\_\_  
 size \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "  
 columns, material \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "  
 size \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ "
28. If constructed of frame, give material \_\_\_\_\_ ; size of sill \_\_\_\_\_ ;  
 plate \_\_\_\_\_ ; enteries \_\_\_\_\_ ; posts \_\_\_\_\_ ; studs \_\_\_\_\_ ;  
 braces \_\_\_\_\_
29. If open on one side, give size of plate \_\_\_\_\_
30. How will extension be occupied? *Kitchen & living room* <sup>posts</sup> If for  
 dwelling, give number of families on each floor \_\_\_\_\_
31. How will extension be connected with main building? *by iron anchors*
32. Give size of skylights \_\_\_\_\_ material \_\_\_\_\_
33. Give material of cornices \_\_\_\_\_
34. Give material of light shafts \_\_\_\_\_ ; size \_\_\_\_\_

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? (Give particulars \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_)
36. How many stories high will building be when raised? \_\_\_\_\_ ; feet high \_\_\_\_\_
37. Will the roof be flat, peak or mansard? \_\_\_\_\_ , material \_\_\_\_\_
38. Material of coping? \_\_\_\_\_
39. Give material of new walls \_\_\_\_\_ thickness of \_\_\_\_\_ story \_\_\_\_\_ inches ;  
 \_\_\_\_\_ story \_\_\_\_\_ inches ; \_\_\_\_\_ story \_\_\_\_\_ inches ; \_\_\_\_\_ story  
 \_\_\_\_\_ inches ; \_\_\_\_\_ story \_\_\_\_\_ inches ; \_\_\_\_\_ story \_\_\_\_\_ inches ;  
 \_\_\_\_\_ story \_\_\_\_\_ inches.
40. Material of floor beams? \_\_\_\_\_ Size \_\_\_\_\_ tier \_\_\_\_\_ ;  
 centres \_\_\_\_\_ ; tier \_\_\_\_\_ ; centres \_\_\_\_\_ ; tier \_\_\_\_\_ ;  
 centres \_\_\_\_\_ ; tier \_\_\_\_\_ ; centres \_\_\_\_\_ ; tier \_\_\_\_\_ ;  
 centres \_\_\_\_\_
41. Material of girders? \_\_\_\_\_ Size under 1st tier \_\_\_\_\_ ;  
 2d tier \_\_\_\_\_ ; 3d tier \_\_\_\_\_ ; 4th tier \_\_\_\_\_ ; 5th tier \_\_\_\_\_ ;  
 6th tier \_\_\_\_\_
42. Material of columns? \_\_\_\_\_ Size under 1st tier \_\_\_\_\_ 2d tier \_\_\_\_\_  
 3d tier \_\_\_\_\_ ; 4th tier \_\_\_\_\_ ; 5th tier \_\_\_\_\_ ; 6th tier \_\_\_\_\_
43. Size of piers in cellar \_\_\_\_\_ ; distance on centres \_\_\_\_\_ ; thickness of capstones  
 to piers \_\_\_\_\_ ; bond stones \_\_\_\_\_
44. If constructed of frame, give material of frame \_\_\_\_\_ ; size of sills \_\_\_\_\_ ;  
 corner posts \_\_\_\_\_ ; middle posts \_\_\_\_\_ ; enteries \_\_\_\_\_ ; plates \_\_\_\_\_ ;  
 braces \_\_\_\_\_ ; studs \_\_\_\_\_
45. How will building be occupied when altered? \_\_\_\_\_  
 If for dwelling, state number of families on each floor? \_\_\_\_\_  
 \_\_\_\_\_
46. With what kind of fire escape will building be provided? \_\_\_\_\_

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. Part of rear wall of main bldg. to be removed, present openings in rear wall to be enlarged.

If altered Internally, give definite particulars, and state how the building will be occupied :

48. Brick wall in cellar to be removed & rebld. as shown on plans. Remove & rebld. partitions. Put windows in cross partitions.

Occupied as at present

49. How much will the alteration cost? \$7000 —

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what ?

Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor

51. How many families will occupy each ?

52. Height of ceilings?

53. How basement to be occupied ?

How made water-tight ?

54. Will cellar or basement ceiling be plastered ?

How ?

55. How will cellar stairs be enclosed ?