

404
FORM No. 2-1887.
N. No. 1016

Original

BUREAU INS. OF BUILDINGS.

Received. MAY 19 1887

B393

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to alter as per subjoined detailed statement of specification for Alterations, Additions or Repairs to buildings already erected, and herewith submit Plans and Drawings of such proposed alterations; and do hereby agree that the provisions of the Building Law will be complied with, whether the same are specified herein or not.

(Sign here)

J. A. [Signature]

NEW YORK, May 19 1887

1. State how many buildings to be altered, *One*
2. What is the street or avenue and the number thereof? *343 - E. 10th St.*
3. How much will the alteration cost, \$ *1450.00*

GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING:

1. Size of lot on which it is located, No. feet front, *25*; feet rear, *20*; feet deep, *62*
2. Size of building, No. of feet front, *25*; feet rear, *20*; feet deep, *42*; No. of stories in height, *5*; No. of feet in height, from curb level to highest point of beams, *46*
3. Material of building, *Brick*; material of front, *Brick*
4. Whether roof is peak, flat, or mansard? *Flat*
5. Depth of foundation walls *7' 6"* feet; thickness of foundation walls, *20"*; materials of foundation walls, *Brick*
6. Thickness of upper walls, *12"* inches. Material of upper walls, *Brick*
7. Whether independent or party-walls, *Independent*
8. How the building is occupied, *Store & Dwelling*

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION:

1. How many stories will the building be when raised?
2. How high will the building be when raised?
3. Will the roof be flat, peak or mansard?
4. What will be the thickness of wall of additional stories? story, inches; story, inches.
5. Give size and material of floor beams of additional stories; 1st tier, x; 2d tier, x. Distance from centres on tier, inches; tier inches.
6. How will the building be occupied?

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

1. Size of extension, No. feet front; feet rear; feet deep; No. of stories in height; No. of feet in height.
2. What will be the material of foundation walls of extension. What will be the depth, feet. What will be the thickness, inches.
3. Will foundation be laid on earth, rock, timber or piles,

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

4. What will be the base—stone or concrete?..... If base stones, give size, and how laid
..... If concrete, give thickness,.....
5. What will be the sizes of piers?.....
6. What will be the thickness of upper walls in 1st story..... inches; 2d story,..... inches;
3d story,..... inches; from thence to top,..... inches; and of what materials to
be constructed,.....
7. Whether independent or party-walls; if party-walls, give thickness thereof,..... inches.
8. With what material will walls be coped?.....
9. What will be the materials of front?..... If of stone, what kind.....
Give thickness of front ashlar,....., and thickness of backing thereof,.....
10. Will the roof be flat, peak, or mansard?.....
11. What will be the materials of roofing?.....
12. Give size and material of floor beams, 1st tier,..... x.....; 2d tier,.....
..... x.....; 3d tier,.....,..... x.....; 4th tier,.....,..... x.....; 5th
tier,.....,..... x.....; 6th tier,.....,..... x.....; roof tier,.....
..... x..... State distance from centres on 1st tier..... inches; 2d tier,..... inches;
3d tier,..... inches; 4th tier,..... inches; 5th tier,..... inches; 6th tier,
..... inches; roof tier,..... inches.
13. If floors are to be supported by columns and girders, give the following information: Size and
material of girders under 1st floor,.....,..... x..... under upper floors,.....
..... Size and material of columns under
1st floor,..... under upper floors,.....
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels,
give definite particulars,.....
.....
.....
15. If girders are to be supported by brick piers and columns, state the size of piers and columns.
.....
.....
16. How will the extension be connected with present or main building?.....
.....
.....
17. How will the extension be occupied? If for dwelling purposes, state how many families are to
occupy each floor,.....

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE
BUILDING WILL BE OCCUPIED:

.....
.....
.....
.....

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE
TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN
WHAT MANNER:

The present 1st floor lintels to be taken out and 2, 15" light
robed beams put in, said beams to be supported by 12x12
top columns, which are to rest upon granite blocks,
setting upon brick foundation walls, also put in new
plate glass show window in first story.
The two end columns to be 12x12 and the intermediate
column to be 8x12 all of 1" metal the show-
windows not to project more than 12" beyond the
face of the wall, and to be at least 18" above the curb level.

404
Plan No. 542

Original

BUREAU INS. OF BUILDINGS, 522
Received APR 5 1892

2550
2

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to alter as per subjoined detailed statement of specification for Alterations, Additions or Repairs to buildings already erected, and J herewith submit Plans and Drawings of such proposed alterations; and J do hereby agree that the provisions of the Building Law will be complied with, whether the same are specified herein or not.

(Sign here) Louis F. Heinecke

NEW YORK, April 2nd 189

1. State how many buildings to be altered. one
2. What is the street or avenue and the number thereof? Give diagram of property. Nov 343. E. 10th St.
3. How much will the alteration cost? \$ 400.

GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING :

1. Size of lot on which it is located, No. of feet front, 20'; feet rear, 20'; feet deep, 70'
2. Size of building, No. of feet front, 20'; feet rear, 20'; feet deep, 50'. No. of stories in height, galleries; No. of feet in height from curb level to highest point of beams, 54.
3. Material of building, Reddingstone & Brick; material of front, Brick, 1st story for store
4. Whether roof is peak, flat, or mansard, flat roof
5. Depth of foundation walls, 9' below curb feet; thickness of foundation walls, 16"; materials of foundation walls, Brick
6. Thickness of upper walls, 12" inches. Material of upper walls, Brick
7. Whether independent or party walls, party walls
8. How the building is or was occupied, by three families for dwelling

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION :

1. How many stories will the building be when raised?
2. How high will the building be when raised?
3. Will the roof be flat, peak, or mansard?
4. What will be the thickness of wall of additional stories? story, inches; story, inches.
5. Give size and material of floor beams of additional stories; 1st tier, x 2d tier, x Distance from centres on tier, inches; tier inches.
6. How will the building be occupied?

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION.

1. Size of extension, No. feet front,; feet rear,; feet deep,; No. of stories in height,; No. of feet in height,
2. What will be the material of foundation walls of extension? What will be the depth? feet. What will be the thickness? inches.
3. Will foundation be laid on earth, sand, rock, timber or piles?

OK April 13/92

IF TO BE EXTENDED ON ANY SIDE GIVE THE FOLLOWING INFORMATION.

4. What will be the base, stone or concrete? If base stones, give size and thickness and how laid, If concrete, give thickness,
5. What will be the sizes of piers? What will be the sizes of the base of piers?
6. What will be the thickness of upper walls? 1st story, inches ; 2d story inches ; 3d story, inches ; 4th story, inches ; 5th story, inches ; 6th story, inches ; 7th story, inches ; from thence to top, inches ; and of what materials to be constructed,
7. State whether independent or party-walls. If party-walls give thickness thereof.
8. With what material will walls be coped?
9. What will be the materials of front? If of stone, what kind? Give thickness of front ashlar. Give thickness of backing.
10. Will the roof be flat, peaked or mansard?
11. What will be the materials of roofing?
12. Give size and material of floor beams, 1st tier, x ; 2d tier, x ; 3d tier, x ; 4th tier, x ; 5th tier, x ; 6th tier, x ; 7th tier, x ; roof tier, x State distance from centres on 1st tier, inches ; 2d tier, inches ; 3d tier, inches ; 4th tier, inches ; 5th tier, inches ; 6th tier, inches ; 7th tier, inches ; roof tier, inches
13. If floors are to be supported by columns and girders, give the following information : Size and material of girders under 1st floor, x under each of the upper floors, Size and material of columns under first floor, under each of the upper floors,
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars,
15. If girders are to be supported by brick piers and columns, state the size of piers and columns.
16. How will the extension be connected with present or main building?
17. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy each floor.
18. State who will superintend the alterations.
19. If buildings are to be removed, state the number.

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE BUILDING WILL BE OCCUPIED :

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN WHAT MANNER :

It is the intention to build an area in front & Rear of building as shown on plans. Walls of same to be 16" thick of Brick laid in Cement mortar with proper blue stones. Base stones, laid in Cement cross wise. Also to cut large windows in Rear wall of ^{Cellar} Basement as show on plans. Have a front chain down to cellar, with yellow Pine treats & proper iron stringers under, well fastened etc. Present construction above is not to be disturbed.

404
27 B-1-25 (B) Form 2-1905.

363

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B
303
L
34

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

3

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 303

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) _____

The City of New York, Borough of Manhattan, Feb 18 1905 190

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered 1
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) West 10th St. 10th St.
- How was the building occupied? rent
How is the building to be occupied? rent
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size x ; height How occupied? Give distance between same and proposed building feet.
- Size of lot? 20 feet front; 20 feet rear; 10 feet deep.
- Size of building which it is proposed to alter or repair? 20 feet front; 10 feet rear; 10 feet deep. Number of stories in height? 6 Height from curb level to highest point?
- Depth of foundation walls below curb level? 10 ft Material of foundation walls?
Thickness of foundation walls? front inches rear inches; side inches; party 20 inches.
- Material of upper walls? brick If ashlar, give kind and thickness
- Thickness of upper walls:
Basement: front inches; rear inches; side inches; party inches.
1st story: " " " 12 " " " " 12 "
2d story: " 12 " " 12 " " " " 12 "
3d story: " 12 " " 12 " " " " "
4th story: " 12 " " 12 " " " " "
5th story: " 12 " " 12 " " " " "
6th story: " " " " " " " "
- Is roof flat, peak or mansard?

11. Size of present extension, if any? _____ feet front; _____ feet deep; _____ feet high.
12. Thickness and material of foundation walls? _____
13. Material of upper walls? _____ If ashlar, give kind and thickness _____
14. Thickness of upper walls :
 Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 1st story: " _____ " _____ " _____ " _____ " _____ "
 2d story: " _____ " _____ " _____ " _____ " _____ "
 3d story: " _____ " _____ " _____ " _____ " _____ "
 4th story: " _____ " _____ " _____ " _____ " _____ "
15. Is present building provided with a fire escape? _____

If to be extended on any side, give the following information :

16. Is extension to be on side, front or rear? _____
17. Size of proposed extension, feet front _____; feet rear _____; feet deep _____; number of stories in height? _____ number of feet in height? _____
18. Material of foundation walls? _____; depth _____ feet; material of base course _____; thickness of base course _____; thickness of foundation walls, front _____ inches; side _____ inches; rear _____ inches; party _____ inches.
19. Will foundation be on rock, sand, earth or piles? _____
20. What will be the size of piers in cellar? _____; distance on centres? _____; size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____
21. Material of upper walls? _____; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls :
 1st story: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 2d story: " _____ " _____ " _____ " _____ "
 3d story: " _____ " _____ " _____ " _____ "
 4th story: " _____ " _____ " _____ " _____ "
 5th story: " _____ " _____ " _____ " _____ "
 6th story: " _____ " _____ " _____ " _____ "
23. With what will walls be coped? _____
24. Will roof be flat, peak, or mansard? _____; material _____
25. Give size and material of floor and roof beams
 1st tier, material _____; size _____; distance on centres _____
 2d tier, " _____ " _____ " _____ "
 3d tier, " _____ " _____ " _____ "
 4th tier, " _____ " _____ " _____ "
 5th tier, " _____ " _____ " _____ "
 Roof tier, " _____ " _____ " _____ "
 Give thickness of headers _____ of trimmers _____
26. Give material of girders _____ of columns _____
 Under 1st tier, size of girders _____; size of columns _____
 " 2d " " " _____; " " _____
 " 3d " " " _____; " " _____
 " 4th " " " _____; " " _____
 " 5th " " " _____; " " _____
 " Roof tier, " " " _____; " " _____

27. If front, rear or side is to be supported on columns or girders, give
 girders, material _____ ; front _____ ; side _____ ; rear _____
 size _____ " _____ " _____ " _____
 columns, material _____ " _____ " _____ " _____
 size _____ " _____ " _____ " _____
28. If constructed of frame, give material _____ ; size of sill _____ ;
 plate _____ ; enterties _____ ; posts _____ ; studs _____ ;
 braces _____
29. If open on one side, give size of plate _____ posts _____
30. How will extension be occupied? _____ If for
 dwelling, give number of families on each floor _____
31. How will extension be connected with main building? _____
32. Give size of skylights _____ ; material _____
33. Give material of cornices _____
34. Give material of light shafts _____ ; size _____

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? Give particulars _____

36. How many stories high will building be when raised? _____ ; feet high _____
37. Will the roof be flat, peak or mansard? _____ , material _____
38. Material of coping? _____
39. Give material of new walls _____ thickness of _____ story _____ inches ;
 _____ story _____ inches ; _____ story _____ inches ; _____ story
 _____ inches ; _____ story _____ inches ; _____ story _____ inches ;
 _____ story _____ inches.
40. Material of floor beams? _____ Size _____ tier _____
 centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____
41. Material of girders? _____ Size under 1st tier _____ ;
 2d tier _____ ; 3d tier _____ ; 4th tier _____ ; 5th tier _____ ;
 6th tier _____
42. Material of columns? _____ Size under 1st tier _____ ; 2d tier _____ ;
 3d tier _____ ; 4th tier _____ ; 5th tier _____ ; 6th tier _____
43. Size of piers in cellar _____ ; distance on centres _____ ; thickness of cap stones
 to piers _____ ; bond stones _____
44. If constructed of frame, give material of frame _____ ; size of sills _____ ;
 corner posts _____ ; middle posts _____ ; enterties _____ ; plates _____
 braces _____ ; studs _____
45. How will building be occupied when altered? _____
 If for dwelling, state number of families on each floor? _____

46. With what kind of fire escape will building be provided? _____

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. _____

If altered Internally, give definite particulars, and state how the building will be occupied :

48. *It is proposed to remove school with in yard, demolishing and filling in the site. Install water closets etc. in house and re-arranging the rooms of the house.*

49. How much will the alteration cost? ^{Rs} 3000

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what ?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each ?	-	-						
52. Height of ceilings?	-	-	-	-				

53. How basement to be occupied? _____
 How made water-tight? _____

54. Will cellar or basement ceiling be plastered? _____ How? _____

55. How will cellar stairs be enclosed? _____

56. How will cellar be occupied? _____
 How made water-tight? _____

57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

 Size of each shaft? _____

58. Dimensions of water closet windows? _____
 Dimensions of windows for living rooms? _____
59. Of what materials will hall partitions be constructed? _____

60. Of what materials will hall floors be constructed? _____

61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
 Give sizes of stair well holes? _____
63. If any other building on lot, give size; front _____; rear _____; deep _____;
 stories high _____; how occupied _____; on front or rear
 of lot _____; material _____
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____

65. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor _____;
 3d floor _____; 4th floor _____; 5th floor _____; 6th floor _____;
66. This building will safely sustain per superficial foot upon the first floor _____ lbs.; upon 2d floor
 _____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor
 _____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
 _____ lbs.

Owner, Max Tannenbaum Address, 122 1/2 Street 17
 Architect, David Stone " 122 1/2 Street 17
 Superintendent, _____ " _____
 Mason, _____ " _____
 Carpenter, _____ " _____

Tannenbaum

David Stone

or Part of a Wall

to be used, fill up the

THE

NEW YORK, BOROUGH OF MANHATTAN

The undersigned gives notice that _____ intend to use the _____ wall of building

as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall _____ built of _____ inches thick, _____ feet below curb; the upper wall _____ built of _____ inches thick, _____ feet deep, _____ feet in height.

(Sign here) _____

REPORT UPON APPLICATION.

The Bureau of Buildings for The Borough of Manhattan.

The City of New York, Borough of Manhattan, _____ 190

To the Superintendent of Buildings for the Borough of Manhattan:

I respectfully report that I have thoroughly examined and measured the wall _____, etc., named in the foregoing application, and found the foundation wall _____ to be built of _____ inches thick, _____ feet below curb, the upper wall _____ built of _____ inches thick, _____ feet deep, _____ feet in height, and that the mortar in said wall _____ is _____ hard and good, and that the building _____ in a good and safe condition to be altered as proposed. The _____ wall _____ built as party wall _____ and _____ in a good and safe condition to be used as proposed. Building occupied as follows: basement _____, 1st floor _____, 2d floor _____, 3d floor _____, 4th floor _____, 5th floor _____, 6th floor _____, 7th floor _____, 8th floor _____, 9th floor _____, 10th floor _____.

What is the nature of the ground _____

What kind of sand was used in the mortar? _____

If building is VACANT, state how the same was occupied? _____

Is the PRESENT building to be connected with any ADJOINING building? _____ If so, state dimensions and material of adjoining building, viz.: Material _____; feet front _____ feet rear _____; feet deep _____; feet in height _____; number of stories _____; how occupied? _____

(The Inspector must here state what defects, if any, are in the walls.)

(The Inspector must state the thickness of wall _____ in each and every story.)

Inspector.

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

The City of New York, Feb. 27, 190

Amendment to Application No. Alt. 363 of '07 B, 190

Location 343 East 10 St.

Two steel beams will be provided over enlarged window openings on rear upper stories.

Very Truly,

*to
Construction*

Francis O'Neil

OK. March 16 07

Edw. J. ...

J. ...

3/1 7

3/1/07 G

Beduchee

DEPARTMENT OF BUILDINGS
BOROUGH OF Manhattan, THE CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
New York, N. Y. 10007

BROOKLYN
Municipal Bldg.,
Brooklyn, N. Y. 11201

BRONX
1932 Arthur Avenue,
Bronx, N. Y. 10457

QUEENS
120-55 Queens Blvd.,
Kew Gardens, N. Y. 11424

RICHMOND
Boro Hall,
St. George, N. Y. 10301

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.
A copy must be kept in plain view on the work at all times until completion.

5341 PERMIT

PERMIT No. 19 N. B. } Application No. **B.N. 2503** 19.69
ALT. }
ELEV. }
SIGN }

LOCATION 343 East 10 St. N/S 25' W. of Ave. B
BLOCK 404 LOT 34

FEES PAID FOR

ENDORSEMENT BY THE DEPARTMENT OF HIGHWAYS.
LIABILITY INSURANCE FOR STREETS AND SIDEWALKS HAS BEEN FURNISHED TO THE SATISFACTION OF THE DEPARTMENT OF HIGHWAYS.

Signature _____ Title _____ Date _____

New York City Sept. 30, 1969

To the Borough Superintendent:
Application is hereby made for a **PERMIT** to perform the Entire

.....work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance, this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:.....

Apex Contracting Corp. 1412 St. Peters Ave., Bronx
American Mut. Liab. Ins. Co. Policy# WC 793460-01-9 Exp. 4/21/70

When the policy of a general contractor does not fully cover the work of any sub-contractor, such sub-contractor must file a certificate of workmen's compensation covering his particular work. No work is to be commenced by this sub-contractor until his certificate has been submitted and approved by this department.

No certificate of occupancy will be issued unless the construction work covered by this permit will be supervised by a Licensed Architect, or a Professional Engineer, or by a Superintendent of Construction, having at least ten years' experience, acceptable to the Borough Superintendent. An affidavit shall be filed indicating such supervision, as required by Section 2.1.3.7 of the Building Code.

Name and address of person designated for this supervision is as follows:

Name Herbert Gallin Address 1412 St. Peters Ave., Bronx
Herbert Gallin agent for Apex Contracting Corp.
Typewrite Name of Applicant

states: That he resides at Number 1412 St. Peters Ave.
in the Borough of Bronx in the City of New York, in the County of Bronx
in the State of New York, that he is agent for contractor for
owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 343 East 10 St.

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Saul Tannenbaum
(Name of Owner or Lessee)

and that Herbert Gallin agent is duly authorized by the aforesaid
Saul Tannenbaum to make application for a permit to perform
said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) *Herbert Gallin*

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of thework described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON _____, 19.....

Approved.....19 _____
Borough Superintendent

343 - 6 10 22 / 69

ORIGINAL

THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS

MANHATTAN Municipal Bldg., New York, N. Y. 10007
BROOKLYN Municipal Bldg., Brooklyn, N. Y. 11201
BRONX 1932 Arthur Ave., Bronx, N. Y. 10457
QUEENS 120-55 Queens Blvd., Kew Gardens, N. Y. 11424
RICHMOND Boro Hall, St. George, N. Y. 10301

NOTICE — This Application must be TYPEWRITTEN and filed in TRIPLICATE

Minor Structures, Minor Alterations and Repairs, Elevator Repairs, Drop Curb, Fire Escapes, Miscellaneous

Block 1101 Lot 34
DISTRICT (under building zone resolution)
Use R7-2 Height Area
Is sidewalk shed or fence required

BUILDING NOTICE
RECEIVED
DEPARTMENT OF BUILDINGS
JUN 1 1969
CITY OF NEW YORK
BOROUGH OF MANHATTAN
2503
DO NOT WRITE IN THIS SPACE

SIDE WALK SHED. No sidewalk shed or fence shall interfere with visibility or operation of any traffic light. The Department of Traffic shall be notified whenever such structure is to be erected within seventy five (75) feet of a traffic light. Failure to comply may be cause for revocation of this approval and any permit issued thereon.

LOCATION 343 East 10th St. N/S 25' W. of Ave. B Manhattan
(Give Street Number)

THIS IS NOT A WORK PERMIT. A PERMIT MUST BE OBTAINED BEFORE WORK IS STARTED

State proposed work in detail: Repair front wall at 4th & 5th floors

Date of Construction [X] Before 1938 [] After 1937

Indicate class of construction:

- [] Class 1—Fireproof [] Class 2—Fire protected [X] Class 3—Non-fireproof
[] Class 4—Wood frame [] Class 5—Metal [] Class 6—Heavy timber

Number of stories high 5

How occupied Mult. Dwell.

Is application made to remove a violation? Yes 66-69

How to be occupied Same

Estimated Cost \$ 900

(Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions

If exemption from payment fee is claimed, state clearly the basis of claim

Initial fee payment OCT 1 1969

NO UNSAFE BUILDING CASE PENDING

2nd payment of fee to be collected before a permit is issued—Amount \$

Verified by Date OCT - 1 1969

ADDITIONAL FEES REQUIRED AMOUNT \$ (Yes or No)

VERIFIED BY DATE

1. The sum of the fees indicated on the first and second receipts shall represent the total fee. Any variation on contemplated work or change affecting the estimated cost shall be recorded as an amendment. If any question arises in connection with the estimated cost or with the adequacy of the fee, no permit shall be issued unless adjusted to the satisfaction of the department at the direction of the Borough Superintendent.

Bribery is a Crime: A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law. Section 378 and 1826.

REMARKS OR SKETCH:

If this application is for Drop Curb Permit, DIAGRAM showing plot to be used, the relative position of the cut curb and the extent thereof, must be drawn above.

Cut curb.....Total Splay.....
Length in Feet Length in Feet

Deposit (\$.....), either in cash or certified check, payable to the order of the Department of Buildings, to insure the proper construction of the sidewalk and curb.

Refer to N.B. ALT.....19

Herbert Gallin

(Typewrite Name of Applicant)

States that he resides at.....**1412 St. Peters Ave.**..... Borough of

Bronx..... City of New York; that he is the agent for the (owner-lessee) of the premises above described, and is duly authorized to make this application for approval of the plans and specifications here-with submitted, and made a part hereof, for the work to be done in the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code and all laws and regulations applicable to the erection or alteration of said structure in effect at this date; that the work to be done is duly authorized by the owner.

Applicant further states that the full names and residences of the owners or lessees of said premises are:

Owner.....**Saul Tannenbaum**..... Address..... **c/o James Felt Co. 362 -5th Ave.**.....
N.Y.

Lessee..... Address.....

DATED..... (Sign here) *Herbert Gallin*.....



If Licensed Architect or Professional Engineer, affix seal

AUTHORIZATION OF OWNER: I hereby state that I have authorized the applicant to file this application for the work specified herein.

Saul Tannenbaum
(Signature of Owner or Officer of Corp.)

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

For Approval on 7/23 1969..... *M. Nayan*.....
Examiner

Approved.....19..... *Gradore M. Coopers*.....
Borough Superintendent

JUL 23 1969

Work commenced..... Date signed off.....19.....

I hereby Certify that the above report is true in every respect and that the work indicated has been done in the manner required by the Rules and Regulations of this Department, except where reported adversely.

Signed.....
Inspector