

B404  
L138

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan,  
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,  
Office, No. 220 FOURTH AVENUE,  
S. W. Corner 18th Street.

BUREAU OF BUILDINGS  
OF THE CITY OF NEW YORK  
RECEIVED APR 26 1913  
FOR THE BOROUGH  
OF MANHATTAN  
1085

Plan No. \_\_\_\_\_

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

*Emory R. Goldman*  
April 22<sup>nd</sup> 1913

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, April 22<sup>nd</sup> 1913.

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered One
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof)  
#339 East 10<sup>th</sup> Street, North Side 70:0" West of Avenue B.
- How was the building occupied? Tenement  
How is the building to be occupied? Tenement
- Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? None Size \_\_\_\_\_ x \_\_\_\_\_; height \_\_\_\_\_ How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
- Size of lot? 25:0 feet front; 25:0 feet rear; 94:9 1/2 feet deep.
- Size of building which it is proposed to alter or repair? 25:0 feet front; 25:0 feet rear; 50:5 feet deep. Number of stories in height Cellar + 5 stories Height from curb level to highest point? 49:0
- Depth of foundation walls below curb level? 9:0 Material of foundation walls? Brick Thickness of foundation walls? front 16 inches; rear 16 inches; side \_\_\_\_\_ inches; party 16 inches.
- Material of upper walls? Brick If ashlar, give kind and thickness None
- Thickness of upper walls:  
Basement: front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches party \_\_\_\_\_ inches  
1st story: " 12 " " 12 " " \_\_\_\_\_ " " 12 "  
2d story: " 12 " " 12 " " \_\_\_\_\_ " " 12 "  
3d story: " 12 " " 12 " " \_\_\_\_\_ " " 12 "  
4th story: " 12 " " 12 " " \_\_\_\_\_ " " 12 "  
5th story: " 12 " " 12 " " \_\_\_\_\_ " " 12 "  
6th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "
- Is roof flat, peak or mansard? Flat

11. Size of present extension, if any? \_\_\_\_\_ feet front; \_\_\_\_\_ feet deep; \_\_\_\_\_ feet high.
12. Thickness and material of foundation walls? \_\_\_\_\_
13. Material of upper walls? \_\_\_\_\_ If ashlar, give kind and thickness \_\_\_\_\_
14. Thickness of upper walls:

Basement: front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches; party \_\_\_\_\_ inches.

1st story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "

2d story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "

3d story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "

4th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "

15. Is present building provided with a fire escape? Yes Same will be removed & new ones erected upon front of Bldg.
- If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? Rear
17. Size of proposed extension, feet front 13:0; feet rear 13:0; feet deep 30:0; number of stories in height? 5 stories number of feet in height? 48:0
18. Material of foundation walls? Brick; depth 5'6" feet; material of base course Concrete; thickness of base course 12"; thickness of foundation walls, front \_\_\_\_\_ inches; side 16" inches; rear 16 inches; party \_\_\_\_\_ inches.

19. Will foundation be on rock, sand, earth or piles? Earth
20. What will be the size of piers in cellar? None; distance on centres? \_\_\_\_\_; size of base of piers? \_\_\_\_\_; thickness of cap stones? \_\_\_\_\_; of bond stones? \_\_\_\_\_

21. Material of upper walls? Brick; material of front? \_\_\_\_\_

22. Thickness, exclusive of ashlar, of upper walls:
- 1st story: front \_\_\_\_\_ inches; rear 12 inches; side 12 inches; party \_\_\_\_\_ inches.
- 2d story: " \_\_\_\_\_ " " 12 " " 12 " " \_\_\_\_\_ "
- 3d story: " \_\_\_\_\_ " " 12 " " 12 " " \_\_\_\_\_ "
- 4th story: " \_\_\_\_\_ " " 12 " " 12 " " \_\_\_\_\_ "
- 5th story: " \_\_\_\_\_ " " 12 " " 12 " " \_\_\_\_\_ "
- 6th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "

23. With what will walls be coped? Blue Stone

24. Will roof be flat, peak, or mansard? Flat; material Tin

25. Give size and material of floor and roof beams
- |                    |               |        |                 |                       |            |
|--------------------|---------------|--------|-----------------|-----------------------|------------|
| 1st tier, material | <u>Spruce</u> | ; size | <u>3" x 10"</u> | ; distance on centres | <u>16"</u> |
| 2d tier,           | "             | "      | <u>4" x 8"</u>  | "                     | <u>16"</u> |
| 3d tier,           | "             | "      | <u>4" x 8"</u>  | "                     | <u>16"</u> |
| 4th tier,          | "             | "      | <u>4" x 8"</u>  | "                     | <u>16"</u> |
| 5th tier,          | "             | "      | <u>4" x 8"</u>  | "                     | <u>16"</u> |
| Roof tier,         | "             | "      | <u>3" x 9"</u>  | "                     | <u>20"</u> |

Give thickness of headers Double 4" x 8" for chimneys of trimmers Double 4" x 8" for chimneys

26. Give material of girders \_\_\_\_\_ of columns \_\_\_\_\_
- Under 1st tier, size of girders \_\_\_\_\_; size of columns \_\_\_\_\_
- " 2d " " " \_\_\_\_\_; " " \_\_\_\_\_
- " 3d " " " \_\_\_\_\_; " " \_\_\_\_\_
- " 4th " " " \_\_\_\_\_; " " \_\_\_\_\_
- " 5th " " " \_\_\_\_\_; " " \_\_\_\_\_
- " Roof tier, " " " \_\_\_\_\_; " " \_\_\_\_\_

27. If front, rear or side is to be supported on columns or girders, give :
- Girders, material \_\_\_\_\_ ; front \_\_\_\_\_ ; side \_\_\_\_\_ ; rear \_\_\_\_\_  
size \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_
- Columns, material \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_  
size \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_
28. If constructed of frame, give material \_\_\_\_\_ ; size of sill \_\_\_\_\_ ;  
plate \_\_\_\_\_ ; enterties \_\_\_\_\_ ; posts \_\_\_\_\_ ; studs \_\_\_\_\_ ;  
braces \_\_\_\_\_
29. If open on one side, give size of plate \_\_\_\_\_ posts \_\_\_\_\_
30. How will extension be occupied? *Toilet, commode, kitchen, bedroom & bathroom on 1<sup>st</sup> story* If for  
dwelling, give number of families on each floor *kitchens & bathrooms on upper stories* *Extension on 1<sup>st</sup> story will have one fam.*
31. How will extension be connected with main building? *By Doors.*
32. Give size of skylights \_\_\_\_\_ ; material \_\_\_\_\_
33. Give material of cornices \_\_\_\_\_
34. Give material of light shafts \_\_\_\_\_ ; size \_\_\_\_\_

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? Give particulars \_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_
36. How many stories high will building be when raised? \_\_\_\_\_ ; feet high \_\_\_\_\_
37. Will the roof be flat, peak or mansard? \_\_\_\_\_ ; material \_\_\_\_\_
38. Material of coping? \_\_\_\_\_
39. Give material of new walls \_\_\_\_\_ thickness of \_\_\_\_\_ story \_\_\_\_\_ inches ;  
\_\_\_\_\_ story \_\_\_\_\_ inches ; \_\_\_\_\_ story \_\_\_\_\_ inches ; \_\_\_\_\_ story  
\_\_\_\_\_ inches ; \_\_\_\_\_ story \_\_\_\_\_ inches ; \_\_\_\_\_ story \_\_\_\_\_ inches ;  
\_\_\_\_\_ story \_\_\_\_\_ inches.
40. Material of floor beams? \_\_\_\_\_ Size \_\_\_\_\_ tier \_\_\_\_\_  
centres \_\_\_\_\_ ; \_\_\_\_\_ tier \_\_\_\_\_ ; centres \_\_\_\_\_ ; \_\_\_\_\_ tier \_\_\_\_\_  
centres \_\_\_\_\_ ; \_\_\_\_\_ tier \_\_\_\_\_ ; centres \_\_\_\_\_ ; \_\_\_\_\_ tier \_\_\_\_\_  
centres \_\_\_\_\_
41. Material of girders? \_\_\_\_\_ Size under 1st tier \_\_\_\_\_ ;  
2d tier \_\_\_\_\_ ; 3d tier \_\_\_\_\_ ; 4th tier \_\_\_\_\_ ; 5th tier \_\_\_\_\_ ;  
6th tier \_\_\_\_\_
42. Material of columns? \_\_\_\_\_ Size under 1st tier \_\_\_\_\_ ; 2d tier \_\_\_\_\_ ;  
3d tier \_\_\_\_\_ ; 4th tier \_\_\_\_\_ ; 5th tier \_\_\_\_\_ ; 6th tier \_\_\_\_\_ ;
43. Size of piers in cellar \_\_\_\_\_ ; distance on centres \_\_\_\_\_ ; thickness of cap stones  
to piers \_\_\_\_\_ ; bond stones \_\_\_\_\_
44. If constructed of frame, give material of frame \_\_\_\_\_ ; size of sills \_\_\_\_\_ ;  
corner posts \_\_\_\_\_ ; middle posts \_\_\_\_\_ ; enterties \_\_\_\_\_ ; plates \_\_\_\_\_ ;  
braces \_\_\_\_\_ ; studs \_\_\_\_\_
45. How will building be occupied when altered? \_\_\_\_\_  
If for dwelling, state number of families on each floor? \_\_\_\_\_  
\_\_\_\_\_
46. With what kind of fire escape will building be provided? \_\_\_\_\_  
\_\_\_\_\_

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. I propose to remove present rear wall of Bldg. as shown on plans and erect extension as shown on plans  
 Extension to be used for kitchen and bathrooms on upper stories and on 1<sup>st</sup> story kitchen, bedroom and bathroom for 1 fam.; & w.c. commpt. for west store.  
 Over new window and door openings in rear wall of Bldg and extension walls as shown on plans set 2-4" St. Brs. 7 1/4"

If altered internally, give definite particulars, and state how the building will be occupied :

48. New vestibule to be formed on 1<sup>st</sup> story as shown  
 New chimneys with flue lining to be built in new extension as shown.  
 New fire escapes are to be erected as shown.  
 Stud partitions adjoining new ranges to be brick filled as required by law. The westerly ~~part~~ brick wall of extension will be built in cement mortar its entire length & height on account of openings.

49. How much will the alteration cost? \$ 5,000.00

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-						
52. Height of ceilings?	-	-						

53. How basement to be occupied? \_\_\_\_\_  
 How made water-tight? \_\_\_\_\_

54. Will cellar or basement ceiling be plastered? \_\_\_\_\_ How? \_\_\_\_\_

55. How will cellar stairs be enclosed? \_\_\_\_\_

56. How will cellar be occupied? \_\_\_\_\_  
 How made water-tight? \_\_\_\_\_

57. Will shafts be open or covered with louvre skylights full size of shafts? \_\_\_\_\_

Size of each shaft? \_\_\_\_\_

58. Dimensions of water-closet windows? \_\_\_\_\_  
 Dimensions of windows for living rooms? \_\_\_\_\_
59. Of what materials will hall partitions be constructed? \_\_\_\_\_  
 \_\_\_\_\_
60. Of what materials will hall floors be constructed? \_\_\_\_\_  
 \_\_\_\_\_
61. How will hall ceilings and soffits of stairs be plastered? \_\_\_\_\_
62. Of what material will stairways be constructed? \_\_\_\_\_  
 Give sizes of stair well holes? \_\_\_\_\_
63. If any other building on lot, give size; front \_\_\_\_\_; rear \_\_\_\_\_; deep \_\_\_\_\_  
 stories high \_\_\_\_\_; how occupied \_\_\_\_\_; on front or rear  
 of lot \_\_\_\_\_; material \_\_\_\_\_  
 How much space between it and proposed building? \_\_\_\_\_
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? \_\_\_\_\_  
 \_\_\_\_\_
65. Number and location of water closets: Cellar \_\_\_\_\_; 1st floor \_\_\_\_\_; 2d floor \_\_\_\_\_;  
 3d floor \_\_\_\_\_; 4th floor \_\_\_\_\_; 5th floor \_\_\_\_\_; 6th floor \_\_\_\_\_
66. This building will safely sustain per superficial foot upon the 1st floor \_\_\_\_\_ lbs.; upon 2d floor  
 \_\_\_\_\_ lbs.; upon 3d floor \_\_\_\_\_ lbs.; upon 4th floor \_\_\_\_\_ lbs.; upon 5th floor  
 \_\_\_\_\_ lbs.; upon 6th floor \_\_\_\_\_ lbs.; upon 7th floor \_\_\_\_\_ lbs.; upon 8th floor  
 \_\_\_\_\_ lbs.
67. Is architect to supervise the alteration of the building or buildings mentioned herein? Yes  
 Name Henry Regelman  
 Address 133-7<sup>th</sup> Street, City
68. If not the architect, who is to superintend the alteration of the building or buildings described herein?  
 Name \_\_\_\_\_  
 Address \_\_\_\_\_

Owner Mr. Peter Vogler

Address, #341 East 10<sup>th</sup> St. City

Architect Henry Regelman

" #133-7<sup>th</sup> St., City

Mason, \_\_\_\_\_

" \_\_\_\_\_

Carpenter, \_\_\_\_\_

" \_\_\_\_\_

If a Wall, or Part of a Wall already built, is to be used, fill up the following :

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, \_\_\_\_\_ 191

The undersigned gives notice that \_\_\_\_\_ intend to use the \_\_\_\_\_ wall of building

\_\_\_\_\_ as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall \_\_\_\_\_ built of \_\_\_\_\_ inches thick, \_\_\_\_\_ feet below curb ; the upper wall \_\_\_\_\_ built of \_\_\_\_\_ inches thick, \_\_\_\_\_ feet deep, \_\_\_\_\_ feet in height.

(Sign here) \_\_\_\_\_

**REPORT UPON APPLICATION.**  
**Bureau of Buildings of the Borough of Manhattan.**

The City of New York, Borough of Manhattan, \_\_\_\_\_ 191

*To the Superintendent of Buildings for the Borough of Manhattan :*

I respectfully report that I have thoroughly examined and measured the wall \_\_\_\_\_, etc., named in the foregoing application, and found the foundation wall \_\_\_\_\_ to be built of \_\_\_\_\_ inches thick, \_\_\_\_\_ feet below curb, the upper wall \_\_\_\_\_ built of \_\_\_\_\_ inches thick, \_\_\_\_\_ feet deep, \_\_\_\_\_ feet in height, and that the mortar in said wall \_\_\_\_\_ is \_\_\_\_\_ hard and good, and that the building \_\_\_\_\_ in a good and safe condition to be altered as proposed. The \_\_\_\_\_ wall \_\_\_\_\_ built as party wall \_\_\_\_\_ and \_\_\_\_\_ in a good and safe condition to be used as proposed. Building occupied as follows : basement \_\_\_\_\_, 1st floor \_\_\_\_\_ 2d floor \_\_\_\_\_, 3d floor \_\_\_\_\_, 4th floor \_\_\_\_\_ 5th floor \_\_\_\_\_, 6th floor \_\_\_\_\_, 7th floor \_\_\_\_\_ 8th floor \_\_\_\_\_, 9th floor \_\_\_\_\_, 10th floor \_\_\_\_\_

What is the nature of the ground ? \_\_\_\_\_

What kind of sand was used in the mortar ? \_\_\_\_\_

If building is VACANT, state how the same was occupied \_\_\_\_\_

Is the PRESENT building to be connected with any ADJOINING building ? \_\_\_\_\_ If so, state dimensions and material of adjoining building, viz. : Material \_\_\_\_\_ ; feet front \_\_\_\_\_ ; feet rear \_\_\_\_\_ ; feet deep \_\_\_\_\_ ; feet in height \_\_\_\_\_ ; number of stories \_\_\_\_\_ ; how occupied ? \_\_\_\_\_

*(The Inspector must here state what defects, if any, are in the walls.)*

*(The Inspector must state the thickness of wall in each and every story.)*


\_\_\_\_\_  
*Inspector.*

ALT.  
1085-1913

AVENUE A

E. 10TH STR.

E. 11TH STR.



AVENUE B.

OFFICE OF BUILDINGS  
CITY OF NEW YORK  
RECORDED  
MAY 14 1913

ORIGINAL

THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Ave.,
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

NOTICE — This Application must be TYPEWRITTEN and filed in TRIPLICATE

Minor Structures, Minor Alterations and Repairs, Elevator Repairs, Drop Curb, Fire Escapes, Miscellaneous

Block 401 Lot 36
DISTRICT (under building zone resolution)
Use Height Area
Is sidewalk shed or fence required

BUILDING NOTICE
DEPARTMENT OF BUILDINGS
4011
1959
DO NOT WRITE IN THIS SPACE

SIDE WALK SHED. No sidewalk shed or fence shall interfere with visibility or operation of any traffic light. The Department of Traffic shall be notified whenever such structure is to be erected within seventy five (75) feet of a traffic light. Failure to comply may be cause for revocation of this permit.

LOCATION 339 E. 10th St. N/S 65' W of Ave. B., Manhattan
(Give Street Number)

COMPENSATION INSURANCE has been secured in accordance with the requirements of the Workmen's Compensation Law as follows: Ideal Oil Burner Co. Inc. 510 Flatbush Ave., Bklyn
Nationwide Mut. Ins. Co. Pol. #65-WC-930-354 Exp. 4-9-60

State proposed work in detail: construct new boiler room enclosure & install new T.C. flue lining in existing chimney flue.

Date of Construction [X] Before 1938 [ ] After 1937

Indicate class of construction:

- Class 1—Fireproof Class 2—Fire protected Class 3—Non-fireproof
Class 4—Wood frame Class 5—Metal Class 6—Heavy timber

Number of stories high 5

How occupied class A M.D. & stores O.L.T.

Is application made to remove a violation? no

How to be occupied same

If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

Estimated Cost \$900.00

(Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions

If exemption from payment fee is claimed, state clearly the basis of claim

Initial fee payment—

05-1555 141846 5 12/10/53

2nd payment of fee to be collected before a permit is issued—Amount \$

Verified by Date 12/10/53

ADDITIONAL FEES REQUIRED AMOUNT \$

(Yes or No) THIS IS DATE

VERIFIED BY

1. The sum of the fees indicated on the first and second receipts shall represent the total fee. Any variation on contemplated work or change affecting the estimated cost shall be recorded as an amendment. If any question arises in connection with the estimated cost or with the adequacy of the fee, no permit shall be issued unless adjusted to the satisfaction of the department at the direction of the Borough Superintendent.



REMARKS OR SKETCH :

If this application is for Drop Curb Permit, DIAGRAM showing plot to be used, the relative position of the cut curb and the extent thereof, must be drawn above.

Cut curb.....Total Splay .....  
Length in Feet Length in Feet

Deposit (\$.....), either in cash or certified check, payable to the order of the Department of Buildings, to insure the proper construction of the sidewalk and curb.

Refer to N.B. ALT.....19

Ribelle Perotto  
(Typewrite Name of Applicant)

States that he resides at 129 Pierrepont St. Borough of Bklyn City of New York;

that he is the agent for the (owner-lessee) of the premises above described, and is duly authorized to make this application for approval of the plans and specifications herewith submitted, and made a part hereof, for the work to be done in the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code and all laws and regulations applicable to the erection or alteration of said structure in effect at this date; that the work to be done is duly authorized by the owner.

Applicant further states that the full names and residences of the owners or lessees of said premises are:

Owner 339-341 E. 10th St. Realty Corp. % Pearl Rosen 611 E. 6th St., NYC  
Address

Harry Lerner, Pres. Pearl Rosen, Treas.

Lessee Address

DATED..... (Sign here) Ribelle Perotto Applicant

If Licensed Architect or Professional Engineer, affix seal.

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

EXAMINED AND RECOMMENDED

For Approval on Nov 5 1919

Approved.....19

165  
[Signatures]  
Examiner  
Borough Superintendent

Work commenced..... Date signed off.....19

I hereby Certify that the above report is true in every respect and that the work indicated has been done in the manner required by the Rules and Regulations of this Department, except where reported adversely.

Signed..... Inspector

548  
12/1/68  
1047 9

THE CITY OF NEW YORK  
DEPARTMENT OF BUILDINGS

MANHATTAN Municipal Bldg., New York, N. Y. 10007  
BROOKLYN Municipal Bldg., Brooklyn, N. Y. 11201  
BRONX 1932 Arthur Ave., Bronx, N. Y. 10457  
QUEENS 120-55 Queens Blvd., Kew Gardens, N. Y. 11424  
RICHMOND Boro Hall, St. George, N. Y. 10301

NOTICE — This Application must be TYPEWRITTEN and filed in TRIPLICATE

Minor Structures, Minor Alterations and Repairs, Elevator Repairs, Drop Curb, Fire Escapes, Miscellaneous

BLOCK 404 LOT 36

ZONING DISTRICT C 2-5

Is sidewalk shed or fence required? No

**SIDE WALK SHED.** No sidewalk shed or fence shall interfere with visibility or operation of any traffic light. The Department of Traffic shall be notified whenever such structure is to be erected within seventy five (75) feet of a traffic light. Failure to comply may be cause for revocation of this approval and any permit issued thereon.

**BUILDING NOTICE**

FEB 5 1969  
CITY OF NEW YORK  
BOROUGH OF MANHATTAN

DO NOT WRITE IN THIS SPACE

LOCATION 339 East 10th Street, No. side, 70' W. of Ave. B.  
(Give Street Number)

THIS IS NOT A WORK PERMIT. A PERMIT MUST BE OBTAINED BEFORE WORK IS STARTED

State proposed work in detail: Provide anchorage for front wall, as shown on plan attached.

Date of Construction  Before 1938  After 1937

Indicate class of construction: C1.3

- Class 1—Fireproof
- Class 2—Fire protected
- Class 3—Non-fireproof
- Class 4—Wood frame
- Class 5—Metal
- Class 6—Heavy timber

Number of stories high 5

How occupied Old Law, C1.A, Mult. Dwelling

Is application made to remove a violation? Yes

How to be occupied No change

Estimated Cost \$ 1000. *as per aff 3/14/69*

(Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions No

If exemption from payment fee is claimed, state clearly the basis of claim

Initial fee payment—

FEB 5 1969

2nd payment of fee to be collected before a permit is issued—Amount \$ none

Verified by [Signature] Date 3/14/69

*(No UB on record)  
3/14/69 (By Telephone)*

ADDITIONAL FEES REQUIRED \_\_\_\_\_ AMOUNT \$ \_\_\_\_\_

(Yes or No)

VERIFIED BY \_\_\_\_\_ DATE \_\_\_\_\_

1. The sum of the fees indicated on the first and second receipts shall represent the total fee. Any variation on contemplated work or change affecting the estimated cost shall be recorded as an amendment. If any question arises in connection with the estimated cost or with the adequacy of the fee, no permit shall be issued unless adjusted to the satisfaction of the department at the direction of the Borough Superintendent.

**Bribery is a Crime:** A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law, Section 378 and 1826.

REMARKS OR SKETCH:

SEE PLAN ATTACHED

If this application is for Drop Curb Permit, DIAGRAM showing plot to be used, the relative position of the cut curb and the extent thereof, must be drawn above.

Cut curb.....<sup>80</sup>..... Total Splay .....  
Length in Feet Length in Feet

Deposit (\$.....), either in cash or certified check, payable to the order of the Department of Buildings, to insure the proper construction of the sidewalk and curb.

Refer to N.B. ALT.....19

**Samuel Cohen**

(Typewrite Name of Applicant)

States that he resides at 2700 Marion Ave., Borough of Bronx, 10458 City of New York;

that he is the agent for the (owner-lessee) of the premises above described, and is duly authorized to make this application for approval of the plans and specifications herewith submitted, and made a part hereof, for the work to be done in the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code and all laws and regulations applicable to the erection or alteration of said structure in effect at this date; that the work to be done is duly authorized by the owner.

Applicant further states that the full names and residences of the owners or lessees of said premises are:

Owner Blanche Brown Address 132 Nassau Str. Manh.  
Arthur Brown, (partner)


Lessee..... Address.....

DATED Feb. 4, 1968

(Sign here)

*Samuel Cohen*  
Applicant

\*If Licensed Architect or Professional Engineer, affix seal.



AUTHORIZATION OF OWNER: I hereby state that I have authorized the applicant to file this application for the work specified herein.

Arthur Brown, Partner  
*Arthur Brown*  
(Signature of Owner or Officer of Corp.)

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

For Approval on 2/19/69 19

*A. Ergott*  
Examiner

Approved.....19

**FEB 19 1969**

Borough Superintendent

Witnessed..... Date signed off.....19

I hereby Certify that the above report is true in every respect and that the work indicated has been required by the Rules and Regulations of this Department, except where reported adversely.

Signed..... Inspector