

B404

Form 1-1922
L39

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

1
679

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 379

APPLICATION FOR ERECTION OF BRICK BUILDINGS,

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here) *McKinley Wood*
John H. Voorhees
THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN, Sept 10th 1903

1. State how many buildings to be erected. One

2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof). 321 + 333 East 10th St
North side 145'-0" west of Ave B

3. Will the building be erected on the front or rear of lot? front

4. How to be occupied? public library. If for dwelling, state the number of families in each house.

5. Size of lot? 50'-6" feet front; 50'-6" feet rear; 94'-8" feet deep.
Give diagram of same.

6. Size of building? 50'-6" feet front; 50'-6" feet rear; 85'-0" feet deep.
Size of extension? feet front; feet rear; feet deep.

Number of stories in height: main building? 3 story + basement Extension? ✓

Height from curb level to highest point: main building? 57'-0" feet. Extension? feet.

7. What is the character of the ground: rock, clay, sand, etc.? clay

8. Will the foundation be laid on earth, rock, timber or piles? earth

9. Will there be a cellar? no

10. What will be the base, stone or concrete? concrete. If base stones, give size and thickness, and how laid. If concrete, give thickness

1'-4" projecting as shown

11. What will be the depth of foundation walls below curb level or surface of ground? 10'-3" and 4'-0"

12. Of what will foundation walls be built? brick

13. Give thickness of foundation walls: front, 24" inches; sides, 16" and 20" inches; rear, 16" inches; party, inches.

14. Will interior supports be brick partition walls or piers, iron columns or wooden posts? *iron cols.*
Give size of same... *see iron drawings*
15. If piers, give thickness of cap stones or plates.....bond stones or plates.....
- ✓ 16. Give base course, width and thickness.....
17. Will any part of front, side or rear wall be supported on piers in cellar? *no*
Give size: front ✓.....size of base course.....
rear " " "
side " " "
- Size of cap stones. ✓.....size of bond stones.....
18. Of what materials will the upper walls be constructed? *brick and stone*
What will be thickness of upper walls, exclusive of ashlar, if any? *ashlar bonded 4" and 8"*
Basement: front *24* inches; rear *16* inches; side *16" and 20"* inches; party ✓..... inches
1st story: " *20* " " *16* " " *12" and 16"* " " "
2d story: " *20* " " *12* " " *12" and 16"* " " "
3d story: " *20* " " *12* " " *12* " " " "
4th story: " " " " " " "
5th story: " " " " " " "
6th story: " " " " " " "
7th story: " " " " " " "
19. What will be the materials of the front? *brick and stone*..... If of stone, what kind?
limestone..... If ashlar, give thickness *4" + 8" bonded into brick*
20. Will flues be lined with pipe or have 8 inches of brick around the same? *lined with pipe*
21. Will any wall be supported on iron or steel girders? *yes*
Front, material ✓.....size.....weight or thickness.....
Side, *3rd story count see drawing*..... " " "
Rear, *2nd " rear*..... " " "
Interior, *upper part of 3rd story - see drawing*..... " "
Will any wall be supported on iron or steel columns? *yes - see drawing*
Front, material.....size.....weight or thickness.....
Side, " " " " " "
Rear, " " " " " "
Interior, " " " " " "
22. Give material of girders.....of columns *cast iron*
Under 1st tier, size of girders.....; size of columns.....
" 2d tier, " *see iron plan*..... " "
" 3d tier, " " " "
" 4th tier, " " " "
" 5th tier, " " " "
" Roof tier, " " " "

43. How will it be occupied?
- How made water-tight?
44. How will cellar stairs be enclosed?
45. How will cellar be occupied?
- How made water-tight?
46. Will shafts be open or covered with louvre skylights full size of shafts?
- Size of each shaft?
47. Dimensions of water closet windows?
- Dimensions of windows for living rooms?
48. Of what materials will hall partitions be constructed?
49. Of what materials will hall floors be constructed?
50. How will hall ceilings and soffits of stairs be plastered?
51. Of what material will stairways be constructed?
- Give sizes of stair well holes.
52. If any other building on lot, give size: front; rear; deep; stories high; how occupied; on front or rear of lot; material
- How much space between it and proposed building?
53. How will floors and sides of water closets to the height of 16 inches be made waterproof?
54. Number and location of water closets: Cellar; 1st floor; 2d floor; 3d floor; 4th floor; 5th floor; 6th floor; 7th floor
55. What is the estimated cost of each building, exclusive of lot? \$ *67,000*
56. What is the estimated cost of all the buildings, exclusive of lots? \$
- Owner, *New York Public Library* Address *440 Lafayette Pl.*
- Architect, *John S. Kennedy* " *140 5th Ave.*
- Superintendent, " "
- Mason, *M. Reis* " *18 East 20th St.*
- Carpenter, " "

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN;.....190


The undersigned gives notice that intend to use the wall of building

..... as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall built of inches thick, feet below curb; the upper wall built of inches thick, feet deep, feet in height.


(Sign here)

DIRECT

PERMITS APPLICATION



AVE. A.



EAST 11th STREET.

EAST 10th STREET.

56' 6" x 94' 8"

379 N 1/2 1953

AVE. B.

TOMPKINS SQUARE.

SITE OF LIBRARY No 10.

331 - 333 EAST 10th T.

Office of the President of the Borough of Manhattan,
In The City

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

The City of New York, 1903

Amendment to Application No. B, 190

Location

Borough of Manhattan.

Nov. 21, 1903.

Application to amend plans, 679 N.B., 1903.

To the Commissioner of the Borough of Manhattan.

BUREAU OF BUILDINGS
CITY OF NEW YORK
RECEIVED NOV 25 1903
FOR THE BOROUGH
OF MANHATTAN

Sir:

We respectfully request permission to remove objections, viz:

1. X The rear and court walls will be increased 4-ins. in thickness.
2. Thickness of terracotta floor arches;
 - for 6 ft. span, not less than 12-in. blocks,
 - for 5 ft. span, not less than 10-in. blocks,
 - for 4'6" span, not less than 9-in. blocks.
3. See revised plans attached herewith.
4. See revised plans attached herewith.
5. Live load in living quarters, top floor, 60 lbs.,
 - all other floors..... 90 lbs.
6. See revised plans attached herewith.
7. Templates to be of bluestone, sizes 5"X8"X12" for 12" wall,
5" X 12" X 12" for thicker walls,
ONE 12" I^s" 31 1/2 lbs., where indicated on plans.
8. Provision will be made for shutters where necessary, according to Section 104 of the Code.

Respectfully submitted,

McKIM, MEAD & WHITE,

per.....

CITY OF NEW YORK
DEPARTMENT OF HOUSING AND BUILDINGS
ALTERED BUILDING

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE

ALT. No. P4D 1615 19 101 BLOCK 101 LOT 39

LOCATION 331-333 East 10th St. 115.0' W. of Ave. B Manhattan
House Number, Street, Distance from Nearest Corner and Borough

ZONING: USE DIST. Res. HEIGHT DIST. 1 1/2 AREA DIST. B

Initial fee payment—Amount \$ 466.47 1st Receipt No. 1071321

Date _____ Cashier _____

2nd payment of fee to be collected before a permit is issued—Amount \$ _____

Verified by _____ Date _____

2nd Receipt No. _____ Date _____ Cashier _____

EXAMINED AND RECOMMENDED FOR APPROVAL ON 3/4 1950 [Signature] Examiner.

APPROVED _____ 19 _____ Borough Superintendent [Signature]

SPECIFICATIONS

- (1) Classification of Buildings to be Altered. (NOTE—See C26-238.0) Fireproof Class 1
- (2) Any other buildings on lot or permit granted for one? No
 Is building on front or rear of lot? Front
Alteration of projections beyond the building line permitted under C26-233.0 b. of the Administrative Code. (Local Law 69 of 1951)
- (3) Use and Occupancy. Public Library
 (NOTE—If a multiple dwelling, authorization of owner must be filed)
 A new C of O (will) (will not) be required. Minerally 2/16/58 P.B.M.

STORY (Include cellar and basement)	EXISTING LEGAL USE			PROPOSED OCCUPANCY						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
<u>Cellar</u>			<u>Boiler Rm. Work Rm. Assembly Rm.</u>	<u>on gr.</u>						<u>Boiler Rm. Work Rm. Meeting Rm. Storage Rms. Tank Rm.</u>
<u>1 st</u>			<u>Circulation</u>							<u>Circulation Librarian's Office</u>
<u>2 nd</u>			<u>& Staff Rm.</u>							<u>Circulation Staff Rm. Work Rm.</u>
<u>3rd</u>			<u>Reading Rm.</u>							<u>Reading Rm</u>
	<u>1</u>	<u>5</u>	<u>Janitor's Apt.</u>							<u>5 study rms.</u>

(4) State generally in what manner the Building will be altered:

Rehabilitation and improvement of existing library.

(5) Size of Existing Building:

At street level	50'-6"	feet front	86'-0"	feet deep	50'-6"	feet rear
At typical floor level	50'-6"	feet front	86'-0"	feet deep	50'-6"	feet rear
Height ¹	3	stories	57'-6"	feet		

(6) If volume of Building is to be changed, give the following information: No change

At street level		feet front		feet deep		feet rear
At typical floor level		feet front		feet deep		feet rear
Height ¹		stories		feet		

Area ² of Building as Altered: At street level	Total floor area ²	sq. ft.
Total Height ³	Additional Cubic Contents ⁴	cu. ft.

(7) Estimated Cost of Alteration:⁵

Estimated Cost, exclusive of extension:

(8) Is Application made to remove violations? If Yes, State Violation Numbers

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following:

Character of soil	Bearing capacity
-------------------	------------------

(10) State what disposition will be made of waste and sewage Existing public sewer
(Public sewer, Private sewer, Cesspool, etc.)

(11) Does this Application include Dropped Curb? No
(If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.⁶)

Drop Curb	ft. @ \$	per ft. Splay	ft. @ \$	per ft.
-----------	----------	---------------	----------	---------

Exact distance from nearest corner to Curb Cut: feet.

Deposit: \$	Fee: \$	Total: \$
-------------	---------	-----------

Paid	19	Document No.	Cashier
------	----	--------------	---------

(12) Temporary Structures between Street Line and Curb:

Will a Sidewalk Shed be required?	Length	feet.
-----------------------------------	--------	-------

Will any other miscellaneous temporary structures be required?

Fee Required	Fee Paid	19	Document No.	Cashier
--------------	----------	----	--------------	---------

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.

2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.

3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.

4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)

5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.

6. Space for plot diagram is located on Affidavit Form.

7. Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.

8. If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

CITY OF NEW YORK
DEPARTMENT OF HOUSING AND BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Avenue
Bronx 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

AFFIDAVIT

NOTICE—This Affidavit must be TYPEWRITTEN and filed in QUADRUPPLICATE, and one copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, one affidavit is sufficient for all.

APPLICATION No. 1615, 19... BLOCK 404 LOT 39
LOCATION 331-333 East 10th St. 145.0' W. of Ave. B. Manhattan
House Number Street Distance from Nearest Corner Borough

To THE BOROUGH SUPERINTENDENT:

Application is hereby made for approval of the plans and specifications herewith submitted and to be made a part hereof for the structure herein described, with the understanding that:

If this application shall be disapproved in part and if no further action is taken thereon within one year after notice of partial disapproval, it shall be automatically withdrawn.

Any permit issued under which no work is commenced within one year from the time of issuance shall expire by limitation. (Adm. Code C26-177.0.)

Work will be supervised by Licensed Architect, Professional Engineer or by a Superintendent of Construction who has had ten years' experience supervising building construction and who has been properly qualified. (Adm. Code C26.187.0.)

Work under this approval will not be commenced until a permit has been obtained, application for which will be filed with the Borough Superintendent, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law. (Adm. Code C26-161.0.)

EXAMINED AND RECOMMENDED FOR APPROVAL ON 3/4, 19 58 [Signature] Examiner

APPROVED, 19 [Signature] Borough Superintendent

STATE OF NEW YORK
COUNTY OF NEW YORK

Tito Di Vincenzo

(Typewrite Name)

being duly sworn, deposes and says: That he resides at 135 East 65th Street
in the Borough of Manhattan; in the City of New York;
in the State of New York; that he is making this application for the approval of

Architectural

(Architectural, Structural, Mechanical, Etc.)

plans and specifications herewith submitted and made part hereof.

Deponent further says that he has personally supervised the preparation of such

Architectural

(Architectural, Structural, Mechanical, Etc.)

plans and that to the best of his knowledge and belief, the work will be carried out in compliance therewith, and the structure, if built in accordance with such plans, will conform with all applicable provisions of the charter, the administrative code, the multiple dwelling law, the labor law, the general city law, the zoning resolution, the rules of the board and all other laws governing building construction, except as specifically noted otherwise.

Deponent further says that he is duly authorized by City of N.Y., N.Y. Public Library, who is the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, to make application for the approval of such detailed statements of specifications and plans, elevator or plumbing work (if any) and amendments thereto, in the said owner's behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed structure, are as follows:

Owner's name N.Y. Public Library, City of New York Address 5th Ave. & 42nd Street, NYC
(If a corporation, give full name and address of at least two officers.)

Lessee Address
Architect Tito Di Vincenzo Address 135 East 65th Street, N.Y.C.
Engineer Address
Superintendent Address

That the said land and premises above referred to are situated, bounded and described as follows:

(NOTE—See diagram below)

BEGINNING at a point on the North side of East 10th Street distant 145.0' feet W from the corner formed by the intersection of Ave. B and East 10th Street running thence North 94.9' (Direction) feet; thence West 50.6' (Direction) feet; thence South 94.9' (Direction) feet; thence East 50.6' (Direction) feet; to the point or place of beginning, being designated on the map as Block No. 404 Lot No. 39

(SIGN HERE) T. J. D'Arcy Applicant

Affix Seal of Registered Architect or Professional Engineer Here

Sworn to before me, this 13th day of Nov. 1957



Jean Bergin Notary Public or Commissioner of Deeds

Notary Public, No. 4024, State of New York, Commission Expires 12/31/59

NOTE:—If building is a Multiple Dwelling, authorization of owner is required on Form 95.

Above Block and Lot Verified 19

Department of

House Number Dated 19 Bureau of


PLOT DIAGRAM must be drawn to indicated scale, showing the correct street lines from the city plan; the plot to be built upon in relation to the street lines and the portion of the lot to be occupied by the building; the legal grades and the existing grades, properly identified, of streets at nearest points from the proposed buildings in each direction; the House numbers and the Block and Lot numbers. Obtain this data from Bureau of Sewers and Highways and the Tax Department or consult Plan Desk in each Borough as to where data is available. Show dimensions of lot, building, courts and yards.

Status of Street: private— ; public highway— ; other The legal width of is ft.; sidewalk width should be ft. The legal width of is ft.; sidewalk width should be ft.

The street lines as shown in the diagram are substantially correct. Proposed changes in street lines and grades, if any, are indicated in red. The legal grades and the existing grades are indicated on the diagram thus: Legal Grade, 25.00. Existing, 24.00.

Dated 19 Bureau of

DIAGRAM



THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.
New York 7

BROOKLYN
Municipal Bldg.
Brooklyn 1

BRONX
1932 Arthur Ave.,
New York 57


QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

PLUMBING, MECHANICAL EQUIPMENT AND TANK INSTALLATION

BLOCK 404 LOT 39

FEES REQUIRED FOR
ALT. N.B. ALT. No. 1615 195.7



Street No. and LOCATION 331-333 East 10th St. - 145' West of Aven B.

Owned New York Public Library, NYC Address 5th Avenue & 42nd Street - NYC

~~By~~ Mr. Edward G. Freehafer, Director Address

Architect Tito Di Vincenzo Address 135 E. 65th Street - NYC

Contractor Address

COMPENSATION INSURANCE has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:

To The Borough Superintendent:

City of New York, 19

Application is hereby made on behalf of the owner-lessee for approval of the plans and specifications herewith submitted, and made a part hereof, for the erection, alteration or installation of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with the Building Code and all rules and regulations applicable thereto in effect at this date.

Applicant Vincenzo Di Vincenzo for Tito Di Vincenzo Address

Examined and Recommended for Approval on March 24 1958

APPROVED March 25 1958 19 Anthony J. ... Borough Superintendent

Work Included Herein: Plumbing? Sprinkler? Standpipe? Fuel Oil? Gasoline Tank Installation or Fuel Oil (Bulk)?
1. State in detail the work proposed. New Plumbing System New Water Tap

Is this a new or old building? Old

Give character of construction Fireproof

Dimensions: Stories High 3 Feet High 57'-6" Feet Front 50'-6" Feet Deep 86'-0" Class:

How occupied Public Library No. of Families

Is application made to remove a violation or order of any Dept.? No Give No.

How to be occupied Public Library

Estimated Cost \$6,000

(Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions

If exemption from payment of fee is claimed, state clearly the basis of claim

PLUMBING SPECIFICATIONS

Describe special equipment or features: Existing Building Sewer to be reused

Sewage and Drainage Disposal: Combined Sanitary Storm Cesspool

How will flushometers be water supplied? From a street pressure, pressure tank or roof tank?

Street pressure

Will building be piped for gas? Yes Describe purpose Domestic Hot Water & Cooking

Air Conditioner None How will waste be disposed of?

Table of fixtures to include fixtures reset where new roughing is installed.

Size of House Sewer 6" Fall per foot Existing

No. of Soil Lines 1 No. of Waste Lines No. of Vent Lines 2

Indicate Number of Proposed Fixtures on All Floors																					DESCRIBE FIXTURES		
	Cellar	Basement	First Floor	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth	Eleventh	Twelfth	Thirteenth	Fourteenth	Fifteenth	Sixteenth	Seventeenth	Eighteenth		Nineteenth	Twentieth
Water-Closets	2		2	1																			Siphon jet-flush valve
Urinals	1		1																				Wall type integral flush
Wash-basins	3		3	1																			Vitreous Chine, 20 x 18
Bath-tubs																							
Wash-tubs																							
Sinks			2																				White enamel, iron
Drinking Fountains																							
Showers																							
Sprinkler Heads—Halls																							
" —Soffits																							
" —Closets																							

Minimum Water Pressure _____ Approximate depth is _____ feet to inner top of
 Curb Elevation is 39 lbs. Sq. In. Existing Proposed _____ Combined Sewer
 NOTE: Obtain from Department of Water Supply, Gas and Electricity a certificate stating the water pressure at the curb. Existing _____ Proposed _____ Sanitary Sewer _____
 Existing _____ Proposed _____ Storm Sewer _____
 from legal grade of street.

Bureau of Sewers

STANDPIPE AND SPRINKLER SPECIFICATIONS

State proposed work None
 Is building equipped with any other fire-extinguishing system than that proposed? If so, give description: _____
 Supply:—
 a: Gravity Tank:
 Total capacity _____ gallons. Fire reserve _____ gallons.
 Height above main room _____ feet, above penthouse roof _____ feet.
 b: Intermediate Tank:
 Capacity _____ gallons. Location _____ (story).
 c: Pressure Tank:
 Capacity _____ number of gallons. Air Compressor _____
 d: Street Main Connections: Size of Tap _____ Size of Main _____
 Number _____ minimum water pressure at curb _____ pounds.
 e: Fire Pump _____ G.P.M. Capacity. Suction Tank _____ gallons.
 If an alteration or extension to an existing approved system, give date of approval, plan number and plan showing sections to the source of supply.

FUEL OIL SPECIFICATIONS

- Baume _____ FLASH POINT _____ No. of Tanks _____
- Capacity of each tank _____ LOCATION _____ Foundation _____
- Name of burner _____ B. S. & A. Approval No. _____
- Location of remote control _____ Number of approved fire extinguishers _____
- Fire retarding _____

Sketch Showing Plot Diagram and Location of Tank for One- and Two-Family Dwellings May Be Drawn Here:—

FUEL OIL OR GASOLINE TANK INSTALLATIONS

Initial fee payment—Amount \$ _____ 1st Receipt No. _____
 Date _____ Cashier _____
 2nd payment of fee to be collected before a permit is issued—Amount \$ _____
 Verified by _____ Date _____
 2nd Receipt No. _____ Date _____ Cashier _____
 ADDITIONAL FEES REQUIRED _____ AMOUNT \$ _____
 VERIFIED BY _____ (Yes or No) _____ DATE _____

NOTICE—This application must be typewritten and filed in quadruplicate. All proposed work under application must be shown on plans and section. All vertical lines of soil, waste, leader and refrigerator pipes should be designated by numbers or letters. A soil or waste line and its attendant vent line may be considered as one stack, and so numbered or lettered. In alterations, NEW WORK ONLY should be specified. When new fixtures are to be connected to present lines, the location and diameter of said lines must be shown on the plan. Minor alterations in connection with work described may be included in this form.