

11 St

502

B 404
L 5

(OLT.)

~~UB 521-00~~
~~UR 1921-99*~~

Alt 2021-85*
Alt 847-75*

V 2830-62*

BN 2297-25

O 484-51
lt 1452-54P

P 2134-25

~~SR 5063-26~~
~~SR 1183-26~~

Alt 1588-26

CO 57791

P 1183-26

~~Per 5651-26~~

11th St. East

502

B-404

(OLT.)

L-5

Alt 847-75*
Alt 2021-85*
P 2134-25
BN 2297-25
P 1183-26
Alt 1588-26
SR 231-50
FO 484-51
Alt 1452-54P
V 2830-62*
CO 57791

847

Original

877
July 2nd

1375

DETAILED STATEMENT OF SPECIFICATIONS FOR ALTERATIONS, ADDITIONS, OR REPAIRS TO BUILDINGS, ALREADY ERECTED.

B404

L15

- 1. State how many buildings to be altered, *one*
- 2. What is the Street or Avenue, and the number thereof, *502 East 11 Street*
- 3. Ward, *14th*

PRESENT BUILDING.

Give the following information as to the present building:

- 1. Size of lot on which it is located. No. feet front *24* ; feet rear, *24* ; feet deep, *100*
- 2. Size of building. No. feet front, *25* ; feet rear, *25* ; feet deep, *60* ; No. of stories in height *4* ; No. of feet in height, from curb level to highest point, *45*
- 3. Material of Building, *Brick* ; Material of Front, *Brick*
- 4. Whether roof is Peak, Flat, or Mansard, *flat*
- 5. Material of Roofing, *tin*
- 6. Depth of foundation walls, *8* feet. Thickness of foundation walls, *20* inches. Material of foundation walls, *stone*
- 7. Thickness of upper walls, *12* inches. Material of upper walls, *brick*
- 8. Whether Independent or Party-walls, *both*
- 9. Whether there is any other building on the lot, *no*
- 10. How the building is occupied, *unoccupied*

HOW TO BE ALTERED.

IF RAISED OR BUILT UPON,

Give the following information:

- 1. How many stories will the building be when raised,
- 2. How many feet high will the building be when raised,
- 3. Will the roof be Flat, Peak, or Mansard,
- 4. What will be the material of roofing,
- 5. What will be the material of cornices and gutter,

IF EXTENDED ON ANY SIDE,

Give the following information :

1. Size of extension, No. of feet front, ; feet rear. ; feet deep, : No. of stories in height, ; No. of feet in height.
2. What will be the material of foundation walls of extension, . What will be the depth, feet. What will be the thickness, inches.
3. What will be the material of upper walls of extension . How thick will the upper walls be, inches.
4. Will the roof of extension be Flat, Peak, or Mansard,
5. What will be the material of roofing,
6. What will be the material of cornice and gutter,
7. Will iron shutters be provided, if required,
8. How will the extension be occupied,
9. How will the extension be connected with present or main building,...

IF ALTERED INTERNALLY,

Give definite particulars, and state how the building will be occupied, and if for a dwelling, state by how many families.

We want to put in a new show window there will be no brick or iron work there there will nothing else shown in Present building

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT,

Give Definite particulars, and state in what manner.

THE FOLLOWING INFORMATION IS ALSO REQUIRED.

1. If the building is to be occupied as a tenement building after the proposed alteration, will it be altered in every respect to conform with the provisions of Section 28 of the Building Law,
2. How much will the Alteration cost, \$ *150 00*

2021

Original

I hereby make application to alter as per subjoined

Detailed Statement of Specification for Alterations, Additions, or Repairs to Buildings already Erected,

and herewith submit a full set of Plans and Drawings of proposed Alterations.

B404
L5

1. State how many buildings to be altered, One
2. What is the Street or Avenue and the number thereof, 502 E. 4th Street
3. How much will the alteration cost, \$ 2000 00/100

PRESENT BUILDING.

Give the following information as to the present building:

1. Size of lot on which it is located, No. feet front, 20 feet rear, 20 feet deep, 80
2. Size of building, No. of feet front, 20; feet rear, 20; feet deep, 45; No. of stories in height, 4; No. of feet in height, from curb level to highest point, 42'
3. Material of Building, Brick; Material of front, Brick
4. Whether roof is peak, flat or mansard, flat
5. Depth of foundation walls, 10 feet; thickness of foundation walls, 20; materials of foundation walls, Blue Stone
6. Thickness of upper walls, 12 and 8 inches. Material of upper walls, Brick
7. Whether independent or party-walls, party wall easterly side
8. How the building is occupied, Store and Tenement

HOW TO BE ALTERED.

IF RAISED OR BUILT UPON,

Give the following information.

1. How many stories will the building be when raised, _____
2. How many feet high will the building be when raised, _____
3. Will the roof be flat, peak, or mansard, _____
4. What will be the thickness of wall of additional stories: _____ story, _____ inches; _____ story, _____ inches.
5. Give size and material of floor beams of additional stories: _____ story, _____ x _____, _____ story, _____ x _____. Distance from centres on _____ tier, _____ inches; _____ tier, _____ inches.
6. How will the building be occupied, _____

IF EXTENDED ON ANY SIDE,

Give the following information:

1. Size of extension, No. feet front, _____; feet rear, _____; feet deep, _____; No. of stories in height, _____, No. of feet in height, _____.
2. What will be the material of foundation walls of extension. _____ What will be the depth, _____ feet. What will be the thickness, _____ inches.
3. Will foundation be laid on earth, rock, timber or piles, _____

IF EXTENDED ON ANY SIDE,

Give the following information :

4. What will be the base—stone or concrete, _____; if base stones, give size, and how laid
_____ if concrete, give thickness, _____
5. What will be the sizes of piers, _____
6. What will be the sizes of the base of piers, _____
7. What will be the thickness of upper walls in 1st story, _____ inches; 2d story _____ inches;
3d story, _____ inches; from thence to top _____ inches; and of what materials to be
constructed, _____
8. Whether independent or party-walls; if party-walls give thickness thereof, _____ inches
9. With what material will walls be coped, _____
10. What will be the materials of front, _____; if of stone, what kind, _____
Give thickness of front ashlar, _____, and thickness of backing thereof, _____
11. Will the roof be flat, peak, or mansard, _____
12. What will be the materials of roofing, _____
13. Give size and material of floorbeams, 1st tier, _____, _____ x _____; 2d tier, _____
_____ x _____; 3d tier, _____, _____ x _____; 4th tier, _____, _____ x _____; 5th tier,
_____, _____ x _____; 6th tier, _____, _____ x _____; roof tier _____
_____ x _____. State distance from centres on 1st tier, _____ inches; 2d tier _____ inches; 3d tier,
_____ inches; 4th tier, _____ inches; 5th tier, _____ inches; 6th tier, _____ inches;
roof tier, _____ inches.
14. If floors are to be supported by columns and girders, give the following information: Size and material
of girders under 1st floor, _____, _____ x _____ under upper floors, _____
_____ Size and material of columns under 1st floor,
_____ under upper floors, _____
15. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give
definite particulars, _____

16. If girders are to be supported by brick piers and columns, state the size of piers and columns.

17. How will the extension be connected with present or main building.

18. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy
each floor, _____

IF ALTERED INTERNALLY,

Give definite particulars and state how the building will be occupied; and if for a dwelling, state by
how many families.

General inside repairing to be done

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT,

Give definite particulars, and state in what manner.

*Center Brick pier in 1st story front to be taken out, front above
1st story to be supported by two 12 1/2" wrought iron beams well bolted
together and have cast iron separators between, beams to be tested before
set in per law, have 12" high granite block under each end of beams
of a depth as respective piers. Old show iron door taken down and new
plate glass front to be put up, also have new galvanized iron cornice
and galv. iron sill x lintels.*

Original

FIRE DEPARTMENT, CITY OF NEW YORK,

Bureau of Inspection of Buildings.

Detailed Statement of Specification

FOR ALTERATIONS TO BUILDINGS.

No. 2021 Submitted Oct 20 1885

LOCATION

502 - E 41st Street

Owner Charles A. Klemens

Architect William Graul

Builder Jacob Miller

Revised by Referred to A. B. Marshall Oct 21 1885

Returned by 1885

Report favorable.

See Remarks

FINAL REPORT.

NEW YORK, Dec 1st 1885

To the Inspector of Buildings;

Work was commenced on the within described building on the 4th day of Nov 1885 and completed on the 27th day of Nov 1885, and has been done in accordance with the foregoing detailed statement, except as noted below.

REMARKS.

Drawings inside.

New York, Oct 22 1885

This is to certify that I have examined the within detailed statement, together with the copy of the plans relating thereto, and find the same to be in accordance with the provisions of the laws relating to Buildings in the City of New York; that the same has been approved, and entered in the records of this Bureau.

J. F. S. O'Connell Inspector of Buildings

A amended. That present pins to be taken down and rebuilt properly bonded and secured to prevent movement. Rem could be repaired to be in a good and safe condition from Sills & bits to be covered with galv iron with bits.

W. Graul's work

The door crossed out and following to be in its place have a 12x16" cast iron port of 1" thick casting and 12" high granite block under same. Wm Graul Reap. Approved by Wm Kumpen Oct 24 1885

Arch Oct 23/85

7 with sheets may be covered with galvanized iron but not 7 made sheet 7 see inspection report 7 left hand pins too small

Referred to Examiner 12 Dist

Oct 24th 1885

Returned Dec 1st 1885

Peter J. Daly Examiner.

Owner, Charles A. Klemens Address, 502 E. 11th Street
 Architect, Wm. Gaul Address, 12 Stanton Street
 Mason, _____ Address, _____
 Carpenter, Jacob Miller Address, Day Dock Street

(The following must be signed by the party authorized to submit this detailed statement and the accompanying plans and drawings.)

NEW YORK, October 20th 1885

I do hereby agree that the provisions of the Building Law will be complied with in the alterations of the Building herein described, whether the same are specified herein or not.

(Sign here) Charles A. Klemens.

REPORT UPON APPLICATION Wm. Gaul.

Fire Department, City of New York, Analyst

BUREAU OF INSPECTION OF BUILDINGS.

NEW YORK, Oct 21 1885

To the Chief of Buildings.

I respectfully report that I have thoroughly examined the foregoing described building and find the same to be built of Brick stor about 40 feet in height, 20 feet front, 50 feet deep, Flat roof. I have thoroughly examined and measured the walls, and find the foundation walls to be built of Brick 16 inches thick; the upper walls are built of Brick 8 inches thick, and 16 feet in height, and that the mortar in said walls, is not good hard and good, and that all the walls are only in fair condition in a good and safe condition,

(The Inspector must here state what defects, if any, are in the walls, beams or other part of the building.)

The rear wall is in a bad condition being cracked and mortar out of joints. The foundation wall in front should be rebuilt & properly bonded. Also the piers at each end that will carry the iron beams should be rebuilt in the same manner & front walls above store cornice in fair condition.

Wm. Marshall

Inspector

**NOTICE TO OWNERS, ARCHITECTS AND BUILDERS.
THE BUILDING LAW REQUIRES**

- 1st.—All stone walls must be properly bonded.
- 2d.—All skylights over 3 square feet must be of iron and glass.
- 3d.—All buildings over 2 stories or above 25 feet in height, *except dwellings and churches*, must have iron shutters on every window and opening above the first story.
- 4th.—Outside fire escapes are required on all tenement, flat and apartment houses, office buildings, lodging houses and factories, and the balconies of such fire escapes must take in one window of each suite of apartments, all to be constructed as follows:

BRACKETS—Must not be less than 1 x 1 1/2 inches wrought iron, placed edgewise, or 1 1/2 inch angle iron, well braced, and not more than three feet apart, and the braces to brackets must be not less than 1/2 inch square wrought iron, and must extend two-thirds of the width of the respective brackets or balconies. In all cases the brackets must go through the wall, and be turned down three inches.

BRACKETS ON NEW BUILDINGS must be set as the walls are being built. When brackets are to be put up on old houses, the part going through the wall shall not be less than one inch diameter, with screw nuts and washers not less than five inches square and 1/2 inch thick.

TOP RAILS—The top rail of balcony must be 1 1/2 inch x 1/2 inch wrought iron, and in all cases must go through the walls, and be secured by nuts and 1 inch square washers, at least 1/2 inch thick, and no top rail shall be connected at angles by the use of cast iron.

BOTTOM RAILS—Bottom rails must be 1 1/2 inch x 1/2 inch wrought iron, well leaded into the wall. In frame buildings the top rails must go through the studding and be secured on the inside by washers and nuts as above.

FILLING-IN BARS—The filling-in bars must be not less than 1/2 inch round or square wrought iron, placed not more than 6 inches from centres, and well riveted to the top and bottom rails.

STAIRS—The stairs in all cases must be not less than 18 inches wide, and constructed of 1 x 3 1/2 inch wrought iron sides or strings. Steps may be of cast iron of the same width of strings, or 1/2 inch round iron, double rungs, and well riveted to the strings. The stairs must be secured to a bracket on top and rest on and be secured to a bracket or extra cross bar at the bottom. All stairs must have a 1/2 inch hand rail of wrought iron, well braced.

FLOORS—The flooring of balconies must be of wrought iron 1 1/2 x 1/2 inch slats placed not over 1 1/2 inches apart, and secured to iron battens 1 1/2 x 1/2 inch, not over three feet apart and riveted at the intersection. The openings for stairways in all balconies shall not be less than 20 inches wide and 36 inches long, and have no covers.

DROP LADDERS—Drop ladders from lower balconies where required shall not be less than 14 inches wide, and shall be made of 1 1/2 x 1/2 inch sides and 1/2 inch rungs of wrought iron. In no case shall a drop ladder be more than 12 feet in length. In no case shall the ends of balconies extend more than nine inches over the brackets.

SCUTTLE LADDERS—Ladders to scuttles shall be constructed in all cases the same as the stairs or step-ladders from balconies of fire escapes.

THE HEIGHT OF RAILING around balconies shall not be less than two feet nine inches.

- NO FIRE ESCAPE WILL BE APPROVED BY THIS BUREAU IF NOT IN ACCORDANCE WITH ABOVE SPECIFICATIONS.**
- 5th.—All walls must be coped with stone or iron. If coped with stone the stone must not be less than 2 1/2 inches thick, and if with iron, the iron must not be less than 1/2 inch thick, and turned down at least 1 1/2 inches at edges.
- 6th.—Roofs must be covered with fire-proof material.
- 7th.—All cornices must be fire-proof.
- 8th.—All furnace and boiler flues must be constructed as follows:

All FURNACE FLUES OF DWELLING HOUSES shall have at least eight-inch walls on each side. The

(if any) proposed to be done upon the same premises and specified in separate applications filed herewith,

and all subsequent amendments thereto—is duly authorized by

Church of Mary Help of
(Name of Owner or Lessee)

Christians

and that

Silvis A. Minoli is

duly authorized by the aforesaid

Owner

to make application

for the approval of such detailed statement of specifications and plans (and amendments thereto) in **his** behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner **Church of Mary Help of Christians. 404 East 18th Street**

Mscr. Paul J. Zolan Pastor 404 East 18th Street

Rev. Anthony Maglio Assistant 404 East 18th Street

Lessee _____

Architect **Silvis A. Minoli 110 West 40th Street**

Superintendent _____

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING

at a point on the **South** side of **East 11th Street**

distant **75' 6"** feet **East** from the corner formed by the intersection of

East 11th Street and **Avenue A.**

running thence **East 10** feet; thence **South 80** feet;

thence **West 10** feet; thence **North 80**

feet

BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN, CITY OF NEW YORK

RECEIVED
FOR THE SUPERINTENDENT
OF THE BOROUGHS
OF MANHATTAN
1588

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen on Cloth.

ALT. APPLICATION No. 1588 1926

for

LOCATION S.S. of 11 St. 75' 6" E. of Ave. A. BLOCK 404 LOT 5
502 East 11th St.

New York City, July 13, 1926

To THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York, and with the provisions of all other laws and rules relating to the alteration of said building in effect at this date.

Work under this approval will not be commenced until a permit has been secured, application for which will be filed with the Superintendent of Buildings, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law.

EXAMINED AND RECOMMENDED FOR APPROVAL ON Aug. 19th 1926

James J. Stack
Examiner

APPROVED AUG 13 1926 1926

Superintendent of Buildings, Borough of Manhattan.

STATE, COUNTY AND }
CITY OF NEW YORK } ss. Silvis A. Minoli
Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 110 West 40th Street

, in the Borough of Manhattan

in the City of New York, in the County of New York

in the State of New York, that he is duly authorized

Architect for the

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 502 East 11th Street, New York City

ORIGINAL

CITY OF NEW YORK DEPARTMENT OF HOUSING AND BUILDINGS

MANHATTAN Municipal Bldg., New York 7

BROOKLYN Municipal Bldg., Brooklyn 2

BRONX 1932 Arthur Avenue Bronx 57

QUEENS 120-55 Queens Blvd., Kew Gardens 24, L. I.

RICHMOND Boro Hall, St. George 1, S. I.

AFFIDAVIT

NOTICE—This Affidavit must be TYPEWRITTEN and filed in QUADRUPLICATE, and one copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, one affidavit is sufficient for all.

APPLICATION No. P&D& 1452, 19 54, BLOCK 404, LOT 5. LOCATION 502 E 11 Str, 75'-6" Easterly from Ave A, Manhattan. House Number Street Distance from Nearest Corner Borough

TO THE BOROUGH SUPERINTENDENT:

Application is hereby made for approval of the plans and specifications herewith submitted and to be made a part hereof for the structure herein described, with the understanding that: If this application shall be disapproved in part and if no further action is taken thereon within one year after notice of partial disapproval, it shall be automatically withdrawn. Any permit issued under which no work is commenced within one year from the time of issuance shall expire by limitation. (Adm. Code C26-177.0.) Work will be supervised by Licensed Architect, Professional Engineer or by a Superintendent of Construction who has had ten years' experience supervising building construction and who has been properly qualified. (Adm. Code C26.187.0.) Work under this approval will not be commenced until a permit has been obtained, application for which will be filed with the Borough Superintendent, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law. (Adm. Code C26-161.0.)

EXAMINED AND RECOMMENDED FOR APPROVAL ON 9/3/54, 1954, George Wasseloffs, V. Guffa, Examiner. APPROVED SEP 2 - 1954, 19, Borough Superintendent.

STATE OF NEW YORK } COUNTY OF }

I van E. ZUKOVSKYJ (Typewrite Name)

being duly sworn, deposes and says: That he resides at 45 St Marks Place in the Borough of Manhattan; in the City of New York; in the State of New York; that he is making this application for the approval of

Architectural & Mechanical plans and specifications herewith submitted (Architectural, Structural, Mechanical, Etc.) and made part hereof.

Deponent further says that he has personally supervised the preparation of such Architectural & Mechanical plans and that to the best of his knowledge and belief, the work will be carried out in compliance therewith, and the structure, if built in accordance with such plans, will conform with all applicable provisions of the charter, the administrative code, the multiple dwelling law, the labor law, the general city law, the zoning resolution, the rules of the board and all other laws governing building construction, except as specifically noted otherwise.

Deponent further says that he is duly authorized by Mr. Teodor Popenko (Name of Owner) who is the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, to make application for the approval of such detailed statements of specifications and plans, elevator or plumbing work (if any) and amendments thereto, in the said owner's behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed structure, are as follows:

Owner's name Teodor Popenko Address 502 E 11 Str, N.Y.C. (If a corporation, give full name and address of at least two officers.)

Lessee Address Architect Ivan E. Zukovskyj Address 45 St Marks Place N.Y.C. Engineer Address Superintendent Address

Handwritten notes: 8/25/54, 1954

That the said land and premises above referred to are situated, bounded and described as follows:
 (NOTE—See diagram below)

BEGINNING at a point on the **South** side of **11 Street**
 distant **75'-6"** feet **East** from the corner formed by the intersection of
Avenue A and **11 Str**
 running thence **South** **80'** feet; thence **East** **20'** feet;
 (Direction) (Direction)
 thence **North 5' West 1' North 75'** feet; thence **West** **19'** feet;
 (Direction) (Direction)
 to the point or place of beginning, being designated on the map as
 Block No. **404** Lot No. **5**

(SIGN HERE) *Wanda Furusky* Applicant



Affix Seal of Registered Architect or Professional Engineer Here.

Sworn to before me, this 12th day of August 1954
Charles C. Carroll
 CHARLES C. CARROLL
 Notary Public State of New York
 No. 31-5628100
 Notary Public and Commissioner of Deeds
 Commission Expires March 30, 1956

NOTE: If building is a Multiple Dwelling, authorization of owner is required on Form 95.

Above Block and Lot Verified _____ 19_____
 Department of _____
 House Number _____ Dated _____ 19_____
 Bureau of _____


PLOT DIAGRAM must be drawn to indicated scale, showing the correct street lines from the city plan; the plot to be built upon in relation to the street lines and the portion of the lot to be occupied by the building; the legal grades and the existing grades, properly identified, of streets at nearest points from the proposed buildings in each direction; the House numbers and the Block and Lot numbers. Obtain this data from Bureau of Sewers and Highways and the Tax Department or consult Plan Desk in each Borough as to where data is available. Show dimensions of lot, building, courts and yards.

Status of Street: private— ; public highway— ; other _____
 The legal width of _____ is _____ ft.; sidewalk width should be _____ ft.
 The legal width of _____ is _____ ft.; sidewalk width should be _____ ft.

The street lines as shown in the diagram are substantially correct. Proposed changes in street lines and grades, if any, are indicated in red. The legal grades and the existing grades are indicated on the diagram thus: Legal Grade, 25.00. Existing, 24.00.

Dated _____ 19_____
 Bureau of _____

DIAGRAM



N.
 ↑
 The north point of the diagram must agree with the arrow

DEPARTMENT OF BUILDINGS
BOROUGH OF MANHATTAN, THE CITY OF NEW YORK

No. **57791**

Date **May 28, 1963**

CERTIFICATE OF OCCUPANCY

(Standard form adopted by the Board of Standards and Appeals and issued pursuant to Section 646 of the New York Charter, and Sections C.26-181.0 to C.26-187.0 inclusive Administrative Code 2.1.3.1. to 2.1.3.7. Building Code.)

This certificate supersedes C. O. No. - - - -

To the owner or owners of the building or premises:

THIS CERTIFIES that the ~~300~~—altered—~~300~~—building—premises located at

502 East 11th Street

Block **404** Lot **5**

, conforms substantially to the approved plans and specifications, and to the requirements of the building code and all other laws and ordinances, and of the rules and regulations of the Board of Standards and Appeals, applicable to a building of its class and kind at the time the permit was issued; and

CERTIFIES FURTHER that, any provisions of Section 646F of the New York Charter have been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent.

Alter. No.—**1452-1954**

Construction classification— **Class 3 Non fireproof**

Occupancy classification— **Old Law Tenement Class**

. Height **4** stories, **38'-2"** feet.

Date of completion— **May 22, 1963.**

. Located in **Residence**

Use District **3770-1962; 673-1955; 1947-1954**

B Area **1 1/2** . Height Zone at time of issuance of permit

This certificate is issued subject to the limitations hereinafter specified and to the following resolutions of the Board of Standards and Appeals: (Calendar numbers to be inserted here)

PERMISSIBLE USE AND OCCUPANCY

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED			USE
		MALE	FEMALE	TOTAL	
Cellar					Boiler room and storage.
1st to 4th story, incl.	40 each				One (1) apartment on each story. NOTE: Interior room affidavit filed February 6, 1963. NOTE: The issuance of this Certificate of Occupancy is predicated upon the final report of Construction Division made on May 22, 1963. <u>FIRE DEPARTMENT APPROVALS:</u> Fuel Oil Installation Permit #0182907.

THIS CERTIFICATE OF OCCUPANCY IS ISSUED IN ACCORDANCE WITH SECTION 601 OF THE BUILDING CODE AND SECTION 2407 OF THE FIRE DEPARTMENT REGULATIONS.

This certificate is valid only for the use and occupancy stated in the certificate of occupancy and shall not be altered in any manner or additions are made thereto.

Thomas V. Burke
 Borough Superintendent