

M E M O.

Alt. Plan 538/07
194 Avenue B.

October 1, 1907.

Mr. Baylies, architect, called relative to the matter of the leader for the corner building. Stated that the corner building had no yard, and that the leader at present connected with the house drain of the adjoining premises, which is owned by the same owner as the corner building. Informed Mr. Baylies that the Department would approve an amendment showing the correct arrangement of the present leader, the maintenance of such leader being subject to the two buildings remaining under the same ownership.

H. C. ...
1st Deputy Commissioner.

(Dic. WAR/IMCC)

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

2

BACK
L 30

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 947

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Franklin Gaylis Holt

The City of New York, Borough of Manhattan, March 11th 1907.

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered One
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) South West cor. Ave. B and 12th St. #194 Ave. B
- How was the building occupied? Store and Living rooms
How is the building to be occupied? " " " "
- Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? No. Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 19'3" feet front; 19'3" feet rear; 65 feet deep.
- Size of building which it is proposed to alter or repair? 19'3" feet front; 19'3" feet rear; 65 feet deep. Number of stories in height? 5 Height from curb level to highest point? 54
- Depth of foundation walls below curb level? 9'0" Material of foundation walls? Stone Thickness of foundation walls? front _____ inches rear 24 inches; side 20 inches; party 20 inches.
- Material of upper walls? Brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front _____ inches; rear 24 inches; side 20 inches; party 20 inches.
1st story: " 12 " " 12 " " 12 " " 12 "
2d story: " 12 " " 12 " " 12 " " 12 "
3d story: " 12 " " 12 " " 12 " " 12 "
4th story: " 12 " " 12 " " 12 " " 12 "
5th story: " 12 " " 12 " " 12 " " 12 "
6th story: " _____ " " _____ " " _____ " " _____ "
- Is roof flat, peak or mansard? Flat

TENEMENT HOUSE DEPARTMENT

NY/MS

OF

THE CITY OF NEW YORK,

44 E. 23d STREET,
BOROUGH OF MANHATTAN.

NEW YORK, _____ 190

To the Superintendent of Buildings,
Borough of Manhattan.

DEAR SIR:

Plans and specifications

have been submitted to the Tenement House Department for
the alteration of One tenement house _____ located at
194 Avenue B

Borough of Manhattan, by

Architect Franklin Davies, Address 32-34 Bible House
Julie ..., Address 14 E. 83rd St.
Owners ...; Address 14 E. 83rd St.
Attorney in fact M. Hoffman, 211-213 E. 55th St
and have been _____ approved by the Tenement House

Department on _____. A copy of the approved _____
plans is herewith forwarded to your department.

Yours respectfully,

[Signature]
Tenement House Commissioner.
By *[Signature]*

Plan No. Alt. 538, 190

MEMORANDUM.

April 4, 1907.

Alt. 538/07

Relative to Objection #2: The Department will
permit the placing of glass panels in one of the doors at each end
of the hall on each floor.

Objection #4 is overruled, as the passageway leads
to one watercloset only, and is 2' 6" wide in the clear.

[Handwritten signature]

1st Deputy Commissioner.

(Dic. WAR/IMCC)


- 12th Street -

Ave. "A"

Ave. "B"

- 11th Street -

Wing



OFFICE OF BUILDINGS OF THE CITY OF NEW YORK
FOR THE BOROUGH OF MANHATTAN.

BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK
Received APR 16 1907
FOR THE BOROUGH
OF MANHATTAN,

PLAN N. 1000 of 1907

State and City of New York, }
County of } ss.:

William H. Hoffmann

being duly sworn, deposes and says: That he resides at Number: *211-213 East 55th St*
in the Borough of *Manhattan*

in The City of *New York*, in the County of *New York*
in the State of *New York*; that he is *Attorney in fact for*

Julia E. Hoffmann and Louise Ogilvie

owners in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part
hereof, situate, lying and being in the Borough of *Manhattan*

in The City of New York, aforesaid, and known and designated as Number *174 Avenue C*
and hereinafter more particularly described;

that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement
in writing of the specifications and plans of such proposed work, is duly authorized to be performed by

William H. Hoffmann Attorney in fact
and that *Franklin Cassin Architect*

duly authorized by *William H. Hoffmann*
to make application for the approval of such detailed statement of specifications and plans in *his*

behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the
said land, and also of every person interested in said building or proposed building, structure, or proposed structure,
premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

Julia E. Hoffmann No *25 West 81st St*
as *one of the Owners*

Louise Ogilvie No *17 West 83rd St*
as *one of the Owners*

William H. Hoffmann No *211-213 East 55th St*
as *Attorney in fact*

Franklin Cassin No *22-24 Cedar House*
as *Architect*

No
as

The said land and premises above referred to, are situate at, bounded and described as follows, viz.:

BEGINNING at a point on the West side side of Home St "d"
....., distant 19' 2" feet
..... South from the corner formed by the intersection of
..... E. side 12th St and Home St
running thence Westward 65' 0" feet;
thence Northerly 19' 3" feet;
thence E. side 12th St 65' 0" feet;
thence Southerly 19' 3" feet
to the point or place of beginning.

Sworn to before me, this 5th
day of April 1907

William Hoffmann

Jacob Rubin

Notary Public, 35th St County.

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,

S. W. Corner, 18th Street.

PLAN No. 947 { ~~NEW BUILDINGS~~ } 190 7
ALTERATIONS

Location 174 Ave. D.

BOROUGH OF MANHATTAN.

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Bureau.

1. Foundation walls. Depth below curb level _____ material _____
thickness, front _____ inches; rear _____ inches; side _____ inches; party _____ inches.

2. Upper walls. Material _____; thickness as follows:
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.

1st story: " " " " " " " " " "

2d story: " " " " " " " " " "

3d story: " " " " " " " " " "

4th story: " " " " " " " " " "

5th story: " " " " " " " " " "

6th story: " " " " " " " " " "

3. Nature of ground _____

4. Quality of sand used in mortar _____

5. What walls are built as party walls? _____

6. What fire escapes are provided? _____

7. Is building fireproof? _____

8. If building is vacant, state how the same was occupied _____

9. Is the present building to be connected with any adjoining building? _____

If so, state dimensions and material of adjoining building, viz:—

Material _____; feet front _____, feet rear _____

feet deep _____; feet in height _____; number of stories _____

how occupied _____

✓ 10. How is present building occupied? Basement _____; 1st floor Shops _____;

✓ 2d floor rent _____; 3d floor rent _____; 4th floor rent _____; 5th floor rent _____;

6th " _____; 7th " _____; 8th " _____; 9th " _____;

11. Height of building—feet _____; stories _____

12. Size of building—feet front _____; feet rear _____; feet deep _____

13. Size of lot— " " _____; " " _____; " " _____

14. Are fireproof shutters provided? _____ What kind? _____

Dated, April 29 190 7

William F. Carter
Inspector.

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. _____

If altered Internally, give definite particulars, and state how the building will be occupied :

48. *It is proposed to remove water closets on 1st, 2nd, 3rd, 4th and 5th floors, 1 on each floor for 1st, 2nd, 3rd, 4th and 5th floors and two sets of sinks and wash trays on each of 2nd, 3rd, 4th and 5th floors. New partitions to form toilet rooms formed of studs, lath and plaster with new door opening on 1st, 2nd, 3rd, 4th and 5th floors. New partitions on 1st, 2nd, 3rd, 4th and 5th floors to form living rooms on 1st, 2nd, 3rd, 4th and 5th floors and place a coat rack in each room on 1st, 2nd, 3rd, 4th and 5th floors. 1st floor to be used as a shop and 2nd, 3rd, 4th and 5th floors to be used as flats. Windows to be made of wood. Glass to be made in case of hall, back and rear on 2nd, 3rd and 4th floors and space above with iron grates. New door window on 1st floor, 1st story with glass in case.*

49. How much will the alteration cost? \$2,000.

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

Store on 1st floor, living rooms above

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-	-	-	2	2	2	
52. Height of ceilings?	7'-5"	-	10'-11"	9'-1"	9'-2"	8'-5" ¹ / ₂	8'-4"	

53. How basement to be occupied? -

How made water-tight? -

54. Will cellar or basement ceiling be plastered? Yes How? 7 in. coat, wash

55. How will cellar stairs be enclosed? -

56. How will cellar be occupied? Storage

How made water-tight? 6 in. coat, floor

57. Will shafts be opened or covered with louvre skylights full size of shafts? -

Size of each shaft? -

58. Dimensions of water closet windows? 12" x 3'-6", 15" x 3'-8"
 Dimensions of windows for living rooms? 12" x 6'-10", 6'-0" x 5'-8"
59. Of what materials will hall partitions be constructed? Wood frame, lath and plaster.
60. Of what materials will hall floors be constructed? Wood frame flooring with plaster
61. How will hall ceilings and soffits of stairs be plastered? Thin coat work
62. Of what material will stairways be constructed? Wood
 Give sizes of stair well holes? 0'-6" x 4'-0"
63. If any other building on lot, give size; front _____; rear _____; deep _____; stories high _____; how occupied _____; on front or rear of lot _____; material _____.
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of ~~16~~ inches be made waterproof? Note plan
65. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor _____; 3d floor _____; 4th floor _____; 5th floor _____; 6th floor _____
66. This building will safely sustain per superficial foot upon the first floor 150 lbs.; upon 2d floor 60 lbs.; upon 3d floor 60 lbs.; upon 4th floor 60 lbs.; upon 5th floor 60 lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor _____ lbs.

Owner, [Redacted] Address, 25 West 61st St.
[Redacted] 17 West 23rd St.
 Attorney-in-fact, [Redacted] 211-213 E. 45th St.
 Architect, [Redacted] " 33-34 B'way

Superintendent, _____ " _____

Mason, _____ " _____

Carpenter, _____ " _____

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

The City of New York, April 25th, 1907

Amendment to Application No.

647 Alt.

B, 190 7

Location 194 Ave. B

- #1. Pier checked on 1st story will be made 12" wide on inside of wall.
- #2. Present show windows on 1st story front to remain. No new show windows will be provided.

Yours respectfully,

Franklin Grayson Clark

to
construction

Francis O'Neil

A. H. April 27 1907

J. P. ...

The City of New York, 4/27 1907

RECEIVED

April 27 1907

FOR THE

COMMISSIONER OF BUILDINGS

4/27/07

BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN
220 FOURTH AVENUE.

April, 18, 1907.
(ON)

Application #947 Alt. 1907, is disapproved,
with the following objections, viz:-

1. Pier where checked on first story plan is weak. *OK yk*
2. Show window permit should be filed.

Awaiting Inspector's Report.

Francis O'Neil

J. B. Roth

Superintendent.

TENEMENT HOUSE DEPARTMENT

OF

THE CITY OF NEW YORK

Tenement House Department

MANHATTAN OFFICE
No. 44 EAST 23D STREET,
S. W. Cor. 4th Ave.

BRONX OFFICE,
Nos. 2806-8 THIRD AVENUE,
Near 146th St.


Received
BROOKLYN OFFICE,
No. 44 COURT STREET,
Cor. Joralemon St.

MAR 14 1907

PLAN No. SLIP ALT. 530 190 FILED 190

APPLICATION FOR SLIGHT ALTERATIONS AND REPAIRS.

APPLICATION is hereby made to the Tenement House Commissioner of The City of New York, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration of the Tenement House herein described. The applicant agrees to comply with all provisions of law and ordinances in the alteration of said building, whether specified herein or not.



(Sign here) Thomas J. Davis

Address 14 West 32nd St.

Applications must be filed in triplicate and such plans and sections in duplicate as may be required to clearly indicate the proposed alteration. After approval by the Tenement House Department one set of drawings and a certificate of approval will be at once forwarded to the Bureau of Buildings by the Department

All amendments to plans and applications must be made on a separate blank provided for that purpose, and where changes materially affecting the original application are proposed separate drawings showing such changes must be filed.

Borough of Manhattan Date March 14 1907

- No. of tenement houses to be altered 1
- Location West side of Avenue "B" 38'-0" South of East 23rd Street
- Owners Thomas J. Davis Address 14 West 32nd St.
- Architect Thomas J. Davis Address 14 West 32nd St.
- Estimated cost of alterations or repairs \$1,500.
- Size of each lot? 25 front; 64'-6" deep.
- Size of each building? 25 front; 54'-3" deep.
- Material of building? Brick
- Is the building that is to be altered on the front or rear of the lot? Front
- How occupied at present? 2 tenement houses No. of families? 10
Basement — 1st Fl. 2 2d Fl. 2 3d Fl. 2 4th Fl. —
5th Fl. 2 6th Fl. —
- How occupied after alterations are completed? 2 tenement houses No. of families? 10
Basement — 1st Fl. 2 2d Fl. 2 3d Fl. — 4th Fl. —
5th Fl. 2 6th Fl. —
- Is there a basement? No. Is there a cellar? No.
- Number of stories above cellar or basement? 5 Height of cellar or basement ceiling above curb? —
- How will the floor and base of w. c. compartment be made watertight? Specify the material Sheet
iron and lead, one inch
- How will w. c. compartments be lighted at night? 2 w.c. compartments
- Will there be a roof tank? No. Give capacity —

Thomas J. Davis

17. Will the building or any part thereof, or any part of the premises, be occupied during the progress of the proposed alterations? Yes

If the building is to be occupied during alterations give the following information:

A. Will the front, rear, or side walls or any portion thereof be removed? No.

State in detail in what manner and for what purpose.

B. Will a proper and sufficient means of egress from the building to street, to yard and to fire escapes be maintained at all times during the progress of the alteration? Yes

C. Are the fire escape balconies, stairs or ladders, or any portion of same, to be altered or removed? Give details No.

D. Will the entrance hall, stairs, stair halls, public halls or access to roof be altered? State in what respects No.

E. Are the general water closet accommodations to be altered? State in what respects. Substituted in yard to be removed and water closets placed in house.

F. Will the occupants of the building be fully provided with proper water closet accommodations during the progress of the alterations? Yes

G. Will there be an adequate and sufficient supply of water on all floors at all hours of the day and night? Yes

H. Will there be a light kept burning in the public hallway near the stairs upon the entrance story, and upon the second story above the entrance story from sunset to sunrise? State character of light Yes - 29 ca.

No alterations or repairs except the following are proposed to be made to the said tenement house:—

It is proposed to remove the existing iron fire escape on 1st, 2nd, 3rd, 4th and 5th stories and to install a new iron fire escape on 1st, 2nd, 3rd, 4th and 5th stories. The new fire escape will be of the same height as the existing one and will be attached to the building in the same manner as the existing one. The existing iron fire escape on 1st story will be removed and a new iron fire escape will be installed on 1st story. The new iron fire escape will be of the same height as the existing one and will be attached to the building in the same manner as the existing one. The existing iron fire escape on 2nd, 3rd, 4th and 5th stories will be removed and new iron fire escapes will be installed on 2nd, 3rd, 4th and 5th stories. The new iron fire escapes will be of the same height as the existing ones and will be attached to the building in the same manner as the existing ones. The existing iron fire escape on 2nd story will be removed and a new iron fire escape will be installed on 2nd story. The new iron fire escape will be of the same height as the existing one and will be attached to the building in the same manner as the existing one. The existing iron fire escape on 3rd, 4th and 5th stories will be removed and new iron fire escapes will be installed on 3rd, 4th and 5th stories. The new iron fire escapes will be of the same height as the existing ones and will be attached to the building in the same manner as the existing ones. The existing iron fire escape on 4th story will be removed and a new iron fire escape will be installed on 4th story. The new iron fire escape will be of the same height as the existing one and will be attached to the building in the same manner as the existing one. The existing iron fire escape on 5th story will be removed and a new iron fire escape will be installed on 5th story. The new iron fire escape will be of the same height as the existing one and will be attached to the building in the same manner as the existing one.

Signature of Applicant Franklin Bayless

Address 35-34 10th St. New York

State and City of New York, }
County of Queens } ss.:

Franklin Bayless

being duly sworn, deposes and says, that no alterations or repairs except those above set forth will be made to the tenement house herein described and that all provisions of law applicable thereto will be complied with in the alteration or repair of the said tenement house, whether specified herein or not.

Sworn to before me this 14th day of March 1907
Franklin Bayless

TENEMENT HOUSE DEPARTMENT

OF
Tenement House Department
THE CITY OF NEW YORK.

Received

MAR 14 1907

PLAN No. _____ of 190

William Hoffmann of the City of New York

says: That he resides at Number 211-410 East 55th Street
in the Borough of Manhattan

in the City of New York, in the County of New York,

in the State of New York, that he is the owner in fee of all that certain

, piece or parcel of land, situate, lying and being in the Borough of Manhattan

in The City of New York, aforesaid, and known and designated as Number 190 Avenue C

_____ and hereinafter more particularly described;

that the work proposed to be done upon the said premises, in accordance with the accompanying
etailed statement in writing of the specifications and plans of such proposed work, to wit: Plan

o. _____ of 190 _____, is duly authorized to be performed by

William Hoffmann Attorney in fact for _____

and that _____

duly authorized by him to make application in compliance with Chapters 334 and 466 of the Laws
of 1901, for the approval of such detailed statement of specifications and plans in his behalf.

The said land and premises above referred to are situate at, bounded and described as
follows, viz:

BEGINNING at a point on the West side of Avenue C
_____ distant 32'-3" feet

_____ from the corner formed by the intersection of
(north-south-east-west) _____ and East 2nd

Street running thence North 67'-0" feet;

thence South 45'-0" feet;

thence East 24'-0" feet;

thence North 43'-0" feet

to the point or place of beginning.

[SIGNED] William Hoffmann

Sworn to and subscribed
before me this the 12th day
of March 1907.
Carl Parker
Notary Public (N.Y.)
My Comm. _____

These plans and application were referred to Inspector..... District.....
on the..... day of..... 190 .

ALT. SLIP

ALL

Clerk.

REPORT ON EXAMINATION

OF

PLAN No. ALT. SLIP..... 190 .

THE CITY OF NEW YORK,..... 190

The Tenement House Commissioner of The City of New York.

SIR :

I respectfully report that I have carefully examined the accompanying drawings and this application and find that the alterations therein proposed conform to the provisions of the Tenement House Act relative thereto.

FINAL REPORT.

THE CITY OF NEW YORK,..... 9-16 1907

To the Tenement House Commissioner of The City of New York.

SIR :

I respectfully report that work was begun on the above-described premises on the 6-4-07 day of..... 190 , and completed on the..... day of..... 8-31 1907, and that said alteration conforms in all respects to the conditions of the above permit and to the provisions of the Tenement House Act relative thereto. *except as to viol. reported*

Respectfully submitted,

W B F Inspector.

Plumbing test - OK 6-14-07
water

S.S. disinfected by Perry



Water test OK 8-22-07
6/14/07

OK James
District.

- Ave. "A" -

- 11th Street -

- 12th Street -



- Ave "B" -

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 105
L 31

Office of the Borough President of the Borough of Manhattan

In The City of New York.

2
189

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. _____

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) James Th. Costello, Architect

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, April 28 1910

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 192 Ave B.
- How was the building occupied? Store and five families.
How is the building to be occupied? Store and nine families.
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 19'-0" x ~~18'-6"~~ feet front; 19'-0" feet rear; 65'-6" feet deep.
- Size of building which it is proposed to alter or repair? 19'-0" feet front; 19'-0" feet rear; 54'-9" feet deep. Number of stories in height? 5 Height from curb level to highest point? _____
- Depth of foundation walls below curb level? about 10'-0" Material of foundation walls? brick & stone Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party 20 inches.
- Material of upper walls? brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " C. I. lat. " " 12 " " _____ " " 12 "
2d story: " 12 " " 12 " " _____ " " 12 "
3d story: " 12 " " 12 " " _____ " " 12 "
4th story: " 12 " " 12 " " _____ " " 12 "
5th story: " 12 " " 12 " " _____ " " 12 "
6th story: " _____ " " _____ " " _____ " " _____ "
- Is roof flat, peak or mansard? flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. Centre each window on 2nd, 3rd, 4th and 5th story will be made similar windows. The mason work existing at front will not be disturbed.

If altered internally, give definite particulars, and state how the building will be occupied :

48. Partition at front on the 2nd, 3rd & 5th story will be altered as required for new W.C. compartments. Chases will be cut in party wall as required for these and water and vent lines

49. How much will the alteration cost? £ 500

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?			1	2	2	2	2	
52. Height of ceilings?	7'0"		10'11"	9'1"	9'0"	8'5 1/2"	8'6"	

53. How basement to be occupied? _____
How made water-tight? _____

54. Will cellar or basement ceiling be plastered? is plastered How? by lath and plaster

55. How will cellar stairs be enclosed? _____

56. How will cellar be occupied? Storage Storage and coal bins.

How made water-tight? by concrete floor

57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

Size of each shaft? _____

Office of the Borough President of the Borough of Manhattan, In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street.

PLAN No. 989 { ~~NEW BUILDINGS~~ } 1900
ALTERATIONS

Location 192 Ave. C.

BOROUGH OF MANHATTAN.

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Bureau.

1. Foundation walls. Depth below curb level..... material.....
thickness, front..... inches; rear..... inches; side..... inches; party..... inches.

2. Upper walls. Material.....; thickness as follows:
Basement: front..... inches; rear..... inches; side..... inches; party..... inches.

1st story: " " " " " " " " " "

2d story: " " " " " " " " " "

3d story: " " " " " " " " " "

4th story: " " " " " " " " " "

5th story: " " " " " " " " " "

6th story: " " " " " " " " " "

3. Nature of ground.....

4. Quality of sand used in mortar.....

5. What walls are built as party walls?.....

6. What fire escapes are provided?.....

7. Is building fireproof?.....

8. If building is *vacant*, state how the same was occupied Store & Tenements

9. Is the present building to be connected with any adjoining building?.....

If so, state dimensions and material of *adjoining building*, viz. :—

Material.....; feet front.....; feet rear.....

feet deep.....; feet in height.....; number of stories.....

how occupied.....

10. How is present building occupied? Basement.....; 1st floor Store.....

2d floor.....; 3d floor.....; 4th floor Tenement.....; 5th floor.....

6th floor.....; 7th floor.....; 8th floor.....; 9th floor.....

11. Height of building—feet.....; stories.....

12. Size of building—feet front.....; feet rear.....; feet deep.....

13. Size of lot— " ".....; " ".....; " ".....

14. Are fireproof shutters provided?..... What kind?.....

Dated, May 10 1900 William F. M. Carter Inspector.