

24. Describe intakes or ducts for each inner court (Sec. 63) *Open passage from yard to court to street*. Give size of each. *3' 6" wide by 7' high*. Give area of each. *27 1/2 sq. ft.*
25. State dimensions of windows for rooms (Sec. 68) *17 1/2 feet over eaves*
26. Will living rooms be provided with fan-lights over doors? *yes*
27. State dimensions of windows for bath-rooms and water-closet compartments (Sec. 69) *three of feet and over*
28. Will any part of the public halls be shut off from any other part of the public halls by doors? *no*. If so, state how such portions will be lighted and ventilated (Sec. 72) *\_\_\_\_\_*
29. State size of ventilating skylight over main stairs (Sec. 83) *6.0 x 5.0*. Area of glazed surface: *over 25 sq. ft.* Is it provided with fixed louvres and also ridge ventilators? *yes*
30. Will cellar or basement be occupied for living purposes; and state whether it is the cellar or the basement that is to be occupied? (Sec. 91) *no*. Give height of such occupied rooms from finished floor to finished ceiling. *\_\_\_\_\_*. Give height of ceiling of such rooms above the surface of the street or ground adjoining; and state whether it is the street or the yard. *\_\_\_\_\_*
31. How will the cellar or lowest floor be made damp proof? (Sec. 92) *To the satisfaction of the Department*. What is the character of the ground or soil? *earth*. How will the walls of the cellar or lowest floor be made damp proof? *To the satisfaction of the Department*
32. How will the cellar ceiling be constructed? If not fireproof, will it be plastered? (Sec. 101) *will be plastered and supported*
33. How many water-closets, baths and other plumbing fixtures will be provided? (Sec. 95.)

	Cellar	Basement	1st Story	2d Story	3d Story	4th Story	5th Story	6th Story	7th Story	8th Story	9th Story	Total
Water-closets (how many)			3	3	3	3	3	3				18
Urinals,												
Wash-basins,												
Bath-tubs,			1	1	1	1	1					5
Shower-baths,												
Wash-tubs,			2	3	3	3	3	3				17
Sinks,			4	3	3	3	3	3				19

34. Is the street on which building is proposed to be erected now provided with a public sewer? *yes*. If not, what disposition will be made of waste and sewage? *\_\_\_\_\_*
35. If water-closets or bath-rooms are ventilated by means of a vent-shaft, give dimensions of same (Sec. 85) *\_\_\_\_\_* feet wide by *\_\_\_\_\_* feet long. Will vent-shafts be entirely open at the top? *\_\_\_\_\_*. Describe intake for vent-shaft. *\_\_\_\_\_*. Give size of same. *\_\_\_\_\_*



State and City of New York  
County of New York ss.:

*Geo Fred Pelham*

being duly sworn, deposes and says: That he resides at Number

..... in the Borough of

in The City of *New Rochelle* in the County of *Westchester*

in the State of *New York*, that he is *the architect for the*

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram

annexed hereto and made a part hereof, situate, lying and being in the Borough of

*Manhattan* in The City of New York, aforesaid, and known and

designated as Number *No 537 East 11<sup>th</sup> St*

....., and hereinafter more particularly

described; that the statements made in the foregoing application are true; that the

two sets of plans accompanying this application are identical in all particulars, and

that the work proposed to be done upon the said premises will be in accordance

with the foregoing detailed statement in writing of the specifications and the

accompanying plans, and that he is duly authorized by *David Keulen*

*No. 40 E. 9<sup>th</sup> St* to make application in compliance with

Chapters 344 and 466 of the Laws of 1901, for the approval of such detailed statement

of specifications and plans in *his* behalf.

Deponent further says that the full names and residences, street and number, of

the owner or owners of the said land, and also of every person interested in said building

or proposed building, either as owner, lessee, or in any representative capacity, are

as follows:

*David Keulen* No. *40 East 9<sup>th</sup> St*

as *Lessee*

No .....

*Geo Fred Pelham* No. *503 Fifth Ave*

as *Architect*

The said land and premises above referred to, are situate at, bounded and

described as follows, viz.:

BEGINNING at a point on the *Westerly* side of *East 11<sup>th</sup>*

*Street*, distant *445.6* feet

*Easterly* from the corner formed by the intersection of

*Arguel Street* and *East 11<sup>th</sup>*

running thence *Northerly 103.3* feet;

thence *Easterly 25.0* feet;

thence *Southerly 103.3* feet;

thence *Westerly 25.0* feet

to the point or place of beginning.

Sworn to before me this *13* day of *March* 190

*Geo Fred Pelham*

*Mattigue French*  
Notary Public, *City of New York*

36. How will water-closet compartments be lighted and ventilated? (Sec. 95)

Give source of light *Windows opening on court by day*

*and gaslight - by night*

37. How will floors of water-closet compartments be made water-proof? (Sec. 95)

*Bath Rooms Store's Slate floors*

Will there be a base 6 inches high of water-proof material around same, and state of what material?

*slate base 6" high*

38. Describe location and character of water supply for each apartment (Sec. 94).

*From Bath Rooms Kitchens Halls*

Will there be a roof tank? *yes*

39. What part of the building will be used as a store, or for any business purpose? (Sec. 110)

*Front part of first story arranged for street purposes*

40. Remarks

.....  
.....  
.....



## TENEMENT HOUSE DEPARTMENT

MANHATTAN OFFICE.  
No. 61 IRVING PLACE,  
S. W. Cor. 18th St.,  
BOROUGH OF MANHATTAN.

OF  
THE CITY OF NEW YORK.

BROOKLYN, QUEENS AND RICHMOND.  
TEMPLE BAR BUILDING,  
No. 44 Court St., Cor. Joralemon St.,  
BOROUGH OF BROOKLYN.

Borough of MANHATTAN

Tenement House Department  
of the City of New York

Received EMP 3-26-1903 The City of New York, March 25, 1903.

Amendment to Plans and Application No. 96 190 3.

Location No. 537 E. 11th St.

- (1) The applications now correct in the following:
  - Question No. 16, Height of building 61'-0".
  - Question No. 21 court offset No. 1 - 6'-6" x 5'-9" = 37 3/8
  - Total of unoccupied space 824 7/8  Area of lot 2581 1/4
  - Question #23 Height of cellar 7'-0"
  - Question #24 Height of intake 7'-0" and area of same 24 1/2 sq. ft.
- (2) The yard and court levels now marked on section.
- (3) Fire escape balconies to rear inside apartment changed also fire escape provided at first story to same apartment as now shown marked on plans.
- (4) The entrance will be 3'-6" in the clear as now marked on plans.
- (5) The width of stairs at all points now given on plans.
- (6) The recesses on stair halls will be constructed of 4" angles and 4" T. C. blocks, depth of same given on plans.
- (7) One window omitted and first step omitted so that entrance hall is 3'-6" wide up to and including stairs.
- (8) Bulkhead provided in store over tunnel so that 7'-0" headroom is provided at all parts, It is respectfully request to all tunnel 7'-0" in height on account of sewer level; same is 9'-0" below curb.
- (9) Rooms checked now properly lighted as shown in change, of offset angle in outer court.
- (10) The window checked X will be omitted as shown on first floor.

# TENEMENT HOUSE DEPARTMENT

MANHATTAN OFFICE.  
No. 61 IRVING PLACE,  
S. W. Cor. 18th St.,  
BOROUGH OF MANHATTAN.

OF  
THE CITY OF NEW YORK.

BROOKLYN, QUEENS AND RICHMOND.  
TEMPLE BAR BUILDING,  
No. 44 Court St., Cor. Joralemon St.,  
BOROUGH OF BROOKLYN.

Borough of MANHATTAN

Sheet No. 2, Department  
of the City of New York

Received 3-26 1903

The City of New York, March 25, 1903.

Amendment to Plans and Application No. 96 190 3.

Location No. 537 East 11th St.

- (11) The watercloset compartments now changed same to be 2'-5" x 4'-1".
- (12) Rear parlor of rear apartments now corrected so that same contains 120 sq. feet.
- (13) The sash door beneath the main stairs in first story to be of wire glass in fireproof frames.
- (14) The area of glazed surface in sash doors in cellar checked X now given and the use of the several portions of cellar given.
- (15) The height of front windows now given on floor plans.

(Signed) Geo. Fred. Pelham,  
Architect. G.J.K.

# BUREAU OF BUILDINGS

## BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen or Cloth.

RECEIVED  
BUREAU OF BUILDINGS  
SEP 27 1913  
BOROUGH OF MANHATTAN  
CITY OF NEW YORK  
3173

ALT. APPLICATION No. 3173 1913

LOCATION North side of 11th St. 195'-0" West of Ave. B. 537

New York City, Sept. 23rd, 1913

TO THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all the rules and regulations of the Bureau of Buildings for the Borough of Manhattan, all provisions of the Building Code of the City of New York, and with every other provision of law relating to this subject in effect at this date.

(Sign here) [Signature] Applicant

When properly signed by the Superintendent of Buildings of the Borough of Manhattan, this application becomes a PERMIT as required by the Building Code of the City of New York, to perform such work as is described in the foregoing statement and the attached plans and specifications which are a part hereof.

EXAMINED AND RECOMMENDED FOR APPROVAL ON Sept 29 1913

APPROVED 9 / 29 / 1913 [Signature] Examiner  
[Signature] Superintendent of Buildings, Borough of Manhattan

STATE, COUNTY AND )  
CITY OF NEW YORK ) ss.: Louis A. Sheinart (Applicant)

being duly sworn, deposes and says: That he resides at Number 194 Bowery  
In the Borough of Manhattan  
in the City of New York, in the County of New York  
in the State of New York, that he is Architect for Jacob Rothman

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number North side of 11th St. 195'-0" W. of Ave. B. 537 and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work

(if any) proposed to be done upon the same premises and specified in separate applications **filed herewith,**  
and all subsequent amendments thereto—is duly authorized by **Jacob Rothman**

[Name of Owner of ~~XXXXXX~~]

and that **Louis A. Sheinart**  
duly authorized by the aforesaid **Jacob Rothman** to make application  
for the approval of such detailed statement of specifications and plans (and amendments thereto) in **his**  
behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the  
said land, and also of every person interested in said building or proposed building, structure or proposed structure,  
premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner **Jacob Rothman**  
**131 Chrystie St.**

Lessee

Architect **Louis A. Sheinart, 194 Bowery**

Superintendent **Jacob Rothman, 131 Chrystie St.**

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING  
at a point on the **North** side of **11th St.**

distant **195'-0"** feet **West** from the corner formed by the intersection of  
**N.W. Cor. 11th St.** and **Ave. B.**  
running thence **25'-0" West** feet; thence **103'-North** feet;  
thence **25'- East** feet; thence **103'-South** feet;

to the point or place of beginning,—being designated on the map as Block No. 405 Lot No. 44

Sworn to before me, this 23<sup>rd</sup> day of Sept 1911  
*[Signature]*

**ALTERATION  
PERMIT**  
**BUREAU OF BUILDINGS  
BOROUGH OF MANHATTAN  
CITY OF NEW YORK**



*1 app & dia*  
**BUREAU OF BUILDINGS**  
*no plans filed*  
**BOROUGH OF MANHATTAN, CITY OF NEW YORK**

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.  
"SPECIFICATIONS-SHEET A" [Form 152-1913] must be filed with EVERY Alteration Application.  
"SPECIFICATIONS-SHEET B" [Form 158-1913] must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

**ORIGINAL**

RECEIVED  
BUREAU OF BUILDINGS  
SEP 24 1913  
BUREAU OF BUILDINGS  
CITY OF NEW YORK

**ALT. APPLICATION No.** 3173 191<sup>3</sup>

**LOCATION** North side of 11th St. 195'-0" West of Ave. 3.


**Examined** 191 Examiner

**SPECIFICATIONS-SHEET A**

- (1) NUMBER OF BUILDINGS TO BE ALTERED One  
Any other building on lot or permit granted for one? No.
- (2) ESTIMATED COST OF ALTERATION: \$ 200.
- (3) OCCUPANCY (in detail):  
Of present building Store & Tenement  
Of building as altered Store & Tenement
- (4) SIZE OF EXISTING BUILDING:  
At street level 25' feet front 90' feet deep  
At typical floor level 25' feet front 90' feet deep  
Height 6 stories 65'-0" feet
- (5) SIZE OF BUILDING AS ALTERED:  
At street level 25' feet front 90' feet deep  
At typical floor level 25' feet front 90' feet deep  
Height 6 stories 65' feet
- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING:  
Ordinary [Frame, Ordinary or Fireproof]
- (7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Cut openings in side wall on first, second, third and fourth stories, and set in new fire proof frames and sash, glazed with wire glass, as shown on plan.





EAST 11<sup>th</sup> ST

Ave B

RECEIVED  
LANDING BUILDINGS  
SEP 27 1918  
BUREAU OF MANHATTAN  
CITY OF NEW YORK

67-3173/13

**AUTHORIZATION OF OWNER—MULTIPLE DWELLING**

**NOTICE—This Application must be TYPEWRITTEN**

RECEIVED MAY 13 1953  
CITY OF NEW YORK  
BOROUGH OF MANHATTAN

B.N. APPLICATION **1411** 19 **53** BLOCK **405** LOT **44**  
N.B.—Alt.

LOCATION **537 East 11th St.** **Manhattan**  
House Number Street Distance from Nearest Corner Borough

**Jacob Rothman** states that **he** resides

at **188 Rutledge St.** Borough of **Brooklyn**

City of **New York** State of **New York**; that he is ~~Part~~ Sole Owner

of all that certain piece or lot of land situated in the Borough of **Manhattan** in the City of

New York, and located on the side of **East 11th St.** and known as

No. **537** on said street; that the said multiple dwelling will be altered or constructed in accord-

ance with the annexed specifications and plans submitted herewith for the approval of the Department of Housing

and Buildings; that the work will be supervised by Licensed Architect, Professional Engineer or a Superintendent

of Construction who has had ten years' experience supervising building construction; and that

**New York Iron Works**

**638 E. 12th St. N. Y.**

is duly authorized by said

owner to make application in said owner's behalf for the approval of

such specifications and plans in compliance with Chapter 713 of the Laws of 1929 Zoning Resolution, Administra-

tive Code and other Laws, Rules and Regulations applicable to the Construction and Use of Multiple Dwellings.

He further says that the full names and residences, street and number, of the owner or owners of the said land, and of every person having an interest in said premises and projected multiple dwelling either as owner, lessee, or otherwise, as required by Section 300 of the Multiple Dwelling Law, are as follows: (If a corporation, give full name and address of at least two officers.)

**Jacob Rothman** No. **188 Rutledge St. Bklyn, N. Y.**  
Name and Relationship to premises Address

No. Address  
Name and Relationship to premises

No. Address  
Name and Relationship to premises

X *Jacob Rothman*  
Signature of Owner

44

THE CITY OF NEW YORK  
DEPARTMENT OF BUILDINGS ORIGINAL

MANHATTAN  
Municipal Bldg.,  
New York 7

BROOKLYN  
Municipal Bldg.,  
Brooklyn 1

BRONX  
1932 Arthur Ave.,  
New York 57

QUEENS  
120-55 Queens Blvd.,  
Kew Gardens 24, L. I.

RICHMOND  
Boro Hall,  
St. George 1, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE

BLOCK 405 LOT 44  
ZONING: USE DIST. Res. - 3/30/62  
HEIGHT DIST. 1 1/2  
AREA DIST. B

**ALTERED BUILDING**  
DEPARTMENT OF BUILDINGS  
**2284**  
RECEIVED DEC 8 -  
P&D  
DO NOT WRITE IN THIS SPACE

LOCATION 537 East 11-th Street, N.S., 195.6' West of Avenue "B" Manhattan  
House Number, Street, Distance from Nearest Corner and Borough

EXAMINED AND RECOMMENDED  
FOR APPROVAL ON

**APR 18 1962**

APPROVED 19

*Thomas J. ...*  
Borough Superintendent

Initial fee payment

BEG-8-61 262859 3 P-2284 61 FIS --- 10.00

2nd payment of fee to be collected before a permit is issued—Amount \$ (55-15) = 40.00

Verified by *Al ...* Date 4-14-62

APR-19-62 285102 3 P-2284 61 FIS --- 40.00

**SPECIFICATIONS**

- (1) Classification of Buildings to be Altered. (NOTE—See C26-238.0) **Non-fireproof, Class III**
- (2) Any other buildings on lot or permit granted for one? **No**  
Is building on front or rear of lot? **Front**
- (3) Use and Occupancy. **Class "A" Multiple Dwelling (M.L.T.)**  
(NOTE—If a multiple dwelling, authorization of owner must be filed)  
A new C of O (will) ~~XXXXXX~~ be required. 3/30/62 **New C of O Required**

H.T.F. ... 12-8-61 MM

STORY (Include cellar and basement)	EXISTING LEGAL USE			PROPOSED OCCUPANCY						
	APTS.	ROOMS	Use	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	Use
					MALE	FEMALE	TOTAL			
Cellar	-	-	Boiler Rm. & Storage	On grade				-	-	Boiler Rm. & Storage
1-st Fl.	2	6	Store & 2 Apts.					4	8	4 Apts.
2-nd Fl.	3	12	3 Apts.					3	12	3 Apts.
3-rd Fl.	3	12	3 Apts.					3	12	3 Apts.
4-th Fl.	3	12	3 Apts.					3	12	3 Apts.
5-th Fl.	3	12	3 Apts.					3	12	3 Apts.
6-th Fl.	3	12	3 Apts.					3	12	3 Apts.

*2*



(4) State generally in what manner the Building will be altered:

Propose to convert existing store space on first floor into two (2) one-room apartments as per plans filed herewith

(5) Size of Existing Building:

At street level	25.0	feet front	90.3	feet deep	25.0	feet rear
At typical floor level	25.0	feet front	90.3	feet deep	25.0	feet rear
Height <sup>1</sup>	6	stories	61.0	feet		

(6) If volume of Building is to be changed, give the following information:

At street level	feet front	feet deep	feet rear
At typical floor level	feet front	feet deep	feet rear
Height <sup>1</sup>	stories	feet	

Area <sup>2</sup> of Building as Altered: At street level	Total floor area <sup>2</sup>	sq. ft.
Total Height <sup>3</sup>	Additional Cubic Contents <sup>4</sup>	cu. ft.

(7) Estimated Cost of Alteration:<sup>5</sup> ~~\$1,000.00~~ 5000  
Estimated Cost, exclusive of extension:

(8) Is Application made to remove violations? No If Yes, State Violation Numbers

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following: No change  
Character of soil Bearing capacity

(10) State what disposition will be made of waste and sewage Public Sewer  
(Public sewer, Private sewer, Cesspool, etc.)

(11) Does this Application include Dropped Curb? No  
(If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.<sup>6</sup>  
Drop Curb ft. @ \$ per ft. Splay ft. @ \$ per ft.  
Exact distance from nearest corner to Curb Cut: feet.  
Deposit: \$ Fee: \$ Total: \$  
Paid 19 . Document No. . Cashier

(12) Temporary Structures between Street Line and Curb: None  
Will a Sidewalk Shed be required? Length feet.  
Will any other miscellaneous temporary structures be required?  
Fee Required . Fee Paid 19 . Document No. . Cashier

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.
2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.
3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.
4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)
5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.
6. Space for plot diagram is located on Affidavit Form.
7. Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.
8. If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

456-62

**DEPARTMENT OF BUILDINGS**

**BOROUGH OF MANHATTAN, THE CITY OF NEW YORK**

No. **56099**

Date **July 20, 1962**

**CERTIFICATE OF OCCUPANCY**

(Standard form adopted by the Board of Standards and Appeals and issued pursuant to Section 646 of the New York Charter, and Sections C.26-181.0 to C26-187.0 inclusive Administrative Code 2.1.3.1. to 2.1.3.7. Building Code.)

This certificate supersedes C. O. No. \_\_\_\_\_

To the owner or owners of the building or premises:

THIS CERTIFIES that the new ~~new~~ ~~altered~~ ~~existing~~ building—premises located at

**537 East 11th Street  
(181 Avenue C)**

Block **405** Lot **44**

, conforms substantially to the approved plans and specifications, and to the requirements of the building code and all other laws and ordinances, and of the rules and regulations of the Board of Standards and Appeals, applicable to a building of its class and kind at the time the permit was issued; and

CERTIFIES FURTHER that, any provisions of Section 646F of the New York Charter have been complied with as certified by a report of the Fire Commissioner to the Borough Superintendent.

~~Per~~ or Alt. No.— **2284-1961**

Construction classification—

**Class 3  
Nonfireproof**

Occupancy classification— **New Law Tenement**

. Height **6**

stories, **61'**

feet.

Date of completion— **Class "A" Mult. Dwelling**

. Located in

**Residence**

Use District.

**June 13, 1962**

B Area **1 1/2**

. Height Zone at time of issuance of permit

**1113-1962**

**This certificate is issued subject to the limitations hereinafter specified and to the following resolutions of the Board of Standards and Appeals:** (Calendar numbers to be inserted here)

**PERMISSIBLE USE AND OCCUPANCY**

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED			USE
		MALE	FEMALE	TOTAL	
Cellar	On ground				Boiler room and storage.
1st story					Four (4) apartments.
2nd to 6th stories					Three (3) apartments on each story.

*[Signature]*  
Borough Superintendent