

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

3685

B407 of the Borough President of the Borough of Manhattan, **2**
In The City of New York.

L52 THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

3685

Plan No.

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

Ramy Zlot

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, *Dec 28* 1905

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered one
2. What is the exact location thereof? (State on what street or avenue; the side thereof; the number of feet from the nearest street or avenue, and the name thereof) 517 E 13th St
both side of street - 75 feet East of line A
3. How was the building occupied? Residential
How is the building to be occupied? Residential
4. Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
5. Size of lot? 25 feet front; 25 feet rear; 1030' feet deep.
6. Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 85 feet deep. Number of stories in height? 5 Height from curb level to highest point? 50
7. Depth of foundation walls below curb level? 8 Material of foundation walls? Rubble
Thickness of foundation walls? front 24 inches;
rear 24 inches; side 24 inches; party 24 inches.
8. Material of upper walls? brick If ashlar, give kind and thickness _____
9. Thickness of upper walls:
Basement: front 24 inches; rear 24 inches; side 24 inches; party 24 inches.
1st story: " 16 " " 16 " " 16 " " 16 "
2d story: " 12 " " 12 " " 12 " " 12 "
3d story: " 12 " " 12 " " 12 " " 12 "
4th story: " 12 " " 12 " " 12 " " 12 "
5th story: " 12 " " 12 " " 12 " " 12 "
6th story: " _____ " _____ " _____ " _____ "
10. Is roof flat, peak or mansard? Flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. *In side wall new windows will be cut for water closets and one window on each floor will be shifted*

If altered Internally, give definite particulars, and state how the building will be occupied :

48. *Water closet compartments will be built of stud lath and plaster 4 inch thick. In cellar a 3 in sanitary fireproof partition will be erected*

49. How much will the alteration cost? *\$15000*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How cellar to be occupied?

How made water-tight?

57. Will shafts be open or covered with louvre skylights full size of shafts?

Size of each shaft?

lot 52
2008 w/ # 3685

58. Dimensions of water-closet windows? _____
Dimensions of windows for living rooms? _____
59. Of what materials will hall partitions be constructed? _____
60. Of what materials will hall floors be constructed? _____
61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
Give sizes of stair well holes? _____
63. If any other building on lot, give size; front _____; rear _____; deep _____;
stories high _____; how occupied _____; on front or rear
of lot _____; material _____
How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 18 inches be made waterproof? _____
65. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor _____;
3d floor _____; 4th floor _____; 5th floor _____; 6th floor _____
66. This building will safely sustain per superficial foot upon the first floor _____ lbs.; upon 2d floor
_____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor
_____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
_____ lbs.

Owner, Nathan Kohon Address, 171 Ave C
Architect, Harry Zlot " 230 Grand St
Superintendent, Dodover " _____
Mason, _____ " _____
Carpenter, _____ " _____

B407
L152

ORIGINAL

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

3

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 336

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) *Erwin Rombach*

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, February 17, 1909

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered One
2. What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) West side of East 17th St
271'0" East of corner of Avenue A known as # 517
3. How was the building occupied? Stores Baking and treatment
How is the building to be occupied? same
4. Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size x; height How occupied? Give distance between same and proposed building feet.
5. Size of lot? 25'-0" feet front; 25'-0" feet rear; 105'-0" feet deep.
6. Size of building which it is proposed to alter or repair? 25'-0" feet front; 25'-0" feet rear; 85'-0" feet deep. Number of stories in height? 5 Height from curb level to highest point? 57'-0"
7. Depth of foundation walls below curb level? 9'-0" Material of foundation walls? stone Thickness of foundation walls? front 20" inches; rear 20" inches; side 20" inches; party inches.
8. Material of upper walls? brick If ashlar, give kind and thickness
9. Thickness of upper walls:

Window opening in western side wall to be enlarged for toilet window. Area to be built in front of recess.

If altered internally, give definite particulars, and state how the building will be occupied:

48. 2 Bakes ovens to be built in rear. Brick partitions to be erected in recess. 1st tier of beams to be raised about 2'-0" including girders and posts supporting same. Posts to be provided with new footing and foundations. 2 Brick piers to be erected for support of girders. Stone front to be erected in front of recess. New iron stoop. 1 story stone front to be remodelled

49. How much will the alteration cost? \$ 2000.⁰⁰

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

Back part of cellar for Bake shop, front part for Baker's store
stores and apartments on 1st story

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-	2	4	4	4	4	
52. Height of ceilings?	9'-0"	-	11'-0"	10'-0"	9'-0"	9'-0"	9'-0"	

53. How basement to be occupied? none

How made water-tight?

54. Will cellar or basement ceiling be plastered? yes How? present

55. How will cellar stairs be enclosed? present

56. How will cellar be occupied? Bake shop, Baker's store and woodshed

How made water-tight? Cement

57. Will shafts be opened or covered with louvre skylights full size of shafts? none

Area for Ad-
mission of [unclear]

Lot 52
w/ # 336

58. Dimensions of water closet windows? 1'-6" x 9'-0"
Dimensions of windows for living rooms? present
59. Of what materials will hall partitions be constructed? present
60. Of what materials will hall floors be constructed? present wood
61. How will hall ceilings and soffits of stairs be plastered? present
62. Of what material will stairways be constructed? present
Give sizes of stair well holes? _____
63. If any other building on lot, give size; front no; rear _____; deep _____;
stories high _____; how occupied _____; on front or rear
of lot _____; material _____
How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____
Slate floor with base
65. Number and location of water closets: Cellar 1; 1st floor 2; 2d floor 2;
3d floor 2; 4th floor 2; 5th floor 2; 6th floor _____;
66. This building will safely sustain per superficial foot upon the 1st floor 120 lbs.; upon 2d floor
70 lbs.; upon 3d floor 70 lbs.; upon 4th floor 70 lbs.; upon 5th floor
70 lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
_____ lbs.

Owner, Zachary Kohn Address, 309 East 10th St.

Architect, Erwin Rosebach " 2010 Broadway

Superintendent, Owner " _____

Mason, _____ " _____

Carpenter, _____ " _____