

B463

Received MAR 31 1896

Original

Form No. 2
Plan No. 528

1899

1

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of the City of New York, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repair of the building.....herein described. All provisions of the Building Law shall be complied with in the alteration or repair of said building....., whether specified herein or not.

(Sign here)

George Salinger

New York, *March 25* 189*6*

1. State how many buildings to be altered, *1*
2. What is the street or avenue and the number thereof? Give diagram of property.
3. How much will the alteration cost? \$ *2500.00*

GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING:

1. Size of lot on which it is located, No. of feet front, *21*; feet rear, *25*; feet deep, *7*
2. Size of building, No. of feet front, *21*; feet rear, *25*; feet deep, *4-10* No. of stories in height, *4*; No. of feet in height from curb level to highest point of beams, *at 18'*
3. Material of building, *Brick*; material of front, *Brick*
4. Whether roof is peak, flat, or mansard, *Flat*
5. Depth of foundation walls, *4-10* feet; thickness of foundation walls, *2-0*; materials of foundation walls, *Stone*
6. Thickness of upper walls, *12* inches. Material of upper walls, *Brick*
7. Whether independent or party walls, *Party walls*
8. How the building is or was occupied, *By the family*

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION:

1. How many stories will the building be when raised?
2. How high will the building be when raised?
3. Will the roof be flat, peak, or mansard?
4. What will be the thickness of wall of additional stories?.....story,.....inches;.....story,.....inches.
5. Give size and material of floor beams of additional stories;.....1st tier,.....;.....2d tier,..... Distance from centres on.....tier,.....inches;.....tier.....inches.
6. How will the building be occupied?

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION.

1. Size of extension, No. feet front,.....; feet rear,.....; feet deep,.....; No. of stories in height,.....; No. of feet in height,.....
2. What will be the material of foundation walls of extension?..... What will be the depth?.....feet. What will be the thickness?.....inches.
3. Will foundation be laid on earth, sand, rock, timber or piles?.....

1/25/96

Original

Department of Buildings,
CITY OF NEW YORK.

Detailed Statement of Specifications

FOR

ALTERATIONS TO BUILDINGS.

No. 528 Submitted 3/31 1896

LOCATION

Owner [Redacted]

Architect [Redacted]

Builder [Redacted]

Received by [Signature] 189

Returned by [Signature] 189

Report favorable.

FINAL REPORT.

New York, Mar 29 1896

To the Superintendent of Buildings:

Work was commenced on the within-described building on the 15th day of April 1896 and completed on the 29th day of May 1896, and has been done in accordance with the foregoing detailed statement, except as noted below.

[Signature] Inspector.

REMARKS:

Referred to Inspector 9 D is T 4/13 1896

Returned [Signature] 1896

Inspector.

Drawings false

New York, April 10 1896

This is to certify that I have examined the within detailed statement, together with the copy of the plan relating thereto, and find the same to be in accordance with the provisions of the laws relating to buildings in the City of New York; that the same has been approved, and entered in the record of the Department of Buildings.

[Signature] Superintendent of Buildings

Plans for Plumbing and Drainage 189.6

as amended conform to regulations. J. T. Donovan Chief Inspector of Plumbing and Ventilation

P. & D. amended 4/23 1896
P. & D. amended 4/27 1896
P. & D. amended 8/24 1896
P. & D. amended 9/21 1896

P. & D. filed 4/20 1896

Reverend

Apr. 10-96
Fred E. Pitkin

Applicant must indicate the Building Line or Lines clearly and distinctly on the drawings.

Department of Buildings of The City of New York.

2

THOMAS J. BRADY,

President of the Board of Buildings and Commissioner of Buildings for the Boroughs of Manhattan and The Bronx.

Office, No. 220 Fourth Avenue, S. W. cor. 18th Street, Borough of Manhattan.

JOHN GUILFOYLE,

Commissioner of Buildings for the Borough of Brooklyn.

Office, Borough Hall, Borough of Brooklyn.

DANIEL CAMPBELL,

Commissioner of Buildings for the Boroughs of Queens and Richmond.

Office, Richmond Building, New Brighton, Staten Island, Borough of Richmond.

Branch Office, Town Hall, Jamaica, Long Island, Borough of Queens.

Plan No. 2087

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Commissioner of Buildings of The City of New York, for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repair of the building herein described. All provisions of the Building Code shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) J. Charles Shankerson

THE CITY OF NEW YORK,

BOROUGH OF Manhattan Sept. 19 1900

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered One
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 35 E 4th St
- How was the building occupied? Smelling for one family
How is the building to be occupied? " " " "
- Is the building on front or rear of lot? Front Is there any other building on the lot? No
If so, state size: _____ feet front; _____ feet rear; _____ feet deep; _____ stories high. How occupied? _____
- Size of lot? 25 feet front; 25 feet rear; 44' 10" feet deep.
- Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 43' 6 1/2" feet deep. Number of stories in height? 3 attic Height from curb level to highest point? 52' 1"
- Depth of foundation walls below curb level? 14' 0" Material of foundation walls? Stone
Thickness of foundation walls? front _____ inches; rear 20 inches; side _____ inches; party _____ inches.
- Material of upper walls? Poncha If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front 16 inches; rear 12 inches; side _____ inches; party 12 inches.
1st story: " 12 " " 12 " " " " " 12 "
2d story: " 12 " " 12 " " " " " 12 "
Attic story: " 12 " " 12 " " " " " 12 "
Attic story: " 12 " " 12 " " " " " 12 "
5th story: " _____ " " _____ " " " " _____ "
6th story: " _____ " " _____ " " " " _____ "
- Is roof flat, peak or mansard? Peak

9/12/00

11. Size of present extension, if any? _____ feet front; _____ feet deep; _____ feet high.
12. Thickness and material of foundation walls? _____
13. Material of upper walls? _____ If ashlar, give kind and thickness _____
14. Thickness of upper walls:
 Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 1st story: " _____ " " _____ " " _____ " " _____ "
 2d story: " _____ " " _____ " " _____ " " _____ "
 3d story: " _____ " " _____ " " _____ " " _____ "
 4th story: " _____ " " _____ " " _____ " " _____ "
15. Is present building provided with a fire escape? _____

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? Rear
17. Size of proposed extension, feet front 11' 4"; feet rear 16; feet deep 31' 3 1/2"
 number of stories in height? Basement + 1 number of feet in height? 19' 0' above grade
18. Material of foundation walls? Bricks; depth 6' 6" below grade
 material of base course Concrete; thickness of base course 12"
 thickness of foundation walls, front 12" inches; side 12" inches;
 rear 12" inches; party _____ inches.
19. Will foundation be on rock, sand, earth or piles? Sand
20. What will be the size of piers in cellar? _____; distance on centres? _____
 size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____
21. Material of upper walls? Bricks; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls:
 1st story: front _____ inches; rear 12 inches; side 12 inches; party _____ inches.
 2d story: " _____ " " _____ " " _____ " " _____ "
 3d story: " _____ " " _____ " " _____ " " _____ "
 4th story: " _____ " " _____ " " _____ " " _____ "
 5th story: " _____ " " _____ " " _____ " " _____ "
 6th story: " _____ " " _____ " " _____ " " _____ "
23. With what will walls be coped? Blue Stone
24. Will roof be flat, peak, or mansard? Flat
25. Materials of roofing? Iron
26. Give size and material of floor and roof beams
 1st tier, material Spice; size 3' x 10; distance on centres 16
 2d tier, " _____ " _____ " _____ " _____ "
 3d tier, " _____ " _____ " _____ " _____ "
 4th tier, " _____ " _____ " _____ " _____ "
 5th tier, " _____ " _____ " _____ " _____ "
 Roof tier, " Spice " 3' x 10 " _____ " _____ " 16'
27. Give material of girders _____ of columns _____
 Size of girders, 1st tier _____; size of columns, 1st floor _____
 " " 2d " _____ " " 2d " _____
 " " 3d " _____ " " 3d " _____
 " " 4th " _____ " " 4th " _____
 " " 5th " _____ " " 5th " _____
 " " roof " _____ " " 6th " _____

- 57. How will cellar stairs be enclosed?
- 58. How cellar to be occupied? Height of cellar ceiling above sidewalk?
- How lighted and ventilated?
- How made water-tight?
- 59. Give number of light and vent shafts.....
- State materials to be used in their construction.....
- 60. Will shafts be open or covered with louvre skylights full size of shafts?.....
-
- Size of each shaft?
-
- 61. Dimensions of windows for living rooms?
- 62. What doors will have fan lights?
- Dimensions of same?
- 63. Of what materials will hall partitions be constructed?
-
- 64. Of what materials will hall floors be constructed?
-
- 65. How will hall ceilings and soffits of stairs be plastered?
- 66. How will halls be lighted and ventilated?
- 67. Of what material will stairways be constructed?
-
- 68. If any other building on lot, give size: front.....; rear.....; deep.....;
- stories high.....; how occupied.....; on front or rear
- of lot.....; material.....
- How much space between it and proposed building?
- 69. How will floors and sides of water closets to the height of 16 inches be made waterproof?
-
- 70. Number and location of water closets: Cellar.....; 1st floor.....; 2d floor.....;
- 3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....
- 71. Total area of shafts over 25 square feet?..... Of courts?.....

Owner, Patrick Sullivan Address, 35 1/2 St

Architect, J. Charles Hanson " 93 Hallett

Superintendent, _____ " _____

Mason, _____ " _____

Carpenter, _____ " _____

ORIGINAL

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

3

B463
L40

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

1895

1895

Plan No. _____

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Harrison & Sackheim

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, AUG 18 1909 190

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered One
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 35 E. 7th St.
N. E. 200 - W. Second Ave.
- How was the building occupied? tenement 4 fam.
How is the building to be occupied? " 5 "
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size x; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 25 feet front; 25 feet rear; 74'-10" feet deep.
- Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 43'-7" feet deep. Number of stories in height? 3 1/2 attic & bas. Height from curb level to highest point? 53'-2"
- Depth of foundation walls below curb level? 10' Material of foundation walls? Brick Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party 20 inches.
- Material of upper walls? Brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front 20 inches; rear 20 inches; side 20 inches; party 20 inches.
1st story: " 16 " " 16 " " 16 " " 16 "
2d story: " 12 " " 12 " " 12 " " 12 "
3d story: " 12 " " 12 " " 12 " " 12 "
4th story: attic " 12 " " 12 " " 12 " " 12 "
5th story: " _____ " _____ " _____ " _____ "
6th story: " _____ " _____ " _____ " _____ "
- Is roof flat, peak or mansard? flat

11. Size of present extension, if any? 11'-4" feet front; 3'-3" feet deep; 10 feet high.
12. Thickness and material of foundation walls? 20"
13. Material of upper walls? Brick If ashlar, give kind and thickness _____
14. Thickness of upper walls:
 Basement: front 12 inches; rear 12 inches; side 12 inches; party — inches.
 1st story: " 12 " " 12 " " 12 " " " "
 2d story: " 12 " " 12 " " 12 " " " "
 3d story: " 12 " " 12 " " 12 " " " "
 4th story: " 12 " " 12 " " 12 " " " "
15. Is present building provided with a fire escape? yes

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? Rear
17. Size of proposed extension, feet front 11'-4"; feet rear 15; feet deep 19'-3"; number of stories in height? 4 number of feet in height? 52'
18. Material of foundation walls? Brick; depth 4 feet; material of base course Concrete; thickness of base course 12" thick 12" ground thickness of foundation walls, front 20 inches; side 20 inches; rear 20 inches; party — inches.
19. Will foundation be on rock, sand, earth or piles? earth
20. What will be the size of piers in cellar? none; distance on centres? _____; size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____.
21. Material of upper walls? Brick; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls:
 1st story: front ¹⁶12 inches; rear ¹⁶12 inches; side ¹⁶12 inches; party _____ inches.
 2d story: " 12 " " 12 " " 12 " " " "
 3d story: " 12 " " 12 " " 12 " " " "
 4th story: " 12 " " 12 " " 12 " " " "
 5th story: " _____ " " _____ " " _____ " " "
 6th story: " _____ " " _____ " " _____ " " "
23. With what will walls be coped? glazed terra cotta
24. Will roof be flat, peak, or mansard? flat; material tin
25. Give size and material of floor and roof beams
 1st tier, material present Y.P.; size 3" x 10"; distance on centres 14" cent
 2d tier, " Yellow Pine " 3" x 9" " " 12" x 16"
 3d tier, " " " " " " " " "
 4th tier, " " " " " " " " "
 5th tier, " " " " " " " " "
 Roof tier, " Yellow pine " 3" x 10" spaced " 16" x 20"
 Give thickness of headers double beams of trimmers double beams
26. Give material of girders none of columns _____
 Under 1st tier, size of girders _____; size of columns _____
 " 2d " " " _____; " " _____
 " 3d " " " _____; " " _____
 " 4th " " " _____; " " _____
 " 5th " " " _____; " " _____
 " Roof tier, " " _____; " " _____

27. If front, rear or side is to be supported on columns or girders, give :
 Girders, material _____ ; front _____ ; side _____ ; rear _____
 size _____ " _____ " _____ " _____
 Columns, material _____ " _____ " _____ " _____
 size _____ " _____ " _____ " _____
28. If constructed of frame, give material _____ ; size of sill _____ ;
 plate _____ ; enterties _____ ; posts _____ ; studs _____ ;
 braces _____
29. If open on one side, give size of plate _____ posts _____
30. How will extension be occupied? living rooms If for
 dwelling, give number of families on each floor 1 on each floor
31. How will extension be connected with main building? door openings
32. Give size of skylights 4' x 6' ; material gal. iron
33. Give material of cornices gal. iron
34. Give material of light shafts _____ ; size _____

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? Give particulars. It is proposed to straighten out the present roof beams at attic and to raise the side walls 5' high to rest on present 12" wall.
36. How many stories high will building be when raised? four ; feet high 52'
37. Will the roof be flat, peak or mansard? flat ; material tin
38. Material of coping? glazed terra cotta
39. Give material of new walls brick thickness of 4th story 12 inches ;
 _____ story _____ inches ; _____ story _____ inches ; _____ story _____ inches ;
 _____ story _____ inches ; _____ story _____ inches ; _____ story _____ inches ;
 _____ story _____ inches.
40. Material of floor beams? y.P. Size 3" x 9 tier Roof tie
 centres 16" 4 20" ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____
41. Material of girders? _____ Size under 1st tier _____ ;
 2d tier _____ ; 3d tier _____ ; 4th tier _____ ; 5th tier _____ ;
 6th tier _____
42. Material of columns? _____ Size under 1st tier _____ ; 2d tier _____ ;
 3d tier _____ ; 4th tier _____ ; 5th tier _____ ; 6th tier _____
43. Size of piers in cellar _____ ; distance on centres _____ ; thickness of cap stones
 to piers _____ ; bond stones _____
44. If constructed of frame, give material of frame _____ ; size of sills _____ ;
 corner posts _____ ; middle posts _____ ; enterties _____ ; plates _____
 braces _____ ; studs _____
45. How will building be occupied when altered? tenement 5 families
 If for dwelling, state number of families on each floor? 1 on each floor
46. With what kind of fire escape will building be provided? iron fire escape

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. It is proposed to remove 12 feet from the length of the present one story and basement extension, and to build up the extension to the same height of the present building. Present foundation walls and basement walls will be lined with 8" brick walls.
- It is also proposed to straighten out the present attic so that same can be arranged for living rooms.

If altered internally, give definite particulars, and state how the building will be occupied :

48. Construct new partitions, stairs, and install skylight as shown on plans.
- Construct new dumbwaiter shaft of 4" x 4" angle iron and 4" fireproof blocks.
- Remove work shown dotted.
- Construct " colored "

49. How much will the alteration cost? \$16000

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied? _____
How made water-tight? _____

54. Will cellar or basement ceiling be plastered? _____ How? _____

55. How will cellar stairs be enclosed? _____

56. How will cellar be occupied? _____

How made water-tight? _____

57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

Size of each shaft? _____

59. Of what materials will hall partitions be constructed? _____
60. Of what materials will hall floors be constructed? _____
61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
Give sizes of stair well holes? _____
63. If any other building on lot, give size; front _____; rear _____; deep _____;
stories high _____; how occupied _____; on front or rear
of lot _____; material _____.
How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____
65. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor _____;
3d floor _____; 4th floor _____; 5th floor _____; 6th floor _____;
66. This building will safely sustain per superficial foot upon the 1st floor _____ lbs.; upon 2d floor
_____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor
_____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
_____ lbs.

Owner, Mrs. Jennie Doy Address, 6/0 Architects

Architect, Harrison & Jackson " 230 Grand St

Superintendent, Owner " _____

Mason, _____ " _____

Carpenter, _____ " _____

ORIGINAL

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT No. 621 193 ~~XXX~~ } Application No. 517 1933
ALT. }
~~XXXX~~ }
~~XXXX~~ }

LOCATION 35 EAST 7th ST. BLOCK 463 LOT 40

New York City May 5, 1933

To the Superintendent of Buildings:

Application is hereby made for a PERMIT to perform the Entire work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:
Liberty Mutual Insurance Co., Policy No. W.C. 122456 N.Y.
Policy expires November 1, 1933.

STATE, COUNTY AND CITY OF NEW YORK } ss. August Corsini for Raisler Heating Co.
Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 129 Amsterdam Ave. in the Borough of Manhattan in the City of New York in the County of New York in the State of New York, that he is agent for contractor for

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 35 East 7th St.

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Mary Tutillo

(Name of Owner ~~_____~~)

and that Raisler Heating Co. is duly authorized by the aforesaid Mary Tutillo, owner to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE)

Sworn to before me, this 5 day of May 1933

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the entire work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON MAY - 5 1933, 1933

[Signature]
Examiner

MAY - 5 1933


Approved 193

[Signature]
Superintendent of Buildings, Borough of Manhattan

North arrow pointing right with 'N' at the end.

Block No. 463
Lot No. 40

EAST 7TH ST.



BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK
Received APR 13 1933
FOR THE BOROUGH
OF MANHATTAN

SECOND AVE.,
ORIGINAL

- PLOT PLAN -
1/32" = 1'-0"

Act. 517-1933

PLOT DIAGRAM FOR
35 EAST 7TH ST.,
NEW YORK CITY

(3)

FRANK J. ROSS
4438 WHITE PLAINS AVE.
BRONX, NEW YORK CITY

RCM/IMCC
Tenement House Department
OF THE CITY OF NEW YORK

MUNICIPAL BUILDING
CENTRE AND CHAMBERS STREETS
BOROUGH OF MANHATTAN

MUNICIPAL BUILDING
JORALEMON AND COURT STREETS
BOROUGH OF BROOKLYN
25 HYATT STREET
ST. GEORGE, STATEN ISLAND
BOROUGH OF RICHMOND

KAPLAN BUILDING
1910 ARTHUR AVENUE
BOROUGH OF THE BRONX
21-10-49TH AVENUE
LONG ISLAND CITY
BOROUGH OF QUEENS

NEW YORK, 5/3/33 193

TO THE SUPERINTENDENT OF BUILDINGS,
BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK
BOROUGH OF MANHATTAN

RECEIVED MAY -5 1933

DEAR SIR:

Plans and Specifications
FOR THE BOARD OF
OF MANHATTAN

have been submitted to the Tenement House Department for
the alteration of one Multiple Dwelling located at
35 EAST 7th ST

Borough of MANHATTAN by Bronx
Architect Frank J. Ross; Address 4438 White Plains
Owner Mary Tuttillo; Address 35 East 7th St.

and have been approved by the Tenement House
Department on 5/2/33. A copy of the approved

plans is herewith forwarded to your department.

Yours respectfully,
Charles Kenig
Tenement House Commissioner.
COMMISSIONER

MAY 3 1933

By *E. Mac Dermott*
Plan No. ALT. 418/33 193 ACTING CHIEF INSPECTOR