

COPY

Form 1-1902.

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

OFFICE OF BUILDINGS
CITY OF NEW YORK
1903
BOROUGH OF MANHATTAN

Plan No. **102**

APPLICATION FOR ERECTION OF BRICK BUILDINGS,

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here) *Jess & Smallhouse*

THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN, *Feb 24* 1903

1. State how many buildings to be erected. *One*
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) *240-242 E. 9th St. South side of E. 9th St. - 74'-10" W. of Second Ave*
3. Will the building be erected on the front or rear of lot? *front*
4. How to be occupied? *Store & Dwelling* If for dwelling, state the number of families in each house. *12*
5. Size of lot? *44'-9"* feet front; *44'-9"* feet rear; *46'-8"* feet deep.
Give diagram of same.
6. Size of building? *44'-9"* feet front; *44'-9"* feet rear; *32'-8"* feet deep.
Size of extension? feet front; feet rear; feet deep.
Number of stories in height: main building? *6* Extension? feet.
Height from curb level to highest point: main building? *69* feet. Extension? feet.
7. What is the character of the ground: rock, clay, sand, etc.? *Natural earth*
8. Will the foundation be laid on earth, rock, timber or piles? *earth*
9. Will there be a cellar? *yes*
10. What will be the base, stone or concrete? *concrete* If base stones, give size and thickness, and how laid. *12" x 18"* If concrete, give thickness
11. What will be the depth of foundation walls below curb level or surface of ground? *10 ft.*
12. Of what will foundation walls be built? *brick*
13. Give thickness of foundation walls: front, *20* inches; sides, *20* inches; rear, *20* inches; party, inches.

TENEMENT HOUSE DEPARTMENT

ERD

OF THE CITY OF NEW YORK,

61 IRVING PLACE, S. W. Cor. 18th Street,

BOROUGH OF MANHATTAN.

THE CITY OF NEW YORK,

FEB 19 1903

RECEIVED FEB 19 1903 FOR THE BOROUGH OF MANHATTAN

To the Superintendent of Buildings,
Borough of Manhattan.

DEAR SIR :

Plans and specifications have been submitted to the Tenement House Department for the erection of one tenement house located at 240 - 242 East 9th Street

Borough of Manhattan, by Sass & Smallheiser Architect

Address 23 Park Row ; Owner Mishkind & Feinberg

Address 320 Broadway and have been approved by the

Tenement House Department on

A copy of the approved plans is herewith forwarded to your department.

Yours respectfully,

Robert J. ...
Tenement House Commissioner.

Tenement House Commissioner.

By

John ...

102 MB'03.

BUREAU OF BUILDINGS
Borough of Manhattan
OF THE CITY OF NEW YORK

RECEIVED JUN 18 1903

NEW YORK,

June 18 1903

FOR THE BOROUGH
OF MANHATTAN

To the Superintendent of Buildings
for the Borough of Manhattan.

SIR :—

The undersigned respectfully requests that

a certificate be issued to him that the tenement house known as

240 and 242 E. 9th Street

located in the Borough of Manhattan, in The City of New York, conforms

to the requirements of the Tenement House Act. Said building has been

erected and completed in accordance with law and with the plans approved

by the Bureau of Buildings for the Borough of Manhattan known as Plan

No. 102 190

new building
1903 (Signed) *Mishkind & Feinberg*

Address 320 Broadway

Request for Certificate No. 156 190 B