

H24  
377  
B 363  
L 47  
48

Original

4211  
May 19 1913

# Department of Buildings,

IN THE CITY OF NEW YORK.

OFFICE OF THE SUPERINTENDENT, No. 2 FOURTH AVENUE.

1

## DETAILED STATEMENT OF SPECIFICATIONS FOR THE ERECTION OF BUILDINGS.

1. State how many buildings to be erected, *One*
2. How occupied; if for dwelling, state the number of families, *dwelling for two families*  
*on a floor*
3. What is the Street or Avenue, and the number thereof, *279 and 281 East 7th Street*
4. On which side, North, South, East, or West, *North side*
5. How many feet from the nearest street, *49 feet*
6. Whether North, South, East, or West of said street, *West of*
7. What is the nearest street, *Avenue D*
8. Size of lot, No. of feet front *24'14"*; No. of feet rear, *24'14"*; No. of feet deep, *43*
9. Size of building, No. of feet front, *24'14"*; No. of feet rear, *24'14"*; No. of feet deep, *60*; No. of stories in height, *five*; No. of feet in height, from curb level to highest point, *93*
10. What will each building cost (exclusive of the lot), \$ *20000 - 14000 each*
11. What will be the depth of foundation walls, from curb level or surface of ground, *4* feet.
12. Will foundation be laid on earth, rock, timber, or piles, *earth*
13. What will be the base, stone or concrete, *Stone*; if base stones, give size, and how laid, *3' x 4' laid in lime & sand mortar*; if concrete, give thickness, \_\_\_\_\_
14. What will be the sizes of piers, \_\_\_\_\_
15. What will be the sizes of the base of piers, \_\_\_\_\_
16. What will be the thickness of foundation walls, *16 inches* and of what materials constructed, *Brick laid in cement*
17. What will be the thickness of upper walls in 1st story, *12* inches; 2d story, *12* inches; 3d story, *12* inches; from thence to top, *12* inches; and of what materials to be constructed, *Brick laid in lime and sand mortar*  
*one party wall to be coped out 4 courses plaster floor timber*
18. Whether Independent or Party-walls; if Party-walls, give thickness thereof, *Independent 12* inches.
19. With what material walls to be coped, *Blue Stone*
20. What will be the materials of front, *Brick*; if of stone, what kind *Brown Stone* give thickness of front ashlar, *4"* and thickness of backing thereof, *15" brick*
21. Will the roof be Flat, Peak, or Mansard, *Flat*
22. What will be the materials of roofing, *Iron*
23. What will be the means of access to roof, *Bulkhead and Stairs*
24. What will be the materials of cornices, *Metal*

16' in thickness

25. If there are to be skylights in roof, give size of same, and of what materials constructed, *2 x 8 feet*  
*frame of wood*

26. Is the building to be provided with iron shutters or blinds, \_\_\_\_\_

27. Give size and material of floorbeams, 1st tier, *Spence 3" x 9"*; 2d tier, *Spence*  
*1 1/2" x 9"*; 3d tier, *Spence 3" x 9"*; 4th tier, *Spence 3" x 9"*; 5th tier,  
*Spence 3" x 9"*; 6th tier, \_\_\_\_\_; roof tier, *Spence*  
*3" x 8"*. State distance from centres on 1st tier, *16* inches; 2d tier, *16* inches; 3d tier,  
*16* inches; 4th tier, *16* inches; 5th tier, *16* inches; 6th tier, \_\_\_\_\_ inches;  
roof tier, *20* inches.

28. If floors are to be supported by columns and girders, give the following information: Size and material of  
*under* girders on 1st floor, *Spence 11" x 8"*; 2d floor, \_\_\_\_\_; 3d floor,  
\_\_\_\_\_; 4th floor, \_\_\_\_\_; 5th floor, \_\_\_\_\_  
\_\_\_\_\_; 6th or roof girders, \_\_\_\_\_ Size and material of columns *under girders* on 1st floor,  
*Locust 11" x 11"*; 2d floor, \_\_\_\_\_; 3d floor, \_\_\_\_\_  
\_\_\_\_\_; 4th floor, \_\_\_\_\_; 5th floor, \_\_\_\_\_; 6th or roof  
columns, \_\_\_\_\_

29. What will be the distance of wooden girders, beams, or timbers, from all flues, *12 inches*

30. If any hoistways, state how protected, \_\_\_\_\_

31. Will headers and trimmers be hung in stirrup-irons, \_\_\_\_\_

32. State if any hot air, steam, or other furnaces, \_\_\_\_\_

33. If the front, rear or side walls are to be supported in whole or in part, by iron girders or lintels, give definite  
particulars, \_\_\_\_\_

34. If girders are to be supported by brick piers and columns, state the size of piers and columns, \_\_\_\_\_

35. Will a fire-escape be provided, *Balcony on rear 2' 6" wide connecting both*  
*buildings on each story*

**IF THE BUILDING IS TO BE OCCUPIED AS A TENEMENT HOUSE, GIVE THE  
FOLLOWING PARTICULARS:**

36. State how many families are to occupy each floor, and the whole number in the house; also, if any part is to  
be used as a Store or for other business purposes, state the fact, *10 families in No*  
*1 floor 5 families in No*

37. What will be the heights of ceilings on 1st story, *9' 6"* feet; 2d story, *9* feet; 3d story,  
*8' 6"* feet; 4th story, *8' 6"* feet; 5th story, *8' 6"* feet; 6th story, *4* feet.

38. State if a fire-escape is to be provided, and what kind, *Iron balcony on rear 2' 6" wide*  
*connecting both buildings on each floor*

424  
— Copy —  
Department of Buildings,

IN THE CITY OF NEW YORK.

OFFICE OF THE SUPERINTENDENT, No. 2 FOURTH AVENUE.

DETAILED STATEMENT OF SPECIFICATIONS FOR THE ERECTION OF BUILDINGS.

1. State how many buildings to be erected, Five
2. How occupied; if for dwelling, state the number of families, as a dwelling for the families on a floor
3. What is the Street or Avenue, and the number thereof, 279 & 281 East 7<sup>th</sup> St
4. On which side, North, South, East, or West, North Side
5. How many feet from the nearest street, 78 feet
6. Whether North, South, East, or West of said street, West
7. What is the nearest street, C Avenue N.
8. Size of lot, No. of feet front 24 x 14; No. of feet rear, 24 x 14; No. of feet deep, 73
9. Size of building, No. of feet front 24 x 14; No. of feet rear, 24 x 14; No. of feet deep, 60; No. of stories in height, Five; No. of feet in height, from curb level to highest point, 53
10. What will each building cost (exclusive of the lot), \$ 20,000. \$ 10,000 - Each
11. What will be the depth of foundation walls, from curb level or surface of ground, 7 feet.
12. Will foundation be laid on earth, rock, timber, or piles, Earth
13. What will be the base, stone or concrete, Stone; if base stones, give size, and how laid, 344 laid in Lime & Sand Mortar; if concrete, give thickness, —
14. What will be the sizes of piers, —
15. What will be the sizes of the base of piers, —
16. What will be the thickness of foundation walls, 16 inches and of what materials constructed, Brick laid in Cement
17. What will be the thickness of upper walls in 1st story, 12 inches; 2d story, 12 inches; 3d story, 12 inches; from thence to top, 12 inches; and of what materials to be constructed, Brick laid in Lime and Sand Mortar
18. Whether Independent or Party-walls; if Party-walls, give thickness thereof, 2 Independent 12 inches  
*one Party wall to be Corbelled over 4 courses under floor timbers to 16 inches in thickness*
19. With what material walls to be coped, Blue Stone
20. What will be the materials of front, Stone; if of stone, what kind, Brown; give thickness of front ashlar, 4", and thickness of backing thereof, 12" brick
21. Will the roof be Flat, Peak, or Mansard, Flat
22. What will be the materials of roofing, Tin
23. What will be the means of access to roof, Bullhead and Stairs
24. What will be the materials of cornices, Mortar

25. If there are to be skylights in roof, give size of same, and of what materials constructed, *343 per*  
*Frame of Wood -*

26. Is the building to be provided with iron shutters or blinds, *—*

27. Give size and material of floorbeams, 1st tier, *Spruce 3 x 9*; 2d tier, *Spruce*  
*3 x 9*; 3d tier, *Spruce 3 x 9*; 4th tier, *Spruce 3 x 9*; 5th tier,  
*Spruce 3 x 9*; 6th tier, *—*; roof tier, *Spruce*  
*3 x 8*. State distance from centres on 1st tier, *16* inches; 2d tier, *16* inches; 3d tier,  
*16* inches; 4th tier, *16* inches; 5th tier, *16* inches; 6th tier, *—* inches;  
roof tier, *20* inches.

28. If floors are to be supported by columns and girders, give the following information: Size and material of  
girders <sup>under</sup> 1st floor, *Spruce 6" x 8"*; 2d floor, *—*; 3d floor,  
*—*; 4th floor, *—*; 5th floor, *under Girders*  
*—*; 6th or roof girders, *—*. Size and material of columns on 1st floor,  
*Wood 6 x 6*; 2d floor, *—*; 3d floor, *—*  
*—*; 4th floor, *—*; 5th floor, *—*; 6th or roof  
columns, *—*.

29. What will be the distance of wooden girders, beams, or timbers, from all flues, *12 inches*

30. If any hoistways, state how protected, *—*

31. Will headers and trimmers be hung in stirrup-irons, *—*

32. State if any hot air, steam, or other furnaces, *—*

33. If the front, rear or side walls are to be supported in whole or in part, by iron girders or lintels, give definite  
particulars, *—*

34. If girders are to be supported by brick piers and columns, state the size of piers and columns, *—*

35. Will a fire-escape be provided, *Balconies on Rear 2, 6" Connecting*  
*both Buildings on Each Story -*

**IF THE BUILDING IS TO BE OCCUPIED AS A TENEMENT HOUSE, GIVE THE  
FOLLOWING PARTICULARS:**

36. State how many families are to occupy each floor, and the whole number in the house; also, if any part is to  
be used as a Store or for other business purposes, state the fact, *Two families to*  
*Each floor. 10 families in no - @ five families*  
*- in no -*

37. What will be the heights of ceilings on 1st story, *9, 6"* feet; 2d story, *9,* feet; 3d story,  
*8, 6"* feet; 4th story, *8, 6"* feet; 5th story, *8, 6"* feet; 6th story, *—* feet.

38. State if a fire-escape is to be provided, and what kind, *Iron Balconies on Rear*  
*2, 6" wide Connecting both buildings on Each floor*

39. If any wood houses, state where located, and of what materials *in the cellar constructed of Wood*

40. How is the building to be ventilated, *by Flues and Transom Windows over the doors also by Ventilators in Bulkhead*

41. How are the hall partitions to be constructed and of what materials? *Wood*

42. How are the stairways to be constructed and of what materials? *Wood Cellar stairs to be Enclosed by an 8-inch Brick Wall with Iron door humpers for stairs*

43. How are the floors and ceilings of the cellar and first story to be constructed? *Floor of first story to be ceafened and Cellar Ceiling plastered*

44. If there is any building already erected on the front or rear of the lot, give size of the same, state how occupied (if for a tenement, state by how many families), and how many feet of space there will be between the building proposed to be erected, and the one already erected, *No. Other building*

45. Will all materials and workmanship be in accordance with the requirements of the law, *Yes*

46. If any walls already built are to be used as party-walls, fill up the application below.

**APPLICATION TO USE PARTY-WALLS.**

The undersigned gives notice that \_\_\_\_\_ intends to use the \_\_\_\_\_ wall of building \_\_\_\_\_ as party-wall in the erection of the building described above, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall \_\_\_\_\_ built of \_\_\_\_\_, \_\_\_\_\_ inches thick; the upper wall \_\_\_\_\_ built of \_\_\_\_\_, \_\_\_\_\_ inches thick, \_\_\_\_\_ feet in height, \_\_\_\_\_ feet deep, \_\_\_\_\_

(SIGN HERE)

Owner *C. Gillespie* Address *465 Adelpi St Brooklyn*  
Architect *W. Anderson* Address *Brooklyn*  
Mason *C. Gillespie* Address *465 Adelpi St Brooklyn*  
Carpenter \_\_\_\_\_ Address \_\_\_\_\_

MEMORANDA.

*Copy*  
DETAILED STATEMENT OF SPECIFICATIONS  
FOR  
NEW BUILDINGS.

No. *494* Submitted *May 19<sup>th</sup>* 187*3*

LOCATION.

*279. 1281. East Seventh St*

Owner *C. Gillespie*

Architect *W. Anderson*

Builder *C. Gillespie*

Referred to.....187

Returned by.....187

Report.....favorable.

New York, *May 21<sup>st</sup>* 187*3*

This is to Certify that I have examined the within detailed statement together with a copy of the plans relating thereto, and find the same.....to be in accordance with the provisions of Chap. 625, Laws of 1871, relating to buildings in the City of New York; that the same has been.....approved (subject to the rules and regulations of the Health Department, as applied to buildings), and entered in the records of this Department

*[Signature]*  
Commissioner of Buildings.

Referred to Inspector *Hoyce*  
*May 21<sup>st</sup>* 187*3*

Returned *Dec 31* 187*3*  
*H. Hoyce*

Inspector.

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

2660

B377

Office of the Borough President of the Borough of Manhattan, 3.

L47

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

48

Plan No. 2656

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Richard Stone Gully

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN,

Sept 13<sup>th</sup> 1905

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered two
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof)  
No 279 and 281 Seventh Street.  
North side - 80 feet West of Avenue W.
- How was the building occupied? Tenements  
How is the building to be occupied? Tenements
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size x; height          How occupied?          Give distance between same and proposed building          feet.
- Size of lot { 14'-0" feet front; { 14'-0" feet rear; 70 feet deep.
- Size of building which it is proposed to alter or repair { 14'-0" feet front; { 14'-0" feet rear; 60 feet deep. Number of stories in height? 5 Height from curb level to highest point? 54 feet
- Depth of foundation walls below curb level? 8 feet Material of foundation walls? blue stone & brick Thickness of foundation walls? front 20" x 16" inches; rear 20" x 16" inches; side 16 inches; party 16 inches.
- Material of upper walls? brick If ashlar, give kind and thickness ashlar  
stone - 4" thick - at fronts
- Thickness of upper walls:  
Basement: front          inches; rear          inches; side          inches; party          inches.  
1st story: " 12 " " 12 " " 12 " " 12 "  
2d story: " 12 " " 12 " " 12 " " 12 "  
3d story: " 12 " " 12 " " 12 " " 12 "  
4th story: " 12 " " 12 " " 12 " " 12 "  
5th story: " 12 " " 12 " " 12 " " 12 "  
6th story: "          " "          " "          " "          "
- Is roof flat, peak or mansard? flat.

11. Size of present extension, if any? ..... feet front; ..... feet deep; ..... feet high.
12. Thickness and material of foundation walls? .....
13. Material of upper walls? ..... If ashlar, give kind and thickness .....
14. Thickness of upper walls:
- |            |            |         |           |         |           |         |            |         |
|------------|------------|---------|-----------|---------|-----------|---------|------------|---------|
| Basement:  | front..... | inches; | rear..... | inches; | side..... | inches; | party..... | inches. |
| 1st story: | "          | "       | "         | "       | "         | "       | "          | "       |
| 2d story:  | "          | "       | "         | "       | "         | "       | "          | "       |
| 3d story:  | "          | "       | "         | "       | "         | "       | "          | "       |
| 4th story: | "          | "       | "         | "       | "         | "       | "          | "       |
15. Is present building provided with a fire escape? yes .....

~~If to be extended on any side, give the following information:~~

16. Is extension to be on side, front or rear? .....
17. Size of proposed extension, feet front .....; feet rear .....; feet deep .....; number of stories in height? ..... number of feet in height? .....
18. Material of foundation walls? .....; depth ..... feet; material of base course .....; thickness of base course .....; thickness of foundation walls, front ..... inches; side ..... inches; rear ..... inches; party ..... inches.
19. Will foundation be on rock, sand, earth or piles? .....
20. What will be the size of piers in cellar? .....; distance on centres? .....; size of base of piers? .....; thickness of cap stones? .....; of bond stones? .....
21. Material of upper walls? .....; material of front? .....
22. Thickness, exclusive of ashlar, of upper walls:
- |            |            |         |           |         |           |         |            |         |
|------------|------------|---------|-----------|---------|-----------|---------|------------|---------|
| 1st story: | front..... | inches; | rear..... | inches; | side..... | inches; | party..... | inches. |
| 2d story:  | "          | "       | "         | "       | "         | "       | "          | "       |
| 3d story:  | "          | "       | "         | "       | "         | "       | "          | "       |
| 4th story: | "          | "       | "         | "       | "         | "       | "          | "       |
| 5th story: | "          | "       | "         | "       | "         | "       | "          | "       |
| 6th story: | "          | "       | "         | "       | "         | "       | "          | "       |
23. With what will walls be coped? .....
24. Will roof be flat, peak, or mansard? .....; material .....
25. Give size and material of floor and roof beams .....
- |                    |       |        |       |                       |       |
|--------------------|-------|--------|-------|-----------------------|-------|
| 1st tier, material | ..... | ; size | ..... | ; distance on centres | ..... |
| 2d tier,           | "     | "      | "     | "                     | "     |
| 3d tier,           | "     | "      | "     | "                     | "     |
| 4th tier,          | "     | "      | "     | "                     | "     |
| 5th tier,          | "     | "      | "     | "                     | "     |
| Roof tier,         | "     | "      | "     | "                     | "     |
- Give thickness of headers ..... of trimmers .....
26. Give material of girders ..... of columns .....
- Under 1st tier, size of girders .....; size of columns .....
- |                |   |   |   |       |   |   |   |       |
|----------------|---|---|---|-------|---|---|---|-------|
| " 2d "         | " | " | " | ..... | ; | " | " | ..... |
| " 3d "         | " | " | " | ..... | ; | " | " | ..... |
| " 4th "        | " | " | " | ..... | ; | " | " | ..... |
| " 5th "        | " | " | " | ..... | ; | " | " | ..... |
| " Roof tier, " | " | " | " | ..... | ; | " | " | ..... |



*Office*

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

# Office of the Borough President of the Borough of Manhattan, In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,  
Office, No. 220 FOURTH AVENUE,  
S. W. Corner 18th Street.

Plan No. 2656

## APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) *Richard F. ...*

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, Sept 13<sup>th</sup> 1905

### LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered two
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof)  
No. 279 and 281 South Street  
North side - 80 feet West of Avenue D
- How was the building occupied? tenements  
How is the building to be occupied? Tenements
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size \_\_\_\_\_ x \_\_\_\_\_; height \_\_\_\_\_ How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
- Size of lot? 14' 0" feet front; 14' 0" feet rear; 73 feet deep.
- Size of building which it is proposed to alter or repair? 14' 0" feet front; 14' 0" feet rear; 60 feet deep. Number of stories in height? 5 Height from curb level to highest point? 54 feet
- Depth of foundation walls below curb level? 8 feet Material of foundation walls? blue stone & brick Thickness of foundation walls? front 20" x 16" inches; rear 20" x 16" inches; side 16 inches; party 16 inches.
- Material of upper walls? brick If ashlar, give kind and thickness brown stone - 4" thick - at fronts
- Thickness of upper walls:  
Basement: front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches; party \_\_\_\_\_ inches.  
1st story: " 12 " " 12 " " 12 " " 12 "  
2d story: " 12 " " 12 " " 12 " " 12 "  
3d story: " 12 " " 12 " " 12 " " 12 "  
4th story: " 12 " " 12 " " 12 " " 12 "  
5th story: " 12 " " 12 " " 12 " " 12 "  
6th story: " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ " " \_\_\_\_\_ "
- Is roof flat, peak or mansard? flat

11. Size of present extension, if any? \_\_\_\_\_ feet front; \_\_\_\_\_ feet deep; \_\_\_\_\_ feet high.
12. Thickness and material of foundation walls? \_\_\_\_\_
13. Material of upper walls? \_\_\_\_\_ If ashlar, give kind and thickness \_\_\_\_\_
14. Thickness of upper walls:
- |            |       |               |      |               |      |               |       |               |
|------------|-------|---------------|------|---------------|------|---------------|-------|---------------|
| Basement:  | front | _____ inches; | rear | _____ inches; | side | _____ inches; | party | _____ inches. |
| 1st story: | "     | _____ "       | "    | _____ "       | "    | _____ "       | "     | _____ "       |
| 2d story:  | "     | _____ "       | "    | _____ "       | "    | _____ "       | "     | _____ "       |
| 3d story:  | "     | _____ "       | "    | _____ "       | "    | _____ "       | "     | _____ "       |
| 4th story: | "     | _____ "       | "    | _____ "       | "    | _____ "       | "     | _____ "       |
15. Is present building provided with a fire escape? *Yes*

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? \_\_\_\_\_
17. Size of proposed extension, feet front \_\_\_\_\_; feet rear \_\_\_\_\_; feet deep \_\_\_\_\_; number of stories in height? \_\_\_\_\_ number of feet in height? \_\_\_\_\_
18. Material of foundation walls? \_\_\_\_\_; depth \_\_\_\_\_ feet; material of base course \_\_\_\_\_; thickness of base course \_\_\_\_\_; thickness of foundation walls, front \_\_\_\_\_ inches; side \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; party \_\_\_\_\_ inches.
19. Will foundation be on rock, sand, earth or piles? \_\_\_\_\_
20. What will be the size of piers in cellar? \_\_\_\_\_; distance on centres? \_\_\_\_\_; size of base of piers? \_\_\_\_\_; thickness of cap stones? \_\_\_\_\_; of bond stones? \_\_\_\_\_
21. Material of upper walls? \_\_\_\_\_; material of front? \_\_\_\_\_
22. Thickness, exclusive of ashlar, of upper walls:
- |            |       |               |      |               |      |               |       |               |
|------------|-------|---------------|------|---------------|------|---------------|-------|---------------|
| 1st story: | front | _____ inches; | rear | _____ inches; | side | _____ inches; | party | _____ inches. |
| 2d story:  | "     | _____ "       | "    | _____ "       | "    | _____ "       | "     | _____ "       |
| 3d story:  | "     | _____ "       | "    | _____ "       | "    | _____ "       | "     | _____ "       |
| 4th story: | "     | _____ "       | "    | _____ "       | "    | _____ "       | "     | _____ "       |
| 5th story: | "     | _____ "       | "    | _____ "       | "    | _____ "       | "     | _____ "       |
| 6th story: | "     | _____ "       | "    | _____ "       | "    | _____ "       | "     | _____ "       |
23. With what will walls be coped? \_\_\_\_\_
24. Will roof be flat, peak, or mansard? \_\_\_\_\_; material \_\_\_\_\_
25. Give size and material of floor and roof beams \_\_\_\_\_
- |            |          |        |      |        |                     |       |
|------------|----------|--------|------|--------|---------------------|-------|
| 1st tier,  | material | _____; | size | _____; | distance on centres | _____ |
| 2d tier,   | "        | _____  | "    | _____  | "                   | _____ |
| 3d tier,   | "        | _____  | "    | _____  | "                   | _____ |
| 4th tier,  | "        | _____  | "    | _____  | "                   | _____ |
| 5th tier,  | "        | _____  | "    | _____  | "                   | _____ |
| Roof tier, | "        | _____  | "    | _____  | "                   | _____ |
- Give thickness of headers \_\_\_\_\_ of trimmers \_\_\_\_\_
26. Give material of girders \_\_\_\_\_ of columns \_\_\_\_\_
- Under 1st tier, size of girders \_\_\_\_\_; size of columns \_\_\_\_\_
- |   |            |   |   |   |        |   |   |       |
|---|------------|---|---|---|--------|---|---|-------|
| " | 2d         | " | " | " | _____; | " | " | _____ |
| " | 3d         | " | " | " | _____; | " | " | _____ |
| " | 4th        | " | " | " | _____; | " | " | _____ |
| " | 5th        | " | " | " | _____; | " | " | _____ |
| " | Roof tier, | " | " | " | _____; | " | " | _____ |

27. If front, rear or side is to be supported on columns or girders, give  
 girders, material.....; front.....; side.....; rear.....  
 size..... "..... "..... ".....  
 columns, material..... "..... "..... ".....  
 size..... "..... "..... ".....
28. If constructed of frame, give material.....; size of sill.....;  
 plate.....; enteties.....; posts.....; studs.....;  
 braces.....
29. If open on one side, give size of plate..... posts.....
30. How will extension be occupied?..... If for  
 dwelling, give number of families on each floor.....
31. How will extension be connected with main building?.....
32. Give size of skylights.....; material.....
33. Give material of cornices.....
34. Give material of light shafts.....; size.....

~~If to be increased in height, give the following information:~~

35. Will building be raised from foundation, or extended on top? Give particulars.....  
 .....  
 .....
36. How many stories high will building be when raised?.....; feet high.....
37. Will the roof be flat, peak or mansard?....., material.....
38. Material of coping?.....
39. Give material of new walls.....thickness of.....story.....inches;  
 .....story.....inches; .....story.....inches; .....story  
 .....inches; .....story.....inches; .....story.....inches;  
 .....story.....inches.
40. Material of floor beams?..... Size..... tier.....;  
 centres.....;.....tier.....; centres.....;.....tier.....;  
 centres.....;.....tier.....; centres.....;.....tier.....;  
 centres.....
41. Material of girders?..... Size under 1st tier.....;  
 2d tier.....; 3d tier.....; 4th tier.....; 5th tier.....;  
 6th tier.....
42. Material of columns?..... Size under 1st tier..... 2d tier.....  
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
43. Size of piers in cellar.....; distance on centres.....; thickness of capstones  
 to piers.....; bond stones.....
44. If constructed of frame, give material of frame.....; size of sills.....;  
 corner posts.....; middle posts.....; enteties.....; plates.....;  
 braces.....; studs.....
45. How will building be occupied when altered?.....  
 If for dwelling, state number of families on each floor?.....  
 .....
46. With what kind of fire escape will building be provided?.....  
 .....

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. Cut out in rear walls near W. Cl. window openings as per plans and set over 6" st. bars - 13 lbs over new mullion windows as per plans -

Remove present water closet compartment, set into sink & brickwork to same from yard -

If altered Internally, give definite particulars, and state how the building will be occupied :

48. Rearrange plastered stud partitions for new water closet compartment as shown on plans -

Bldg will be occupied same as before by tenants

49. How much will the alteration cost? \$ 2500

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what ?

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each ?								
52. Height of ceilings?								

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How cellar to be occupied?

How made water-tight?

57. Will shafts be open or covered with louvre skylights full size of shafts?

Size of each shaft?

58. Dimensions of water-closet windows? .....  
 Dimensions of windows for living rooms!
59. Of what materials will hall partitions be constructed? .....
60. Of what materials will hall floors be constructed? .....
61. How will hall ceilings and soffits of stairs be plastered? .....
62. Of what material will stairways be constructed? .....
- Give sizes of stair well holes? .....
63. If any other building on lot, give size; front .....; rear .....; deep .....; stories high .....; how occupied .....; on front or rear of lot .....; material .....
- How much space between it and proposed building? .....
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? .....
65. Number and location of water closets: Cellar .....; 1st floor .....; 2d floor .....; 3d floor .....; 4th floor .....; 5th floor .....; 6th floor .....
66. This building will safely sustain per superficial foot upon the first floor ..... lbs.; upon 2d floor ..... lbs.; upon 3d floor ..... lbs.; upon 4th floor ..... lbs.; upon 5th floor ..... lbs.; upon 6th floor ..... lbs.; upon 7th floor ..... lbs.; upon 8th floor ..... lbs.

Owner, Joseph S. Gluck Address, # 291 Seventh St. N.Y.

Architect, Richard Mohr .. # 128 Bible House - N.Y.

Superintendent, .....

Mason, .....

Carpenter, .....