

COPY

Job 41

Office of the Borough President of the Borough of Manhattan,

In The City of New York

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

RECEIVED
BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK
APR 3 1907
BOROUGH OF MANHATTAN

Plan No. 204

APPLICATION FOR ERECTION OF BRICK BUILDINGS.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here) Edward Meyers

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, April 3, 1907.

- State how many buildings to be erected One
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 191-193 Third St.
- Will the building be erected on the front or rear of lot? Front
- How to be occupied? Tenement If for dwelling, state the number of families in each house 34 families
- Size of lot? 48'-0" feet front; 48'-0" feet rear; 96'-0" feet deep.
Give diagram of same.
- Size of building? 48'-0" feet front; 41'-6" feet rear; 83'-0" feet deep.
Size of extension? 12'-6" feet front; 12'-6" feet rear; 7'-8" feet deep.
Number of stories in height: main building? 6 stories Extension? One
Height from curb level to highest point: main building? 66'-6" feet Extension? 13'-0" feet.
- What is the character of the ground: rock, clay, sand, etc.? Good Solid Earth
- Will the foundation be laid on earth, rock, timber or piles? Good Solid Earth
- Will there be a cellar? Yes
- What will be the base, stone or concrete? Concrete If base stones, give size and thickness, and how laid. If concrete, give thickness 16" under piers + 12" under walls.
- What will be the depth of foundation walls below curb level or surface of ground? 10 ft.
- Of what will foundation walls be built? Stone
- Give thickness of foundation walls: front, _____ inches; sides, 2'-0" inches; rear, 2'-0" inches; party, _____ inches.
- Will interior supports be brick partition walls or piers, iron columns or wooden posts? Brick + stone
Give size of same 20" x 8"
- If piers, give thickness of cap stones or plates 12" granite caps bond stones or plates 5" Bluestone Block.

16. Give base course, width and thickness _____

17. Will any part of front, side or rear wall, be supported on piers in cellar? No

Give size: front _____ size of base course _____

rear _____ " " " _____

side _____ " " " _____

Size of cap stones _____ size of bond stones _____

18. Of what materials will the upper walls be constructed? Brick

What will be thickness of upper walls, exclusive of ashlar, if any?

Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.

1st story: " _____ " _____ " _____ " _____ " _____ " _____ " _____

2d story: " 16 " _____ " 14 " _____ " 12 " _____ " _____

3d story: " 16 " _____ " 14 " _____ " 12 " _____ " _____

4th story: " 16 " _____ " 14 " _____ " 12 " _____ " _____

5th story: " 16 " _____ " 14 " _____ " 12 " _____ " _____

6th story: " 16 " _____ " 14 " _____ " 12 " _____ " _____

7th story: " _____ " _____ " _____ " _____ " _____ " _____

19. What will be the materials of the front? Front Brick & Terra Cotta If of stone, what kind? _____ If ashlar, give thickness _____

20. Will flues be lined with pipe or have 8 inches of brick around the same? Lined with pipe

21. Will any wall be supported on iron or steel girders? Yes

Front, material Steel size 3-12" 3 1/2" weight or thickness _____

Side, " _____ " _____ " _____ " _____

Rear, " _____ " _____ " _____ " _____

Interior, " Steel " 2-12" 40#, 2-12" 3 1/2", 2-15" 45# " _____

Will any wall be supported on iron or steel columns? Yes

Front, material C.S. size 12" x 16", 8" x 16" weight or thickness _____

Side, " _____ " _____ " _____ " _____

Rear, " _____ " _____ " _____ " _____

Interior, " _____ " _____ " _____ " _____

22. Give material of girders Steel of columns Cast Iron

Under 1st tier, size of girders _____; size of columns _____

" 2d tier, " _____ " _____ " _____

" 3d tier, " _____ " _____ " _____

" 4th tier, " _____ " _____ " _____

" 5th tier, " _____ " _____ " _____

" Roof tier, " _____ " _____ " _____

23. Give material, size and distance on centres of floor beams.

1st tier, material Steel; size 7"-15" # 6" 12"; distance on centres 34' 8"

2d tier, " Spruce " 3" x 10" " _____ " 14' 16"

3d tier, " _____ " 3" x 10" " _____ " 14' 16"

4th tier, " _____ " 3" x 10" " _____ " 14' 16"

5th tier, " _____ " 3" x 10" " _____ " 14' 16"

6th tier, " _____ " 3" x 10" " _____ " 14' 16"

7th tier, " _____ " _____ " _____ " _____

8th tier, " _____ " _____ " _____ " _____

Roof tier, " Spruce " 3" x 9" " _____ " 16' ± 20"

Give thickness of headers 6" of trimmers 6"

24. Specify construction of floor filling 4" Bonded Brick arches

- 2 proof? No
25. All partitions be built? Cross 2"x4" studs fore and aft 2"x4" studs.
27. Give material of skylights Galv. iron; size 4'-0" x 6'-0"
28. What will be the material of roofing? Tin Will roof be flat, peak or mansard? Flat
29. What will be the material of dumb waiter shafts? 3" Bells Plaster Blocks.
30. What will be the material of elevator shafts? None
31. What will be the material of the cornices? Galv. iron
32. What will be the material of bay windows? None
33. What kind of fire escape will be provided? As required by law.
34. Will cellar be plastered? Yes How? Lathe & plaster.
35. Will access to roof be by scuttle or bulkhead? Bulkhead If by bulkhead, how constructed? Brick
36. With what material will walls be coped? Terra Cotta Coping.
37. How will building be heated? Ranges etc.
38. Is there any other building erected on lot or permit granted for one? No.
 Size x; height _____ feet. How occupied? _____
 Give distance between same and proposed building _____ feet.
39. Are any buildings to be taken down? No; how many? _____

If the Building is to be occupied as a Flat, Apartment, Tenement or Lodging House, give the following particulars :

40. Is any part of building to be used as a store or for any other business purpose? If so state for what?

	Cellar.	Base-ment.	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor	7th Floor
41. How many families will occupy each? - - -			4	6	6	6	6	6	
42. Height of ceilings? - - - - -	7'-6"		9'-0"	9'-0"	9'-0"	9'-0"	9'-0"	9'-0"	
	8'-0"								
	8'-6"		11'-0"						

43. How basement to be occupied? _____
 How made water-tight? _____
44. How will cellar stairs be enclosed? _____
45. How cellar to be occupied? Stores, Bakery, Pump Room, Storage etc
 How made water-tight? Cement
46. Will shafts be open or covered with louvre skylights full size of shafts? Covered with
louvre skylight.
 Size of each shaft? 2'-0" x 2'-0"
47. Dimensions of water-closet windows? As per plans.
 Dimensions of windows for living rooms? As per plans.
48. Of what materials will hall partitions be constructed? Brick
49. Of what materials will hall floors be constructed? 4" Bonded brick with con.

50. How will hall ceilings and soffits of stairs be plastered? Beilington
51. Of what material will stairways be constructed? Slate & iron.
Give sizes of stair well holes 14"
52. If any other building on lot, give size: front no; rear _____; deep _____; stories high _____; how occupied _____; on front or rear of lot _____; material _____
How much space between it and proposed building? _____
53. How will floors and sides of water closets to the height of 26 inches be made waterproof? slate
54. Number and location of water closets: Cellar 2; 1st floor 6; 2d floor 6; 3d floor 6; 4th floor 6; 5th floor 6; 6th floor 6; 7th floor _____
55. This building will safely sustain per superficial foot upon the 1st floor _____ lbs.; upon 2d floor _____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor _____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor _____ lbs.
56. What is the estimated cost of each building, exclusive of lot? \$ 55,000
57. What is the estimated cost of all the buildings, exclusive of lots? \$ _____

Owner, Samuel Barkins Address, 25 East 99th St.
 Architect, Edward Ameyers. " 1 Union Sq. West.
 Superintendent, Owner. "
 Mason, Not Selected "
 Carpenter, " " "

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, 190

The undersigned gives notice that _____ intend to use the _____ wall of building _____ as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall _____ built of _____ inches thick, _____ feet below curb; the upper wall _____ built of _____ inches thick, _____ feet deep, _____ feet in height.

(Sign here) _____

REPORT UPON APPLICATION.

The Bureau of Buildings for the Borough of Manhattan.

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, 190

To the Superintendent of Buildings for the Borough of Manhattan:

I respectfully report that I have thoroughly examined and measured the wall, etc., named in the foregoing application, and found the foundation wall to be built of inches thick, feet below curb, the upper wall built of inches thick, feet deep, feet in height, and that the mortar in said wall is hard and good. The wall built as a party wall and in a good and safe condition to be used as proposed.

What is the nature of the ground?

What kind of sand was used in the mortar?

(The Inspector must here state what defects, if any, are in the walls.)

(The Inspector must state the thickness of walls in each and every story.)

Inspector.

REPORT OF INSPECTOR AS TO COMMENCEMENT OF WORK.

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, 190

To the Superintendent of Buildings for the Borough of Manhattan:

Work was commenced on the within described building on the 2 day of Sep 190

Respectfully submitted,

Inspector.

FINAL REPORT OF INSPECTOR.

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, Dec 13 190

To the Superintendent of Buildings for the Borough of Manhattan:

Work was completed on the within described building on the 12 day of Dec 190, and all the iron and steel girders, beams and columns are properly set, and of size as per application, and all work upon said building has been done in accordance with the foregoing detailed statement, except as noted below.

Respectfully submitted,

Inspector.

REMARKS.