of the $\operatorname{\mathsf{Borough}}$ $\operatorname{\mathsf{President}}$ of the $\operatorname{\mathsf{Borough}}$ of $\operatorname{\mathsf{Manhattan}}$, In The City of New York.

HE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

Plan No.

APPLICATION TO ALTER, REPAIR, Etc.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building , whether specified herein or not.

(Sign here) Hugo I flow Musicuffe The City of New York, Borough of Manhattan, Secund. 4 1912.

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1.	State how many buildings to be altered OME
2.	What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet
	from the nearest street or avenue, and the name thereof) . To. Westeriou
	about 40 feet from N. W. lorn 12 th direct.
	Nº 200. Ar. B.
3.	How was the building occupied? Swelling & Problemstore
	How is the building to be occupied?
4.	Is the building on front or rear of lot? Is there any other building erected on lot or
	permit granted for one? /// Size 6 x #; height 7 How
	occupied? Jaills Give distance between same and
	proposed building feet.
5.	Size of lot? 19-5" feet front; 19-5" feet rear; 59-8" feet deep.
6.	Size of building which it is proposed to alter or repair?
	39-8 feet deep. Number of stories in height? Height from curb level to
	highest point? 36 feet
7.	and the second s
	Stone 9 briefs Thickness of foundation walls? front 20 inches;
	Thickness of foundation walls? front inches; rear inches; side inches; party inches.
8.,	Thickness of foundation walls? front inches; rear inches; side inches; party inches.
8	Thickness of foundation walls? front inches; rear inches; side inches; party inches.
8 9.	Thickness of foundation walls? front inches; rear inches; side inches; party inches. Material of upper walls? If ashlar, give kind and thickness Thickness of upper walls:
	Thickness of foundation walls? front inches; rear inches; party inches. Material of upper walls? If ashlar, give kind and thickness Thickness of upper walls: Basement: front inches; rear inches; side inches party inches
	Thickness of foundation walls? front inches; rear inches; side inches; party inches. Material of upper walls? If ashlar, give kind and thickness Thickness of upper walls:
	Thickness of foundation walls? front inches; rear inches; side inches; party inches. Material of upper walls? If ashlar, give kind and thickness Thickness of upper walls: Basement: front inches; rear inches; side inches party inches
	Thickness of foundation walls? front inches; rear inches; party inches. Material of upper walls? If ashlar, give kind and thickness Thickness of upper walls: Basement: front inches; rear inches; side inches party inches 1st story: " " " " " " "
	Thickness of foundation walls? front inches; rear inches; party inches. Material of upper walls? If ashlar, give kind and thickness Thickness of upper walls: Basement: front inches; rear inches; side inches party inches 1st story: " " " " " " "
	Thickness of foundation walls? front
	Thickness of foundation walls? front inches; rear inches; party inches. Material of upper walls? If ashlar, give kind and thickness Thickness of upper walls: Basement: front inches; rear inches; side inches party inches 1st story: " " " " " " "

and state in what manner:
€
If altered internally give definite particulars and state how the hailding will be accurred.
If altered internally, give definite particulars, and state how the building will be occupied:
The reax of Cellars will be veulilased
with Muliohts with stat. Juner
In the pront cellar will be proorded
Judlue under how soindow ou from
Vauflue under Thous soindons on from
with Mylights with stat. Suver In the front cellar will be provided Veulflue under Shows window on from wall as shown on places.
Veulflue under Monsionelon on from wall as shown on places,
Vulflue under Monsionslow on from wall as shown on filaus.
Vuilflue under Monssoinslow on from wall as shown on filaus.
Vuilflue under Monssoinslow on from wall as shown on filaus.
wall as thome on filaus.
wall as thome on filaus.
wall as shown on filaus.
How much will the alteration cost? #300
How much will the alteration cost? #300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:
How much will the alteration cost? #300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what?
How much will the alteration cost? #300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:
How much will the alteration cost? #500 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what? Butcherologe Only Base 1st 2d 3d 4th 5th 6th
How much will the alteration cost? #300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what? But elever love Cellar Base- 1st Ploor Floor
How much will the alteration cost? #300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what? Butchesolore Cellar Base- 1st Floor Fl
How much will the alteration cost? # 300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what? Butchesolore Cellar Base Ist Ploor Floor
How much will the alteration cost? # 300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what? Butchesolore Cellar Base Ist 2d Sd 4th Sth Floor
How much will the alteration cost? #300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what? Butchesology Cellar Base Ist Floor
How much will the alteration cost? #300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what? Butehender Cellar Base- 1st Floor Floo
How much will the alteration cost? #300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what? Butehender Cellar Base- 1st Floor Floo
How much will the alteration cost? #\$ 300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what? Butchesolore Cellar Base Int Std Std Ath Std Floor Floor
How much will the alteration cost? #300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what? But elevation Cellar Base Ist Sad Sad 4th Floor Fl
How much will the alteration cost? #\$ 300 the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars: Is any part of building to be used as a store or for any other business purpose, if so, state for what? **Butchesofore** Cellar Base Ist Sed Sel S

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars,

58.	Dimensions of water-closet windows?					
	Dimensions of windows for living rooms?					
59.	Of what materials will hall partitions be constructed?					
60.						
61.	How will hall ceilings and soffits of stairs be plastered?					
62.	Of what material will stairways be constructed?					
	Give sizes of stair well holes?					
63.	If any other building on lot, give size; front; rear; deep;					
	stories high; how occupied; on front or rear					
	of lot; material					
	How much space between it and proposed building?					
64.	How will floors and sides of water closets to the height of 16 inches be made waterproof?					
65.	Number and location of water closets: Cellar; 1st floor; 2d floor;					
	3d floor; 4th floor; 5th floor; 6th floor					
66.	This building will safely sustain per superficial foot upon the 1st floorlbs.; upon 2d floor					
	lbs.; upon 3d floor lbs.; upon 4th floor lbs.; upon 5th floor					
	lbs.; upon 6th floorlbs.; upon 7th floorlbs.; upon 8th floor					
	lbs.					
67.	Is architect to supervise the alteration of the building or buildings mentioned herein?					
	Name					
	Address					
68.	If not the architect, who is to superintend the alteration of the building or buildings described herein?					
	Name Address 163 Said 82 may 17.					
	Address 163 East 82 na Ler.					
Own	or Pattlah Fred lainela Address 200 lea B					
OWI	Address, Address,					
A reh	ited H. P. Won Wiedenfeld" 1464 This of Land					
211 (11	itect, H.P. Von Wiedenfeld" 1464, Third Are.					
	enter, Sustbody Construct. Co. " 3163 lost. 82 mar Les.					
Carp	" 5/63 tost. 82 mar Les					
_						

*

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.

"SPECIFICATIONS—SHEET A" (Form 152) must be filed with EVERY Alteration Application.

"SPECIFICATIONS—SHEET B" (Form 158) must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No.	<u> </u>	BLOCK 40.6	LOT 3?
LOCATION 200 Ave. B			
Examined June 15/4 192	M=99	adne	Examiner

SPECIFICATIONS—SHEET A

- (1) Number of Buildings To Be Altered one Any other building on lot or permit granted for one? no
- (2) Estimated Cost of Alteration: \$ 700
- (3) Occupancy (in detail):
 Of present building Store and Tenement

Of building as altered

(4)	Size of Existing Building:				
` ,	At street level	18'4"	feet front	40	feet deep
	At typical floor level	1814	feet front	40	feet deep
	Height	4	stories	40 42	feet
	5	2			
(5)	SIZE OF BUILDING AS ALT	ERED:			
\- /	At street level	1814#	feet front	60	feet deep
	At typical floor level	1814#	feet front	40	feet deep
	Height	4	stories	42	feet
	•				

- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: Ordinary or Fireproof
- (7) Number of Occupants (in each story of building as altered, giving males and females separately in the case of factories): no change in occupants
- (8) State Generally in What Manner the Building Will Be Altered:

 Proposed to build extension of 8" brick Walls laid in portland cement.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT No.	1925	ALT. PANA PANA PANA Application	n No	1373	192 <mark>4_•</mark>
LOCATION200 As	re. B.	BLOC	K406	LOT	37
To the Superintendent of	Buildings:	New York City	<u>March</u>		
	ade for a PERMIT to				
no work is performed within vided by law; and the applications of the accordance with the United State	one year from the timant agrees to comply worder all other laws and rul	e of issuance this per with all provisions of the es relating to this subje	mit shall expir he Building Co ect. Compensa	e by limitati de of the Ci tion insuranc	ion as pro- ity of New ce has been
STATE, COUNTY AND SS.:	Anton Lukasey				
being duly sworn, deposes and in the Borough of Manha in the State of No. 3 owner in fee of all that certain application and made a part the aforesaid, and known and design proposed to be done upon the sis duly authorized by Anton Lukas and that Anton Lukas	ttan in the City of that he is th	f N.Y. Contractor land, shown on the being in the Borough O Ave. B. and therein more p	diagram anne of Manhattar particularly des	me County of xed to the i, City of I cribed; that d accompan	approved New York the work ying plans
Owne said work set forth in the appr			application for	r a permit t	o perform
are true to deponent's own known sworn to before me, this day of	vledge. (SIGN HERE) La.1925.	anton	Res. in Kings		
Satisfactory evidence ha	_		eby issued for t	he performa	ance of the
numbered application and the a	accompanying plans.				
Examined and Recommended	FOR APPROVAL ON	MAR - 5 1927	hille	Ex	192
Approved	192	Superintendent &	of Buildings F	Sorough of 1	Manhattan