

ORIGINAL

Form 1-1902.

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

136

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 136

APPLICATION FOR ERECTION OF BRICK BUILDINGS,

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here) *G. Fred Pelham Archt*
Per *G. L. King*
THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN, March 3rd 1903

1. State how many buildings to be erected. one
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof).
South East Cor. Second Street & Third Ave.
3. Will the building be erected on the front or rear of lot?
4. How to be occupied? Tenement. If for dwelling, state the number of families in each house. 20 Families and stores
5. Size of lot? 44'0" feet front; 44'0" feet rear; 74'0" 1/2" feet deep.
Give diagram of same.
6. Size of building? 44'0" feet front; 44'0" feet rear; 66'7" 1/2" feet deep.
Size of extension? ✓ feet front; ✓ feet rear; ✓ feet deep.
Number of stories in height: main building? ✓ Extension? ✓
Height from curb level to highest point: main building? 6'7" 0" feet. Extension? ✓ feet.
7. What is the character of the ground: rock, clay, sand, etc.? earth
8. Will the foundation be laid on earth, rock, timber or piles? earth
9. Will there be a cellar? yes
10. What will be the base, stone or concrete? stone. If base stones, give size and thickness, and how laid. 9" x 36 x 24" laid edge to edge. If concrete, give thickness
11. What will be the depth of foundation walls below curb level or surface of ground? 10 feet
12. Of what will foundation walls be built? Hard burnt brick laid up in cement mortar
13. Give thickness of foundation walls: front, Piers inches; sides, Piers inches; rear, 20 inches; party, ✓ inches.

Intake enclosure on one side constructed of 4" Terra

14. Will interior supports be brick partition walls or piers, iron columns or wooden posts? *Cols. & girders*

Give size of same. *5" dia 7/4" metal cols 10" @ 25# IS*

15. If piers, give thickness of cap stones or plates. *_____* bond stones or plates. *_____*

16. Give base course, width and thickness. *_____*

17. Will any part of front, side or rear wall be supported on piers in cellar? *yes*

Give size: front *1/2 0" x 2' 8" 1/2 4" x 20"* size of base course. *one foot larger on wall sides*

rear " " " " " " " " " " " "

side *1/2 8" x 2' 8" 1/2 0" x 2' 8"* " " " " " " " " " " " "

Size of cap stones. *12" granite full size of piers* size of bond stones. *5" blue stone full size of piers*

18. Of what materials will the upper walls be constructed? *Half burnt brick*

What will be thickness of upper walls, exclusive of ashlar, if any?

Basement: front *Piers* inches; rear _____ inches; side _____ inches; party _____ inches

1st story:	"	"	"	16	"	"	16	"	"	"	"
2d story:	"	16	"	12	"	"	12	"	"	"	"
3d story:	"	12	"	12	"	"	12	"	"	"	"
4th story:	"	12	"	12	"	"	12	"	"	"	"
5th story:	"	12	"	12	"	"	12	"	"	"	"
6th story:	"	12	"	12	"	"	12	"	"	"	"
7th story:	"	_____	"	_____	"	"	_____	"	"	"	"

19. What will be the materials of the front? *Brick & stone* If of stone, what kind? _____

If ashlar, give thickness. _____

20. Will flues be lined with pipe or have 8 inches of brick around the same? *flues lined*

21. Will any wall be supported on iron or steel girders? *yes*

Front, material *steel* size *3-12" @ 3 1/2 # + 3-12" @ 3 1/2 #* weight or thickness _____

Side, " *steel* " *3-15" @ 2 1/2 # + 3-12" @ 3 1/2 # + 3-7" @ 5 # + 3-6" @ 12 #*

Rear, " *steel* " *3-5" @ 50 # + 3-15" @ 75 #* " " _____

Interior, " *steel* " *3-15" @ 42 3-15" @ 50 3-12" @ 40 # 3-12" @ 3 1/2 # 3-20" @ 75 #*

Will any wall be supported on iron or steel columns? *Cast iron*

Front, material *Cast iron* *1-12" x 16" x 1/4" L 3/8" x 16" x 1/4" L 5/8" dia 3 1/4"* weight or thickness _____

Side, " *Cast iron* *1-8" dia 7/4" M 2 1/2" L 6" x 1 1/4"* " " " "

Rear, " *Cast iron* *8" dia 7/8" M 12 x 20 x 1 1/2" M* " " " "

Interior, " *Cast iron* *3/4" dia 1/2" M double steel fireproofing*

22. Give material of girders *steel* of columns *cast iron*

Under 1st tier, size of girders *10" @ 25 #*; size of columns *5" dia 7/4" metal*

"	2d tier,	"	"	"	"	"	"
"	3d tier,	"	"	"	"	"	"
"	4th tier,	"	"	"	"	"	"
"	5th tier,	"	"	"	"	"	"
"	Roof tier,	"	"	"	"	"	"

Bearing of steel floor beams & girders on walls 8" and 12"

23. Give material, size and distance on centres of floor beams.

1st tier, material *Steel* size *0" @ 12# @ 8'* distance on centres *4 feet over*
 2d tier, " *2 spruce* " *3" x 10"*; " " *16*
 3d tier, " *2 spruce* " *3" x 10"* " " *16*
 4th tier, " *2 spruce* " *3" x 10"* " " *16*
 5th tier, " *2 spruce* " *3" x 10"* " " *16*
 6th tier, " *2 spruce* " *3" x 10"* " " *16*
 7th tier, " *2 spruce* " *3" x 10"* " " *16*
 8th tier, " *2 spruce* " *3" x 10"* " " *16*
 Roof tier, " *2 spruce* " *3" x 9"* " " *20*

Give thickness of headers *6" x 10" & 4" x 10"* of trimmers *6" x 10" & 4" x 10"*

24. Specify construction of floor filling *4" regular bonded brick arches*

25. Is the building to be fire proof? *No*

26. Of what material will partitions be built? Cross *stud* fore and aft *stud*

27. Give material of skylights *galvanized iron*; size *6' 0" x 5' 0"*

28. What will be the material of roofing? *Tin* Will roof be flat, peak or mansard? *flat*

29. What will be the material of dumb waiter shafts? *3" angle & tee iron frame & 3" block*

30. What will be the material of elevator shafts? *None*

31. What will be the material of the cornices? *galvanized iron*

32. What will be the material of bay windows? *None*

33. What kind of fire escape will be provided? *According to the Tenement House Act Laws of 1901*

34. Will cellar be plastered? *Yes* How? *with lath & plastered*

35. Will access to roof be by scuttle or bulkhead? *Bulkhead* If by bulkhead, how constructed? *Brick wall on terra cotta block partition*

36. With what material will walls be coped? *Blue stone or earthenware*

37. How will building be heated? *Steam heated*

38. Is there any other building erected on lot or permit granted for one? *None*

Size *—* x *—*; height *—* feet. How occupied? *—*

Give distance between same and proposed building *—* feet.

39. Are any buildings to be taken down? *None*; how many? *—*

If the Building is to be occupied as a Flat, Apartment, Tenement or Lodging House, give the following particulars:

40. Is any part of building to be used as a store or for any other business purpose? If so, state for what? *Entire first story arranged for store purposes and part of cellar*

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor	7th Floor
41. How many families will occupy each?									
42. Height of ceilings?									

Steps provided down to cellar in side area and stairs provided in wall leading to hall in cellar same

44. How will cellar stairs be enclosed? *Outside in area and light court*
45. How cellar to be occupied? *Stairs and storage*
 How made water-tight? *Cement floor*
46. Will shafts be open or covered with louvre skylights full size of shafts?
Open to sky
 Size of each shaft?
47. Dimensions of water closet windows? *Three sq. ft. and over*
 Dimensions of windows for living rooms? *Twelve sq. ft. and over*
48. Of what materials will hall partitions be constructed?
Brick walls
49. Of what materials will hall floors be constructed? *7" regular bonded brick*
arches for stair and public halls & landings
50. How will hall ceilings and soffits of stairs be plastered?
51. Of what material will stairways be constructed? *Iron strings & risers*
marble and slate treads
 Give sizes of stair well holes
52. If any other building on lot, give size: front ; rear ; deep ; stories high ;
 how occupied ; on front or rear of lot ; material
 How much space between it and proposed building?
53. How will floors and sides of water closets to the height of 16 inches be made waterproof? *Bath rooms*
tiled & toilets slate floors with marbled slate base 6" high
54. Number and location of water closets: Cellar *one*; 1st floor *three*; 2d floor *four*; 3d floor
four; 4th floor *four*; 5th floor *four*; 6th floor *four*; 7th floor
55. What is the estimated cost of each building, exclusive of lot? \$ *45,000*
56. What is the estimated cost of all the buildings, exclusive of lots? \$ *45,000*
- Owner, *Samuel Markraske* Address, *451 Grand Street*
 Architect, *Geo. Fred Deffner* " *503 Fifth Ave*
 Superintendent, *Samuel Markraske* " *451 Grand Street*
 Mason, *do* " *do*
 Carpenter, *do* " *do*

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,
 BOROUGH OF MANHATTAN, 190

The undersigned gives notice that..... intend to use the..... wall of building.....
 as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be
 examined and a permit granted therefor. The foundation wall..... built of..... inches thick,
 feet below curb; the upper wall..... built of..... inches thick,.....
 feet deep,..... feet in height.

(Sign here).....

BUREAU OF BUILDINGS OF THE CITY OF NEW YORK.

Borough of Manhattan.

THE CITY OF NEW YORK, Nov 23 1903

To Inspector Garvey

Application has been made for a Certificate to occupy the Tenement House No. 136

as provided for by Section 122 of the Tenement House Act.

Please thoroughly examine above premises and report on blank below as to condition of building.

Request for Certificate 136 1903

Plan No. 136 1903

William H. Stab
Clerk.

THE CITY OF NEW YORK, Nov 27 1903

To the Superintendent of Buildings
for the Borough of Manhattan.

Sir:—

I, James A. Garvey

holding the position of Inspector in the Bureau of Buildings for the Borough of Manhattan,
respectfully report: That on the 25 day of Nov 1903.

I personally examined and carefully inspected the premises and tenement house known as No. South Park St. 136
and found that:

Said building has been erected in accordance with plans approved and as sections 11, 15, 18, also 33, 34, 37, 38 & 39 New Tenement House Act have been complied with and there being no visible violations

CLERK
FOR THE BOROUGHS

I would recommend certificate be issued

Noted
James A. Garvey Inspector.
Henry C. Cole

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen or Cloth. Received MAY 18 1932

FOR THE BOROUGH OF MANHATTAN

ALT. APPLICATION No. 797 193 2

LOCATION S/E Cor. East 2nd St & First Ave BLOCK 429 LOT 9
89-91 East 2nd St; 26-28 First Ave

New York City, May 16th 193 2

To THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York, and with the provisions of all other laws and rules relating to the alteration of said building in effect at this date.

Work under this approval will not be commenced until a permit has been secured, application for which will be filed with the Superintendent of Buildings, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law.

EXAMINED AND RECOMMENDED FOR APPROVAL ON 6/10 193 2

MAA... Examiner

APPROVED JUN 10 1932 193

Superintendent of Buildings, Borough of Manhattan.

Class "A" Multiple Dwelling

STATE, COUNTY AND CITY OF NEW YORK } ss.: Anthony Derrenbacher Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 79 East 236th Street, in the Borough of The Bronx, in the City of New York, in the County of The Bronx, in the State of New York, that he is Architect for Safe Coffee Pot Incorporated, Lessee and Jacob Farber is

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number S/E Cor. East 2nd St & First Ave; 89-91 East 2nd St. 26-28 First Ave. and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work

(if any) proposed to be done upon the same premises and specified in separate applications filed herewith, and all subsequent amendments thereto—is duly authorized by **Safe Coffee Pot Inc., Lessee**

[Name of Owner or Lessee]

and that **Anthony Derrenbacher is**

duly authorized by the aforesaid **Safe Coffee Pot Inc.** to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in **their** behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner **Jacob Farber** 141 East 3rd St

Lessee **Safe Coffee Pot Inc.** Ike Klein President 28 Second Ave
28 Second Avenue

Architect **Anthony Derrenbacher** Jacob Volter, Secy. 28 Second Ave
79 East 236th St

Contractor Superintendent Pechman Store Equipment Co Inc. 211 West 19th Street

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING at a point on the Southeast Corner of East 2nd Street and First Ave

distant 0 feet from the corner formed by the intersection of First Avenue and East 2nd Street running thence Easterly 74'0" feet; thence Southerly 44'0" feet; thence Westerly 74'0" feet; thence Northerly 44'0" feet

to the point or place of beginning,—being designated on the map as Block No. 429 Lot No. 9

(SIGN HERE) *Anthony Derrenbacher* Applicant

79 East 236th Street, Bronx

Sworn to before me, this 16th day of May 1937

Beatrice L. Plapp

NOTARY PUBLIC
Bronx Co. Ch. No. 83 Reg. No. 102521
N. Y. Ch. Ch. No. 495 Reg. No. 74-149
Commission Expires March 21, 1938

ALTERATION APPLICATION

BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN
CITY OF NEW YORK

NOTE: ALL elevations and grades for curbs and sidewalks must be obtained from the Commissioner of Public Works, Municipal Building, New York City.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE.
 "SPECIFICATIONS—SHEET A" (Form 152) must be filed with EVERY Alteration Application.
 "SPECIFICATIONS—SHEET B" (Form 158) must be filed, in addition, in case the building is to be raised
 in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION NO. 193 BLOCK 429 LOT 9

LOCATIONS E. Cor. East 2nd St & First Ave. 89-91 East 2nd St; 26-28 First Ave

DISTRICT (under building zone resolution) Use Business Height 1 1/2 Area B

Examined..... 193

Examiner.

Class "A" Multiple Dwelling
SPECIFICATIONS—SHEET A

- (1) NUMBER OF BUILDINGS TO BE ALTERED One
 Any other building on lot or permit granted for one? No
- (2) ESTIMATED COST OF ALTERATION: \$ 350.00
- (3) OCCUPANCY (in detail): Stores 1st story. Tenement House. Apartments 2nd, 3rd, 4th
 Of present building 5th & 6th Story. Class "A" Multiple Dwelling

Of building as altered Stores 1st story. Tenement House. Apartments 2nd, 3rd, 4th
5th & 6th Story. Class "A" Multiple Dwelling.

- (4) SIZE OF EXISTING BUILDING:
- | | | | | |
|------------------------|-------|------------|-------|-----------|
| At street level | 44'0" | feet front | 74'0" | feet deep |
| At typical floor level | 44'0" | feet front | 64'0" | feet deep |
| Height | Six | stories | 65'0" | feet |
- (5) SIZE OF BUILDING AS ALTERED:
- | | | | | |
|------------------------|-------|------------|-------|-----------|
| At street level | 44'0" | feet front | 74'0" | feet deep |
| At typical floor level | 44'0" | feet front | 64'0" | feet deep |
| Height | Six | stories | 65'0" | feet |
- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: Ordinary
 [Frame, Ordinary or Fireproof]
- (7) NUMBER OF OCCUPANTS: (in each story of building as altered, giving males and females separately in the case of factories):
No Change in occupancy

- (8) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED: Present store front removed
new store front of metal and glass erected flush with building line. Doors
will not project over 1'6" beyond Building Line. The present toilet parti-
tion at rear removed and new toilet partition erected in same location of
2x4" stud 16" O.C. lathed and plastered. New 2x4" stud partition 16" O.C. erected
at rear wire lathed and plastered. All as shown on plans submitted.

ORIGINAL
THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Ave.,
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall
St. George 1, S. I.

NOTICE - This Application must be TYPEWRITTEN and filed in TRIPLICATE.

- CHECK ONE BOX
- ORIGINAL INSTALLATION
- REPLACEMENT OR ALTERATION
(If work involves change of design of combustion chamber, maximum capacity, atomization, or grade of oil)
- OTHER THAN ABOVE

N.B., ALT., OR B.N. NO. _____ 19__

BLOCK 429 LOT 9 19__

LOCATION 89/91 E. 2 St. SWC First Ave.

BOROUGH Manhattan

OIL BURNING EQUIPMENT
DEPARTMENT OF BUILDINGS
1583
OCT 25 1961
CITY OF NEW YORK
BOROUGH OF MANHATTAN
 APC-5 FILED APC-48 FILED
DO NOT WRITE IN THIS SPACE

ALL ITEMS MUST BE FILLED IN EXCEPT WHERE OTHERWISE INDICATED

Maximum Input 2,220,000 BTU per hour Maximum Output 1,620,000 BTU per hour

Fee Computation FOR OIL BURNING EQUIPMENT \$ _____ TOTAL \$ _____
FOR ERECTION OR ALTERATION OF CHIMNEY \$ _____

FEE PAID SEP-25-61 251486 SL 1503 61 FIB 50.00

TO THE BOROUGH SUPERINTENDENT Date Sept. 22 1961

I hereby make application for approval of the installation described herein and certify to the accuracy of the statements given in this application and the computations, plans and detailed drawings which were prepared by me or under my supervision and that to the best of my knowledge and belief the installation if made in accordance therewith, will conform to the Administrative Code, the Rules of the Board of Standards and Appeals, and the Rules of the Board of Air Pollution Control and will not conflict with any provision of the Charter, the Multiple Dwelling Law and the Labor Law, the General City Law, the Building Zone Resolution, or any other provisions of law applicable thereto, except for the following:

HAUS & BRESIN 37-60 82nd St. One NY

[Signature]
SIGNATURE OF APPLICANT

Examined For Approval on OCT 31 1961 19__

[Signature]
EXAMINER

Approved NOV 3-1961 19__

[Signature]
BOROUGH SUPERINTENDENT

SPECIFICATIONS

Construction of building masonry

How is building occupied? mult. dwell & stores State number of families 20

Proposed work propose to install one app'd 2500 gal fo tank & one appd burner

~~XXXXXX~~

Name of Burner(s) Petro B.S. & A. Cal. No. 452-31-SA

Capacity of Tank(s) 2500 Grade of Oil 4

Will system be fully automatic? yes Name of preheater none

B.S. & A. Cal. No. _____ Will preheater conform with Rule 7.2.2? _____

Will all safety and operating controls be provided as per B.S. & A. resolution approving the burner and/or preheater? yes Name of constant level device none

Name of anti-siphon or foot valve Preferred Will tanks be inside or outside building? inside

Buried or above ground? above Will tank enclosure comply with Rule 6? yes

Any heating coils in tanks? no Will fill line comply with Rule 7.4? yes

Will vent line comply with Rule 7.3? yes

Location of shut-off valves at burner

Type of measuring device remote reading ga. Name of pump integral with burner

Will pump of burner be below top of storage tank? yes

In dwelling will automatic control be installed? yes

Will damper when closed completely cut off passage of flue gases? no

Location of remote control outside boiler room Labeled yes

Is ventilation adequate? yes Will fire protection comply with Rule 14? yes

Is installation along line of subway? no Will it conform with Rule 6.5.1? _____

Fill Box Permit No. 26777 - 1 ft from curb, noted

[Signature]
#26777 OCT 29 1961

10/31/61 - No M.D. objection. Valenti. ①

PROPOSED CONSTRUCTION WORK

Will installation include the erection or alteration of a chimney? No (YES OR NO). If answer is "yes", describe and fill in the estimated cost \$ _____ or whether work is included in approved application _____ (N.B., ALT., OR B.N.)
 No. _____ If answer is "no" statement regarding construction of existing chimney. Will the tank be buried, enclosed, or installed outside the building? No (YES OR NO). If answer is "yes", specify _____
 _____ If answer to either or both of the above questions is "yes", submit this form in quadruplicate.

STATEMENT REGARDING CONSTRUCTION OF EXISTING CHIMNEY

I hereby state that I have inspected the chimney at the premises wherein under this application I propose to install oil burning equipment and found that the chimney is in good condition and has walls of 8 brick (GIVE MATERIAL AND THICKNESS) and lining of T2C? Blue (GIVE MATERIAL)

Joseph C. Richard
 (NAME OF P.E., OR R.E., OR LICENSED INSTALLER)

Joseph C. Richard
 (SIGNATURE)
648 E. Sixth St. NYC
 (ADDRESS)

STATEMENT OF OWNER

I hereby state that I am the ^{sole} ~~part~~ owner of the premises described in this application and that the premises are occupied as mult. dw. & stores

I have authorized the applicant to file this application for the work specified herein.

If occupied as a Multiple Dwelling, also complete the following:

I hereby further state that a Central Heating Plant did (DID OR DID NOT) exist at these premises prior to July 1st, 1951.

The owner or owners of the said premises are

Milton M. Faerber,
 (NAME AND RELATIONSHIP TO PREMISES)

 (ADDRESS)

 (NAME AND RELATIONSHIP TO PREMISES)

 (ADDRESS)

 (NAME AND RELATIONSHIP TO PREMISES)

Milton M. Faerber
 (SIGNATURE OF OWNER OR OFFICER OF CORP.)

MILTON M. FAEBER

(IF A CORPORATION, GIVE NAME AND ADDRESS OF CORPORATION ON THE FIRST LINE ABOVE AND THE NAME AND ADDRESS OF TWO OFFICERS ON THE SECOND AND THIRD LINES; AND SIGNED BY AN AUTHORIZED OFFICER OF THE CORPORATION)

WORK PERMIT

I hereby state that I will make the installation described in this application and plans, if any, approved therewith and I certify that to the best of my knowledge and belief, the installation will conform to the Administrative Code, the rules of the Board of Standards and Appeals and the rules of the Department of Air Pollution Control and I have obtained Workmen's Compensation insurance as follows:

<u>General Mutual Ins. Co.</u> INSURANCE COMPANY	<u>1</u>	<u>Ko 421-K3454</u> POLICY NO.	<u>10/4/62</u> EXPIRES
<u>Radisch Bros. Inc.</u> NAME OF INSURED		<u>643 E. Sixth St. NYC</u> ADDRESS	
<u>Joseph C. Richards</u> NAME OF LICENSED INSTALLER		<u>11</u> ADDRESS OF LICENSED INSTALLER	
License No. <u>18091809</u> CLASS A OR B	<u>B B</u>	<u>5/31/62</u> EXPIRES	<u>Joseph C. Richards</u> SIGNATURE OF LICENSED INSTALLER

PERMISSION IS HEREBY GRANTED TO INSTALL OIL BURNING EQUIPMENT AS DESCRIBED IN THE FOREGOING APPLICATION.

 DATE OF ISSUANCE _____
 BOROUGH SUPERINTENDENT _____
 ISSUED BY CLERK

Falsification of any statement is an offense under Section 932-9.0 of the Administrative Code and is punishable by fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

FOR CONSTRUCTION INSPECTOR'S USE WHEN "PROPOSED CONSTRUCTION WORK" ABOVE, IS INVOLVED.

On _____ (DATE) I inspected the subject premises and found that the construction work involved in this application has been done in accordance with the approved application and plan.

Signed _____
 (CONSTRUCTION INSPECTOR)

Handwritten notes and signatures:
 WJ
 10/3/62
 10/3/62