

4134/24

12

NB

552

Office of the Borough President of the Borough of Manhattan, In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN, Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street.

552

Plan No.

APPLICATION FOR ERECTION OF BRICK BUILDINGS.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here) FRANK HAUSLE Frank Hausle

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, JUL 18 1907 190

- 1. State how many buildings to be erected one
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) South side of 7th St. 175'-0" West of Ave. A. # 120 - 7th St.
3. Will the building be erected on the front or rear of lot? rear
4. How to be occupied? Water closets for 12 families If for dwelling, state the number of families in each house.
5. Size of lot? 25'-0" feet front; 25'-0" feet rear; 90'-10" feet deep. Give diagram of same.
6. Size of building? 6'-8" feet front; 6'-8" feet rear; 16'-2" feet deep. Size of extension? feet front; feet rear; feet deep. Number of stories in height: main building? one Extension? Height from curb level to highest point: main building? 9'-0" feet. Extension? feet.
7. What is the character of the ground: rock, clay, sand, etc.? earth
8. Will the foundation be laid on earth, rock, timber or piles? earth
9. Will there be a cellar? no
10. What will be the base, stone or concrete? concrete If base stones, give size and thickness, and how laid. 12" If concrete, give thickness
11. What will be the depth of foundation walls below curb level or surface of ground? 3'-0"
12. Of what will foundation walls be built? brick laid in cement mortar
13. Give thickness of foundation walls: front, 12 inches; sides, 12 inches; rear, 12 inches; party, inches.
14. Will interior supports be brick partition walls or piers, iron columns or wooden posts? none Give size of same.
15. If piers, give thickness of cap stones or plates bond stones or plates.

16. Give base course, width and thickness _____

17. Will any part of front, side or rear wall, be supported on piers in cellar? _____

Give size: front _____ size of base course _____

rear _____ " " " _____

side _____ " " " _____

Size of cap stones _____ size of bond stones _____

18. Of what materials will the upper walls be constructed? brick

What will be thickness of upper walls, exclusive of ashlar, if any?

Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.

1st story: " _____ " _____ " 8 " _____ " 8 " _____ " _____ " _____

2d story: " _____ " _____ " _____ " _____ " _____ " _____ " _____

3d story: " _____ " _____ " _____ " _____ " _____ " _____ " _____

4th story: " _____ " _____ " _____ " _____ " _____ " _____ " _____

5th story: " _____ " _____ " _____ " _____ " _____ " _____ " _____

6th story: " _____ " _____ " _____ " _____ " _____ " _____ " _____

7th story: " _____ " _____ " _____ " _____ " _____ " _____ " _____

19. What will be the materials of the front? met. lined wood If of stone, what kind? _____ If ashlar, give thickness _____

20. Will flues be lined with pipe or have 8 inches of brick around the same? none

21. Will any wall be supported on iron or steel girders? no

Front, material _____ size _____ weight or thickness _____

Side, " _____ " _____ " _____ " _____ " _____

Rear, " _____ " _____ " _____ " _____ " _____

Interior, " _____ " _____ " _____ " _____ " _____

Will any wall be supported on iron or steel columns? _____

Front, material _____ size _____ weight or thickness _____

Side, " _____ " _____ " _____ " _____ " _____

Rear, " _____ " _____ " _____ " _____ " _____

Interior, " _____ " _____ " _____ " _____ " _____

22. Give material of girders none of columns _____

Under 1st tier, size of girders _____; size of columns _____

" 2d tier, " _____ " _____ " _____ " _____

" 3d tier, " _____ " _____ " _____ " _____

" 4th tier, " _____ " _____ " _____ " _____

" 5th tier, " _____ " _____ " _____ " _____

" Roof tier, " _____ " _____ " _____ " _____

23. Give material, size and distance on centres of floor beams.

1st tier, material Spurce; size 3" x 6"; distance on centres 16"

2d tier, " _____ " _____ " _____ " _____

3d tier, " _____ " _____ " _____ " _____

4th tier, " _____ " _____ " _____ " _____

5th tier, " _____ " _____ " _____ " _____

6th tier, " _____ " _____ " _____ " _____

7th tier, " _____ " _____ " _____ " _____

8th tier, " _____ " _____ " _____ " _____

Roof tier, " Spurce " 3" x 6" " _____ " 20"

Give thickness of headers 4" x 6" of trimmers 4" x 6"

24. Specify construction of floor filling 4" concrete deafening

25. Is the building to be fire proof? no
26. Of what material will partitions be built? Cross 1 1/4" wood boards fore and aft same
27. Give material of skylights galv. iron; size 16"x16" and 20"x36"
28. What will be the material of roofing? tin Will roof be flat, peak or mansard? flat
29. What will be the material of dumb waiter shafts? none
30. What will be the material of elevator shafts? "
31. What will be the material of the cornices? galv. iron
32. What will be the material of bay windows? none
33. What kind of fire escape will be provided? none
34. Will cellar be plastered? — How? —
35. Will access to roof be by scuttle or bulkhead? none If by bulkhead, how constructed? —
36. With what material will walls be coped? stone
37. How will building be heated? gas
38. Is there any other building erected on lot or permit granted for one? yes
 Size 25'-0" x 54'-0"; height 59'-0' feet. How occupied? Tenement
 Give distance between same and proposed building 15'-8" feet.
39. Are any buildings to be taken down? no; how many? —

need NB for this

If the Building is to be occupied as a Flat, Apartment, Tenement or Lodging House, give the following particulars:

40. Is any part of building to be used as a store or for any other business purpose? If so state for what?

	Cellar.	Base-ment.	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor	7th Floor
41. How many families will occupy each? - - -		2	2	2	2	2	2		
42. Height of ceilings? - - - - -		8'	9'	9'	9'	9'	9'		

43. How basement to be occupied? —
 How made water-tight? —
44. How will cellar stairs be enclosed? —
45. How cellar to be occupied? —
 How made water-tight? —
46. Will shafts be open or covered with louvre skylights full size of shafts? —
 Size of each shaft? —
47. Dimensions of water-closet windows? none
 Dimensions of windows for living rooms? —
48. Of what materials will hall partitions be constructed? —
49. Of what materials will hall floors be constructed? —

Old Main Building

50. How will hall ceilings and soffits of stairs be plastered?.....
51. Of what material will stairways be constructed?.....
Give sizes of stair well holes.....
52. If any other building on lot, give size: front.....; rear.....; deep.....; stories high.....; how occupied.....; on front or rear of lot.....; material.....
How much space between it and proposed building?.....
53. How will floors and sides of water closets to the height of 16 inches be made waterproof? *slate*
floor & base 6" high
54. Number and location of water closets: Cellar.....; 1st floor *6*.....; 2d floor.....; 3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....; 7th floor..... *in yard*
55. This building will safely sustain per superficial foot upon the 1st floor *65* lbs.; upon 2d floor..... lbs.; upon 3d floor..... lbs.; upon 4th floor..... lbs.; upon 5th floor..... lbs.; upon 6th floor..... lbs.; upon 7th floor..... lbs.; upon 8th floor..... lbs.
56. What is the estimated cost of each building, exclusive of lot? \$ *900 ⁰⁰/₁₀₀*
57. What is the estimated cost of all the buildings, exclusive of lots? \$.....

Owner, *Charles C. Schaefer* Address, *120 - 7th St.*

Architect, **FRANK HAUSLE** " *81 EAST 125TH ST.*

Superintendent, *Owner* "

Mason,

Carpenter,

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN,..... 190

The undersigned gives notice that..... intend to use the..... wall of building
.....
as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall..... built of..... inches thick,..... feet below curb; the upper wall..... built of..... inches thick,..... feet deep,..... feet in height.

(Sign here).....

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 434
L 24

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. _____

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Frank Hausle.
FRANK HAUSLE

Main Building

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, DEC 23 1910 191

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) South side of 7th Street
175'-0" West of Ave. A.
120 - 7th St.
- How was the building occupied? Tenement
How is the building to be occupied? same
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 25'-0" feet front; 25'-0" feet rear; 90'-10" feet deep.
- Size of building which it is proposed to alter or repair? 25'-0" feet front; 25'-0" feet rear; 54'-0" feet deep. Number of stories in height? 5 + basement Height from curb level to highest point? 59'-0"
- Depth of foundation walls below curb level? 8'-0" Material of foundation walls? Stone Thickness of foundation walls? front 24 inches; rear 24 inches; side _____ inches; party 24 inches.
- Material of upper walls? brick If ashlar, give kind and thickness _____
- Thickness of upper walls :
Basement: front 16 inches; rear 16 inches; side - inches party 16 inches.
1st story: " 16 " " 16 " " " - " " 16 "
2d story: " 12 " " 12 " " " - " " 12 "
3d story: " 12 " " 12 " " " - " " 12 "
4th story: " 12 " " 12 " " " - " " 12 "
5th story: " 12 " " 12 " " " - " " 12 "
6th story: " _____ " " _____ " " _____ " " _____ "
- Is roof flat, peak or mansard? flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. *Window openings 14" x 38" for new water closet compartments to be cut into center pier of rear wall on 2, 3, 4 & 5th story as indicated on plan. Cast iron box frame 3/4" metal and the full width of wall to be provided for said openings.*

If altered internally, give definite particulars, and state how the building will be occupied :

48. *New water closet compartments to be provided for 2, 3, 4 & 5th story, located at the center rear of building, and to be constructed with regular stud partitions, plastered on both sides from floor to ceiling, as indicated on plan. Dividing stud partition at rear, between the two apartments to be removed for new water closets. Building to remain as Tenement.*

49. How much will the alteration cost? *\$ 600 ⁰⁰/₁₀₀*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

Front part of Basement is used as small stores.

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	2	2	2	2	2	2	
52. Height of ceilings?	-	8'	10'	8'-6"	8'-6"	8'-6"	8'-6"	

53. *How basement to be occupied? for living purpose & stores.*

How made water-tight? *OLD*

54. Will cellar or basement ceiling be plastered? *OLD* How?

55. How will cellar stairs be enclosed? *OLD*

56. How will cellar be occupied? *coal cellar*

How made water-tight? *OLD*

57. Will shafts be opened or covered with louvre skylights full size of shafts? *none*

Size of each shaft?

58. Dimensions of water closet windows? 12" x 36" betw. stop beads
 Dimensions of windows for living rooms? _____
59. Of what materials will hall partitions be constructed? _____
60. Of what materials will hall floors be constructed? _____
61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
 Give sizes of stair well holes? _____
63. If any other building on lot, give size; front none; rear _____; deep _____;
 stories high _____; how occupied _____; on front or rear
 of lot _____; material _____.
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____
tile floor & marble base 6" high, 4" concrete deafening
65. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor 1;
 3d floor 1; 4th floor 1; 5th floor 1; 6th floor _____;
66. This building will safely sustain per superficial foot upon the 1st floor 65 lbs.; upon 2d floor
65 lbs.; upon 3d floor 65 lbs.; upon 4th floor 65 lbs.; upon 5th floor
65 lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
 _____ lbs.
67. Is architect to supervise the alteration of the building or buildings mentioned herein? _____
 Name _____
 Address _____
68. If not the architect, who is to superintend the alteration of the building or buildings described herein?
 Name Charles C. Schaefer
 Address 120-7 St.

Owner, Charles C. Schaefer Address, 120-7th Street

Architect, FRANK HAUSLE " 81 EAST 125TH ST.

Mason, _____ " _____

Carpenter _____ " _____

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.
 "SPECIFICATIONS—SHEET A" (Form 152) must be filed with EVERY Alteration Application.
 "SPECIFICATIONS—SHEET B" (Form 158) must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. 622 **192 9** BLOCK 434 LOT 24

LOCATION 120 East 7th Street

DISTRICT (under building zone resolution) Use Business Height 11-1/2 Area B

Examined [Signature] 192 [Signature] Examiner.

SPECIFICATIONS—SHEET A

(1) NUMBER OF BUILDINGS TO BE ALTERED one
 Any other building on lot or permit granted for one? no

(2) ESTIMATED COST OF ALTERATION: \$ 500.

(3) OCCUPANCY (in detail):
 Of present building

Stores and tenement

Of building as altered

Stores and tenement

(4) SIZE OF EXISTING BUILDING:
 At street level 25'3" feet front 54 feet deep
 At typical floor level 25'3" feet front 54 feet deep
 Height Base't & 5 stories 55 feet

(5) SIZE OF BUILDING AS ALTERED:
 At street level 25'3" feet front 54 feet deep
 At typical floor level 25'3" feet front 54 feet deep
 Height Base't. & 5 stories 55 feet

(6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING:
Ordinary [Frame, Ordinary or Fireproof]

(7) NUMBER OF OCCUPANTS (in each story of building as altered, giving males and females separately in the case of factories):

No change in occupancy

(8) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Studpartitions in rear part of basement and 1st story to be removed as shown, new studpartitions to be erected on these two floors to form new water closet compartments etc. as per plans.
New windows to be built into rear wall of basement and 1st story to new water closet compartments.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

BUREAU OF BUILDINGS
 OF THE CITY OF NEW YORK
 1929
 OF THE BOROUGH
 OF MANHATTAN

[Handwritten signature]

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen on Cloth.

ALT. APPLICATION No. 622 192 9

LOCATION No. 120 East 7th Street BLOCK 434 LOT 24

New York City, March 28, 1929 192

To THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York, and with the provisions of all other laws and rules relating to the alteration of said building in effect at this date.

Work under this approval will not be commenced until a permit has been secured, application for which will be filed with the Superintendent of Buildings, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law.

EXAMINED AND RECOMMENDED FOR APPROVAL ON Apr 28, 1929 192

[Signature]
 Examiner

APPROVED 1929

[Signature]
 Superintendent of Buildings, Borough of Manhattan.

STATE, COUNTY AND }
 CITY OF NEW YORK } ss.: Frank Straub
 Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 147 Fourth Avenue
 , in the Borough of Manhattan
 in the City of New York , in the County of New York
 in the State of New York , that he is the Architect for the
 Estate of Chas. C. Schafer, who are the Owners

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 120 East 7th Street and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work

(if any) proposed to be done upon the same premises and specified in separate applications filed herewith, and all subsequent amendments thereto—is duly authorized by the ~~XXXX~~ Estate of ~~Chas. C. Schafer~~ ^{Chas. C. Schafer} and that Frank Straub is duly authorized by the aforesaid Owners to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in their behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner Estate of Chas. C. Schafer 10427 - 120th Street, Richmond Hill, Long Island.

Administrator of Estate, Chas. C. Schafer 10427 - 120th Street, Richmond Hill, L.I.

Lessee

Architect Frank Straub 147 Fourth Avenue

Superintendent Owners

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGIN-

NING at a point on the south side of East 7th Street distant 147'9" feet west from the corner formed by the intersection of Avenue A and East 7th Street running thence west 25'3" feet; thence south 90'10" feet; thence east 25'3" feet; thence north 90'10" feet

to the point or place of beginning,—being designated on the map as Block No. 434 Lot No. 24

(SIGN HERE) *Frank Straub* Applicant

Sworn to before me, this *29* day of *March* 192*9* } Dimensions and Lot and Block numbers agree with Land Map.

[Signature]

Date *66 15-19 30* Tax Dept. (Title)

ALTERATION APPLICATION

BUREAU OF BUILDINGS BOROUGH OF MANHATTAN CITY OF NEW YORK

NOTE: ALL elevations and grades for curbs and sidewalks must be obtained from the Commissioner of Public Works, Municipal Building, New York City

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.

QUEENS
21-10 49th Avenue
L. I. City

RICHMOND
Boro Hall,
St. George, S. I.

received SEP 3 1938

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.

CITY OF NEW YORK
DEPARTMENT OF HOUSING AND BUILDINGS
BOROUGH OF MANHATTAN

ALTERED BUILDINGS

APPLICATION No. 2724 19 BLOCK 434 LOT 24

PERMIT No. 19 SEC. VOL.

LOCATION No. 120 East 7th Street South side of Street 174'-9" West of Ave A.

DISTRICT (Under building zone resolution) USE Business HEIGHT 1 1/2 AREA B

EXAMINED AND RECOMMENDED

FOR APPROVAL ON 19 _____ Examiner

APPROVED 19 _____ Borough Superintendent

SPECIFICATIONS

- (1) NUMBER OF BUILDINGS TO BE ALTERED One
Any other building on lot or permit granted for one? NO
Is building on front or rear of lot? Front
- (2) ESTIMATED COST OF ALTERATION: \$4000.00
- (3) OCCUPANCY (in detail): Class A. ~~old~~ Multiple Dwelling. OLD LAW TENEMENT

STORY (include Cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
Cellar			Storage							Storage
Base.	2	2	Store, Living Rms.				2	2	2	Stores, Living Rms.
1st	2	8	Living Rooms				2	8	2	Living Rooms.
2nd	2	8	" "				2	8	2	" "
3rd	"	"	" "				"	"	"	" "
4th	"	"	" "				"	"	"	" "
5th	"	"	" "				"	"	"	" "

If building is to be occupied other than dwelling with ordinary store on the first floor, give permit number under which it was erected or legally converted.

(4) SIZE OF EXISTING BUILDING:
At typical floor level 25'-3" feet front 54 feet deep
At street level 25'-3" feet front 54 feet deep
Height 5 and Base. stories 53'-9" feet

(5) SIZE OF BUILDING AS ALTERED:
At street level 25'-3" feet front 54 feet deep
At typical floor level 25'-3" feet front 54 feet deep
Height 5 and Base. stories 53'-9" feet

(6) CHARACTER OF PRESENT BUILDING:
Non-fireproof—Non-fireproof
Fire-Protected—Metal
Heavy Timber—

(7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED: and 1st St.

It is proposed to remove the front wall on Basement and replace with new brick wall and new steel girders. Remove bulkhead on roof and replace with new fire retarded bulkhead. Remove present wood stairs from basement to roof and replace with new steel stairs. Fire retard halls from basement to roof with metal lath and 1" cement plaster. New one hour fire test doors at all door openings. Remove stud partitions and erect new stud partitions lathed and plastered.

If the building is to be raised in height or if the occupancy is changed so that the floor loads will be increased, the following information must be given as to the EXISTING BUILDING and the thickness of existing walls and size of footings must be clearly shown on the plans.

(8) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(9) FOOTINGS: Material

(10) FOUNDATION WALLS: Material

(11) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(12) PARTY WALLS: Any to be used?

Thickness of Walls

If building is to be enlarged or extended, the following information as to NEW WORK must be given:

(13) NATURE OF SOIL UPON WHICH FOOTINGS WILL REST IN TERMS OF SECTION 7.5.2, BUILDING CODE:

(14) FOOTINGS: Material

(15) FOUNDATION WALLS: Material

(16) UPPER WALLS: Material

Kind of Mortar

Any Ashlar

Thickness of Walls

(17) PARTY WALLS: Any to be used?

Thickness of Walls

(18) FIREPROOFING: Material and Thickness

For Columns

For Girders

For Beams

(19) INTERIOR FINISH: Material

Floor Surface

Trim, Sash, Doors, etc.

Plaster

(20) OUTSIDE WINDOW FRAMES AND SASH: Material

(21) ANY ELECTRICAL WORK TO BE DONE?

Work commenced.....Date signed off.....19.....

I hereby Certify that the work indicated has been done in the manner required by the Rules and Regulations of this Department, except where reported adversely.

Signed.....
Inspector