

Original

3/18 15

PLAN No. 378

**B
L**

**434
37**

I hereby make application to alter as per subjoined

Detailed Statement of Specification for Alterations, Additions, or Repairs to Buildings already Erected,

and herewith submit a full set of Plans and Drawings of proposed Alterations.

1

1. State how many buildings to be altered, One
2. What is the Street or Avenue and the number thereof, No 441 - 6th St
3. How much will the alteration cost, \$ 350.

PRESENT BUILDING.

Give the following information as to the present building:

1. Size of lot on which it is located, No. feet front, 25 feet rear, 25; feet deep, 96
2. Size of building, No. of feet front, 25; feet rear, 25; feet deep, 54; No. of stories in height, 5; No of feet in height, from curb level to highest point, _____
3. Material of Building, brick; Material of front, brick
4. Whether roof is peak, flat or mansard, flat.
5. Depth of foundation walls, _____ feet; thickness of foundation walls, _____; materials of foundation walls, Stone
6. Thickness of upper walls, _____ inches. Material of upper walls, brick
7. Whether independent or party-walls, _____
8. How the building is occupied, Store and Tenement

HOW TO BE ALTERED.

IF RAISED OR BUILT UPON,

Give the following information.

1. How many stories will the building be when raised, _____
2. How many feet high will the building be when raised, _____
3. Will the roof be flat, peak, or mansard, _____
4. What will be the thickness of wall of additional stories; _____ story, _____ inches; _____ story, _____ inches.
5. Give size and material of floor beams of additional stories; _____ story, _____, _____ x _____, _____ story, _____, _____ x _____. Distance from centres on _____ tier, _____ inches; _____ tier, _____ inches.
6. How will the building be occupied, _____

IF EXTENDED ON ANY SIDE,

Give the following information:

1. Size of extension, No. feet front, _____; feet rear, _____; feet deep, _____; No. of stories in height, _____, No. of feet in height, _____.
2. What will be the material of foundation walls of extension, _____. What will be the depth, _____ feet. What will be the thickness, _____ inches.
3. Will foundation be laid on earth, rock, timber or piles, _____

IF EXTENDED ON ANY SIDE,

Give the following information :

4. What will be the base—stone or concrete, _____; if base stones, give size, and how laid
_____ if concrete, give thickness, _____
5. What will be the sizes of piers, _____
6. What will be the sizes of the base of piers, _____
7. What will be the thickness of upper walls in 1st story, _____ inches; 2d story _____ inches;
3d story, _____ inches; from thence to top _____ inches; and of what materials to be
constructed, _____
8. Whether independent or party-walls; if party-walls give thickness thereof, _____ inches
9. With what material will walls be coped, _____
10. What will be the materials of front, _____; if of stone, what kind, _____
Give thickness of front ashlar, _____, and thickness of backing thereof, _____
11. Will the roof be flat, peak, or mansard, _____
12. What will be the materials of roofing, _____
13. Give size and material of floorbeams, 1st tier, _____, _____ x _____; 2d tier,
_____ x _____; 3d tier, _____, _____ x _____; 4th tier, _____, _____ x _____; 5th tier,
_____, _____ x _____; 6th tier, _____, _____ x _____; roof tier
_____ x _____. State distance from centres on 1st tier, _____ inches; 2d tier _____ inches; 3d tier,
_____ inches; 4th tier, _____ inches; 5th tier, _____ inches; 6th tier, _____ inches;
roof tier, _____ inches.
14. If floors are to be supported by columns and girders, give the following information: Size and material
of girders under 1st floor, _____, _____ x _____ under upper floors, _____
_____ Size and material of columns under 1st floor,
_____ under upper floors, _____
15. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels. give
definite particulars, _____

16. If girders are to be supported by brick piers and columns, state the size of piers and columns.

17. How will the extension be connected with present or main building. _____

18. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy
each floor, _____

IF ALTERED INTERNALLY,

Give definite particulars and state how the building will be occupied; and if for a dwelling, state by
how many families.

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE
TO BE TAKEN OUT AND REBUILT,

Give definite particulars, and state in what manner.

It is proposed to put in new plate
glass show windows in store front and
in place of present windows - also new
doors - show windows to project 17" from
face of wall and to extend to within 18" of
from side wall - No walls or supports changed -

TENEMENT HOUSE DEPARTMENT

OF

THE CITY OF NEW YORK.

MANHATTAN OFFICE,
44 EAST 23D ST.,
W. Cor. 4th Ave.

BRONX OFFICE,
Nos. 2806-8 THIRD AVENUE,
Near 148th St.

BROOKLYN OFFICE,
No. 44 COURT STREET,
Cor. Joralemon St.

MAN No. SLIP ALT. 5172 190 . FILED 1905

APPLICATION FOR SLIGHT ALTERATIONS AND REPAIRS.

APPLICATION is hereby made to the Tenement House Commissioner of The City of New York for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration of the tenement house herein described. The applicant agrees to comply with all provisions of law and ordinances in the alteration of said building, whether specified herein or not.

(Sign here) Oswin Stühmer
Address # 329 East 10th St.

Applications must be filed in triplicate and such plans and sections in duplicate as may be required to clearly indicate the proposed alteration. After approval by the Tenement House Department one set of drawings and a certificate of approval will be at once forwarded to the Bureau of Buildings by the Department.

All amendments to plans and applications must be made on a separate blank provided for that purpose and where changes materially affecting the original application are proposed separate drawings showing such changes must be filed.

Borough of Manhattan Date Sept. 26 1905

1. No. of tenement houses to be altered one
2. Location 441 East Sixth St.
3. Owner M^{rs} Stein Address # 34 Ave A
4. Architect Oswin Stühmer Address 329 East 10th St
5. Estimated cost of alterations or repairs \$7000
6. Size of each lot? 25-0 front; 90-10 1/2 deep.
7. Size of each building? 25-0 front; 50-2" deep.
8. Material of building? brick
9. Is the building that is to be altered on the front or rear of the lot? front
10. How occupied at present? tenement No. of families? 8
 Basement — 1st Fl. store 2d Fl. 2 3d Fl. 2 4th Fl. 2
 5th Fl. 2 6th Fl. —
11. How occupied after alterations are completed? tenement No. of families? 8
 Basement — 1st Fl. store 2d Fl. 2 3d Fl. 2 4th Fl. 2
 5th Fl. 2 6th Fl. —
12. Is there a basement? no Is there a cellar? yes
13. Number of stories above cellar or basement? five Height of cellar or basement ceiling below above curb? 3"
14. How will the floor and base of w. c. compartment be made watertight? Specify the material slate
floor and base
15. How will w. c. compartments be lighted at night? Gas & glass panel doors
16. Will there be a roof tank? will be provided if found necessary Give capacity —

17. Will the building or any part thereof, or any part of the premises, be occupied during the progress the proposed alteration? yes

If the building is to be occupied during alterations give the following information:

A. Will the front, rear, or side walls or any portion thereof be removed? yes

State in detail in what manner and for what purpose. N.C. windows 1'-4" x 3'-6" to be cut into side wall.

B. Will a proper and sufficient means of egress from the building to street, to yard, and to fire escape be maintained at all times during the progress of the alteration? yes

C. Are the fire escape balconies, stairs or ladders, or any portion of same to be altered or removed? G details no.

D. Will the entrance hall, stairs, stair halls, public halls or access to roof be altered? no.
State in what respects _____

E. Are the general water closet accommodations to be altered? State in what respects. N.C. to be removed from yard & put in halls as shown on plans

F. Will the occupants of the building be fully provided with proper water closet accommodations during the progress of the alterations? yes

G. Will there be an adequate and sufficient supply of water on all floors at all hours of the day and night? yes.

H. Will there be a light kept burning in the public hallway near the stairs upon the entrance story, and upon the second story above the entrance story from sunset to sunrise? State character of light yes. Gas.

No alterations or repairs except the following are proposed to be made to the said tenement house:—

N.C. compartments to be removed from yard & ~~to be~~ disinfected. N.C. to be placed in 2'-6" x 3'-8" compartment on each upper floor with slate floor and base glass panel doors. Toilet room in rear of store with N.C. & Urinal slate slabs all urinal windows to rear yard 1'-0" x 4'-0". A new line of plumbing for front & rear apartment with sink & flush tanks in each. Present sinks & pipes in front & rear to be removed. Windows 2'-0" x 5'-0" double hung pane between front room & rear room & 2 westerly bedrooms. Door openings to 2 easterly bedrooms (1 front 1 rear apartment) to be enlarged to 5'-0" to be clear opening. Windows for N.C. compartments to face large open yard of adjoining property.

Signature of Applicant Oswin Stühmer

Address 329 E. 10th St.

State and City of New York, }
County of N.Y. } ss.:

Oswin Stühmer

being duly sworn, deposes and says that no alterations or repairs except those above set forth will be made to the tenement house herein described and that all provisions of law applicable thereto will be complied with in the alteration or repair of the said tenement house, whether specified herein or not.

Sworn to before me this 26th day of Sept. 190 5

Oswin Stühmer
[Signature]

TENEMENT HOUSE DEPARTMENT

OF
THE CITY OF NEW YORK.

MANHATTAN OFFICE.
No. 61 IRVING PLACE,
S. W. Cor. 18th St.

BRONX OFFICE.
2806-S THIRD AVENUE,
Near 148th St.

BROOKLYN OFFICE.
No. 44 COURT STREET,
Cor. Joralemon St.

Borough of Manhattan.

NEW YORK, May 18, 1903. 6

Amendment to Plans and Application No. 3172 (Alt) 1903. 5

Location 441 East 6th Street.

Amendment to remove partitions and reset kitchen doors where shown; connect rear line of washtub and sinks with W. C. line as shown on new upper floor plan filed herewith.

Respectfully submitted.

Oswin Stühmer
329 E. 10th St.

*Received
John A. Lee*

May 21 6.

May 18 6

J. J. Bourke

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 434
L 37

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 3509

RECEIVED DEC - 5 1905
FOR THE BOROUGH OF MANHATTAN

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Oswin Stuhmer

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, Dec 4 1905

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 441 East Sixth St. north side distant 100'-0" from Cur A.
- How was the building occupied? Tenement
How is the building to be occupied? Tenement
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? none Size _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 25 feet front; 25 feet rear; 90-10 feet deep.
- Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 50'-2" feet deep. Number of stories in height? 5 Height from curb level to highest point? 49'-6"
- Depth of foundation walls below curb level? 10ft Material of foundation walls? brick (stone front) Thickness of foundation walls? front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
- Material of upper walls? brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front _____ inches; rear 16 inches; side 10 inches; party 16 inches.
1st story: " 12 " " 12 " " 12 " " 12 "
2d story: " 12 " " 12 " " 12 " " 12 "
3d story: " 12 " " 12 " " 12 " " 12 "
4th story: " 12 " " 12 " " 12 " " 12 "
5th story: " 12 " " 12 " " 12 " " 12 "
6th story: " _____ " " _____ " " _____ " " _____ "
- Is roof flat, peak or mansard? flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. W.C. windows to be cut into easterly side wall

If altered Internally, give definite particulars, and state how the building will be occupied :

48. Partition around kitchen closet to be removed & new ones to be put up to form 2' x 3' W.C. compartment. ^{one each upper floor.} Door openings to one front & 1 rear bedroom to be enlarged & 3'-0" x 5'-0" windows cut in partition to one front & 1 rear bedroom on upper floor. New partition at rear of ground floor for new W.C. & Urinal compartment.

49. How much will the alteration cost? about \$ 2000⁰⁰

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

Ground floor used as store

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-	-	2	2	2	2	
52. Height of ceilings?	6-6	-	9-8	9-0	8-10	8-0	8-0	

53. How basement to be occupied? is none

How made water-tight?

54. Will cellar or basement ceiling be plastered? yes How? lath & plaster

55. How will cellar stairs be enclosed? present stairs remain

56. How cellar to be occupied? wood cellar & storerooms

How made water-tight? cement floor

57. Will shafts be open or covered with louvre skylights full size of shafts?

Size of each shaft?

set windows? 1'-6" x 3'-6" & U1

... for living rooms? 3'-4" x 5'-2" 3'-4" x 5'-4"

59. Of what materials will hall partitions be constructed? 2x4 studs lath & plastered

60. Of what materials will hall floors be constructed? no new floors - present wood floors remain

61. How will hall ceilings and soffits of stairs be plastered? lath & plaster

62. Of what material will stairways be constructed? present stairs
Give sizes of stair well holes?

63. If any other building on lot, give size; front.....; rear.....; deep.....; stories high.....; how occupied.....; on front or rear of lot.....; material.....

How much space between it and proposed building?

64. How will floors and sides of water closets to the height of 16 inches be made waterproof? slate floor & base

65. Number and location of water closets: Cellar.....; 1st floor.....; 2d floor.....; 3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....

66. This building will safely sustain per superficial foot upon the first floor 100 lbs.; upon 2d floor 100 lbs.; upon 3d floor 100 lbs.; upon 4th floor 100 lbs.; upon 5th floor 100 lbs.; upon 6th floor..... lbs.; upon 7th floor..... lbs.; upon 8th floor..... lbs.

Owner, Wm Stein Address, # 36 Ave W.

Architect, Oswin Stulmer " 329 East 10th St.

Superintendent, Arch. "

Mason, not selected "

Carpenter, not selected "

Borough President of the Borough

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

The City of New York, Feb. 6, 1906 190

Amendment to Application No. 3509

O. B. 1905

Location No. 441 East 6th Street.

- 1.- Rear wall has been repaired and Owner has received a dismissal of said ~~viol~~ from Building Department.

Cornell Stuker

*to construction
Delv. 8th Dec.
J. P. Roth.*

2/9 6

*OK Feb 8-1906
R. M. U.*

Edu. Murphy

2/9/06

of the Borough President of

Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

The City of New York, May 26, 1906. 190

Amendment to Application No. 3509 Alt. B, 190 5.

Location 441 E. 6th St .

#1 Amendment to remove kitchen partition and reset same as shown on new plans of upper floors also reset sinks and wash tubs as shown.



Respectfully submitted,
Oswin Stihmer
329 E. 10th St.

I have thoroughly examined the within specifications and also the drawings relating thereto and find the same...

*...conform to the laws as to construction
dated May 28, 1906
J. Roth.*

*OK May 26 - 1906
R. Wall*

S29 6

JAC

of 4 / 1906



DEPARTMENT OF BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.,
Bronx

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall,
St. George, S. I.

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPPLICATE

AMENDMENT

DEPARTMENT OF BUILDINGS
CITY OF NEW YORK
JUL - 2 1937

PERMIT No. _____ 1937

Alteration APPLICATION No. 1349
(N.B., ALT., ELEV., ETC.)

1937

OF THE BOROUGH
OF MANHATTAN

LOCATION 441 E. 6th Street

BLOCK _____ LOT _____

WARD _____ VOL. _____

New York City June 28, 1937

To THE COMMISSIONER OF BUILDINGS:

JUL - 2 1937

Application is hereby made for approval of the following **AMENDMENT** to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

(Signed) _____

Applicant

Replace wood stairs 1st to 5th floors by iron. Same size as present stairs.

NOTE—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears. Only those items that appear above the endorsements at the bottom of the page can be considered.

EXAMINED AND RECOMMENDED
FOR APPROVAL ON

July 8

1937

Examiner

APPROVED _____ 1937

Commissioner of Buildings, Borough of

DEPARTMENT OF BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.
Bronx

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPLICATE

AMENDMENT

PERMIT No. _____ 193

Alteration _____ APPLICATION No. 1349 193
(N.B., ALT., ELBV., ETC.)

LOCATION 441 E. 6th Street

DEPARTMENT OF BUILDINGS
OF THE CITY NEW YORK
MAY 19 1937
FOR THE BOROUGH
OF MANHATTAN
WARD _____

New York City May 19, 1937

To THE COMMISSIONER OF BUILDINGS:

Application is hereby made for approval of the following **AMENDMENT** to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

(Signed)

[Handwritten Signature]
Applicant

- 1 - Stairway and public halls will be fire-retarded as per Sec. 238 M.D.L. under violation order.
- 2- Present stairway leads to roof.
- 3 - Store ceiling covered with metal on present plaster. Cellar ceiling will be fire-retarded as per Multiple Dwelling Law.

NOTE—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears. Only those items that appear above the endorsements at the bottom of the page can be considered.

EXAMINED AND RECOMMENDED
FOR APPROVAL ON _____

May 28 1937 *[Handwritten Signature]*
Examiner

APPROVED _____ 193

Commissioner of Buildings, Borough of

[Handwritten Signature]

BOROUGH OF Manhattan, CITY OF NEW YORK

DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.
Bronx

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.

Use for Specifications of "ALTERED" Buildings

ALTERED BUILDINGS

PERMIT No. 19

BLOCK No. 434

LOT No. 37

APPLICATION No. 19

WARD No.

VOL. No.

LOCATION 441 East 6th Street

DISTRICT (under building zone resolution) USE Business HEIGHT 13 AREA B

SPECIFICATIONS

(1) NUMBER OF BUILDINGS TO BE ALTERED One
Any other building on lot or permit granted for one? NO
Is building on front or rear of lot? Front

(2) ESTIMATED COST OF ALTERATION: \$ 3500.00

(3) OCCUPANCY (in detail): Store & Tenement, Multiple Dwelling Class A

STORY (include cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION				
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS	APTS.	ROOMS	USE
Cellar	0	0	Storage	No	change			Storage
1st Fl.	0	0	Store	No	change			Store
2nd Fl.	2	8	2 Fam.			2	7	2 Fam.
3rd Fl.	2	8	2 Fam.			2	7	2 Fam.
4th Fl.	2	8	2 Fam.			2	7	2 Fam.
5th Fl.	2	8	2 Fam.			2	7	2 Fam.

If building is to be occupied other than dwelling with ordinary store on the first floor, give permit number under which it was erected or legally converted.

(4) SIZE OF EXISTING BUILDING:
At street level 25 feet front 50 feet deep
At typical floor level 25 feet front 50 feet deep
Height 5 stories 55 feet

(5) SIZE OF BUILDING AS ALTERED: Same feet front Same feet deep
At street level Same feet front Same feet deep
At typical floor level Same feet front Same feet deep
Height Same stories Same feet

(6) CHARACTER OF PRESENT BUILDING:
Frame—
Non-fireproof— Yes
Fireproof—

DEPARTMENT OF BUILDINGS

BOROUGH OF Man., CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.,
Bronx

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT TO BUILD

PERMIT No. 2606 193⁷ } Application No. 1349 193⁷
N.B. }
ALT. }
P. & D. }
ELEV. }
D.W. }
SIGN }

LOCATION 441 East 6th. St BLOCK 434 LOT 37
WARD.....VOL.....

New York City July 12, 1937 193⁷

To the Commissioner of Buildings:

Application is hereby made for a PERMIT to perform the iron stairs work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows: applicant and partner doing work

STATE, COUNTY AND } ss: Joseph Fagen for Sam Yanofsky and Joseph Fagen
CITY OF NEW YORK } Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 351 So. 3rd. St in the Borough of Bklyn in the City of N.Y, in the County of Kings in the State of N.Y, that he is one of the contractors for owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Man., City of New York aforesaid, and known and designated as Number 441 E. 6th. St

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Sixth Street Investing Co. Inc. (Name of Owner or Lessee)

and that Sam Yanofsky and Joseph Fagen is duly authorized by the aforesaid owner to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) Joseph Fagen
Sworn to before me, this 12 day of July 193⁷ one of the contractors.
Joseph Fagen

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the iron stairs. work described in the above numbered application and the accompanying plans. JUL 12 1937

EXAMINED AND RECOMMENDED FOR APPROVAL ON JUL 12 1937, 193⁷
John T. McKeade
Examiner

Approved.....193⁷
Commissioner of Buildings, Borough of Man

(9)

DEPARTMENT OF BUILDINGS

BOROUGH OF

, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.
Brooklyn

BRONX
Bronx County Bldg.,
Grand Concourse & E. 161st St.,
Bronx

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT TO BUILD

PERMIT No. 2107 1937 Application No. 1349 1937

LOCATION 441 East 6th St. BLOCK 434 LOT 37

WARD VOL

New York City June 12 1937

To the Commissioner of Buildings:

Application is hereby made for a PERMIT to perform the plastering, lathing and tiling work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows: State Insurance Fund Y 136476 exp. 4/8/38

STATE, COUNTY AND CITY OF NEW YORK ss. Emanuel Garden for Garden Contracting Co. Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 261/63 W. 27th St. in the Borough of Manhattan in the City of N.Y., in the County of N.Y. in the State of N.Y., that he is contractor for the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 441 East 6th St.

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Sixth St. Investing Corp. (Name of Owner or Lessee)

and that Garden Contracting Co. is duly authorized by the aforesaid owner to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) Sworn to before me, this 12th day of June 1937. Leonard E. Golditch Commissioner of Deeds City of New York

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the plastering, lathing and tiling work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON 1937

Approved 1937 Commissioner of Buildings, Borough of Manhattan