

6

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan, In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN, Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street.

Plan No. 548

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, Feb. 20 1905

434/40

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- 1. State how many buildings to be altered One
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) # 435 E. 6th St.
3. How was the building occupied? Tenement
4. Is the building on front or rear of lot? Front
5. Size of lot? 25'0" feet front; 25'0" feet rear; 91'0" feet deep.
6. Size of building which it is proposed to alter or repair? 20'0" feet front; 25'0" feet rear; 50'0" feet deep.
7. Depth of foundation walls below curb level? 10'0"
8. Material of upper walls? Brick
9. Thickness of upper walls: Basement: front 12 inches; rear 12 inches; side 12 inches; party 12 inches.
10. Is roof flat, peak or mansard? Flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. I propose to erect new stud partitions to be plastered three coats, as shown on plans for new closet compartment. Cut new openings for closet compartments windows on all stories as shown on plans, & set into openings wooden window frames, to be 10" x 3'0" bit. stop brads, to be full thickness of walls, & to be built solid into same.
- Should present pierce become defective during construction of work, same will then be rebuilt in cement.

If altered Internally, give definite particulars, and state how the building will be occupied :

48. \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_  
 \_\_\_\_\_

49. How much will the alteration cost? \$1,771.

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what ?
- \_\_\_\_\_

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each ?	-	-						
52. Height of ceilings?	-	-						

53. How basement to be occupied ? \_\_\_\_\_  
 How made water-tight ? \_\_\_\_\_
54. Will cellar or basement ceiling be plastered ? \_\_\_\_\_ How ? \_\_\_\_\_
55. How will cellar stairs be enclosed ? \_\_\_\_\_
56. How cellar to be occupied ? \_\_\_\_\_  
 How made water-tight ? \_\_\_\_\_
57. Will shafts be open or covered with louvre skylights full size of shafts ? \_\_\_\_\_  
 \_\_\_\_\_  
 Size of each shaft ? \_\_\_\_\_

58. Dimensions of water-closet windows? .....
- Dimensions of windows for living rooms? .....
59. Of what materials will hall partitions be constructed? .....
- .....
60. Of what materials will hall floors be constructed? .....
- .....
61. How will hall ceilings and soffits of stairs be plastered? .....
62. Of what material will stairways be constructed? .....
- Give sizes of stair well holes? .....
63. If any other building on lot, give size; front.....; rear.....; deep.....; stories high.....; how occupied.....; on front or rear of lot.....; material.....
- How much space between it and proposed building? .....
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? .....
- .....
65. Number and location of water closets: Cellar.....; 1st floor.....; 2d floor.....; 3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....
66. This building will safely sustain per superficial foot upon the first floor..... lbs.; upon 2d floor..... lbs.; upon 3d floor..... lbs.; upon 4th floor..... lbs.; upon 5th floor..... lbs.; upon 6th floor..... lbs.; upon 7th floor..... lbs.; upon 8th floor..... lbs.

Owner, Mrs Anna Michel Address, # 56 260ton Ave, New Rochelle, N.Y.

Architect, Henry Regelman " # 133 7<sup>th</sup> St.

Superintendent, \_\_\_\_\_ " \_\_\_\_\_

Mason, \_\_\_\_\_ " \_\_\_\_\_

Carpenter, \_\_\_\_\_ " \_\_\_\_\_

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 434  
L 40

Office of the Borough President of the Borough of Manhattan,  
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,  
Office, No. 220 FOURTH AVENUE,  
S. W. Corner 18th Street.

Lot # 24  
Block 1936

Plan No. \_\_\_\_\_

### APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Harrison & Sackheim

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, April 10 1911

### LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered One
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 435 East 6th St.  
N. S. 200' W. Ave A.
- How was the building occupied? Perement and stone  
How is the building to be occupied? same
- Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? no Size \_\_\_\_\_ x \_\_\_\_\_; height \_\_\_\_\_ How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
- Size of lot? 25 feet front; 25 feet rear; 98 feet deep.
- Size of building which it is proposed to alter or repair? 25 feet front; 25 feet rear; 49 feet deep. Number of stories in height? 5 Height from curb level to highest point? 56'
- Depth of foundation walls below curb level? 10' Material of foundation walls? Stone & brick Thickness of foundation walls? front 24 inches; rear 24 inches; side 24 inches; party 24 inches.
- Material of upper walls? Brick If ashlar, give kind and thickness \_\_\_\_\_
- Thickness of upper walls:  
Basement: front 20 inches; rear 20 inches; side 20 inches party 20 inches.  
1st story: " 16 " " 16 " " 16 "  
2d story: " 12 " " 12 " " 12 "  
3d story: " 12 " " 12 " " 12 "  
4th story: " 12 " " 12 " " 12 "  
5th story: " 12 " " 12 " " 12 "  
6th story: " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_ " \_\_\_\_\_
- Is roof flat, peak or mansard? flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner:

47. *Cut new windows in rear <sup>& front</sup> wall for new water closets as shown on plans.*

If altered internally, give definite particulars, and state how the building will be occupied:

48. *Construct new windows and partitions where shown on plans.*

*Construct work shown colored.*

*Remove " " dotted*

49. How much will the alteration cost? *\$ 1500.00*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied? \_\_\_\_\_

How made water-tight? \_\_\_\_\_

54. Will cellar or basement ceiling be plastered? \_\_\_\_\_ How? \_\_\_\_\_

55. How will cellar stairs be enclosed? \_\_\_\_\_

56. How will cellar be occupied? \_\_\_\_\_

How made water-tight? \_\_\_\_\_

57. Will shafts be opened or covered with louvre skylights full size of shafts? \_\_\_\_\_

Size of each shaft? \_\_\_\_\_

58. Di: \_\_\_\_\_  
 Dimensions of windows for living rooms: \_\_\_\_\_
59. Of what materials will hall partitions be constructed? \_\_\_\_\_
60. Of what materials will hall floors be constructed? \_\_\_\_\_
61. How will hall ceilings and soffits of stairs be plastered? \_\_\_\_\_
62. Of what material will stairways be constructed? \_\_\_\_\_  
 Give sizes of stair well holes? \_\_\_\_\_
63. If any other building on lot, give size; front \_\_\_\_\_; rear \_\_\_\_\_; deep \_\_\_\_\_;  
 stories high \_\_\_\_\_; how occupied \_\_\_\_\_; on front or rear  
 of lot \_\_\_\_\_; material \_\_\_\_\_.  
 How much space between it and proposed building? \_\_\_\_\_
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? \_\_\_\_\_
65. Number and location of water closets: Cellar \_\_\_\_\_; 1st floor \_\_\_\_\_; 2d floor \_\_\_\_\_;  
 3d floor \_\_\_\_\_; 4th floor \_\_\_\_\_; 5th floor \_\_\_\_\_; 6th floor \_\_\_\_\_;
66. This building will safely sustain per superficial foot upon the 1st floor \_\_\_\_\_ lbs.; upon 2d floor  
 \_\_\_\_\_ lbs.; upon 3d floor \_\_\_\_\_ lbs.; upon 4th floor \_\_\_\_\_ lbs.; upon 5th floor  
 \_\_\_\_\_ lbs.; upon 6th floor \_\_\_\_\_ lbs.; upon 7th floor \_\_\_\_\_ lbs.; upon 8th floor  
 \_\_\_\_\_ lbs.
67. Is architect to supervise the alteration of the building or buildings mentioned herein? No  
 Name \_\_\_\_\_  
 Address \_\_\_\_\_
68. If not the architect, who is to superintend the alteration of the building or buildings described herein?  
 Name Abraham Goodman  
 Address % architects

Owner, Abraham Goodman Address, % architects

Architect, Harrison and Saekheim " 230 Grand St. City

Mason, \_\_\_\_\_ " \_\_\_\_\_

Carpenter \_\_\_\_\_ " \_\_\_\_\_