

Plan No. 442

NB 202

Form No. 1-1896

B 434 APPLICATION FOR ERECTION OF BUILDINGS.

I hereby make to the Superintendent of Buildings of the City of New York, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the Building Law shall be complied with in the building, whether specified herein or not.

YORK 19 11th 1897. (Sign here) Jos. L. Batterson, Esq.,
Great Eastern Bldg. Co.

How many buildings to be erected? None
How many buildings now occupied? If for dwelling, state the number of families. 13

What is the street or avenue and the number thereof? Give diagram of property.
nos. 417-419 East 6th Street

Size of lot. No. of feet front, 25'0" x 11'4"; No. of feet rear, 25'0" x 11'4"; No. of feet deep, 90'10" x 91'7"
Size of building. No. of feet front, 25'0" x 11'4"; No. of feet rear, 25'0" x 11'4"; No. of feet deep, 78'2" x 76'7"
No. of stories in height, 6 1/2 feet; No. of feet in height from curb level to highest point of roof eaves, 66'0" x 57'0"

What will each building cost exclusive of the lot? \$ 27000 or 20000

What will be the depth of foundation walls from curb level or surface of ground? 10 feet

Will foundation be laid on earth, sand, rock, timber or piles? Earth
What will be the base, stone or concrete? stone If base stones, give size and thickness

and how laid. 9" x 36" laid in cement If concrete, give thickness.

What will be the sizes of piers? 3' x 4' x 2' in House #17 only
What will be the sizes of the base of piers? one foot larger on all sides

What will be the thickness of foundation walls? 24" Of what material constructed? l rubble stone laid in cement mortar

What will be the thickness of upper walls? Basement, 24 inches; 1st story, 16 inches; 2d story, 16 1/2 inches; 3d story, 12 inches; 4th story, 12 inches; 5th story, 12 inches; 6th story, 12 1/2 inches; 7th story, _____ inches, and from thence top, 8 inches. Of what materials to be constructed? Hard burnt brick

Are walls independent or party walls? Both
With what material will walls be coped? Blue stone or Earthenware

What will be the materials of front? Br If of stone, what kind? _____
Give thickness of ashler. _____

Give thickness of backing in each story. _____
Will the roof be flat, peaked or mansard? flat

What will be the materials of roofing? Tin
Give size and materials of floor beams. 1st tier, 8" x 7" x 4" p. y. steel; 2d tier, 3" x 10" Spruce; 3d tier, 3" x 10" Spruce; 4th tier, 3" x 10" Spruce; 5th tier, 3" x 10" Spruce; 6th tier, 3" x 10" Spruce; 7th tier, _____; 8th tier, _____; roof tier, 3" x 9" service

State distances from centres. 1st tier, 4 ft inches; 2d tier, 16 inches; 3d tier, 16 inches; 4th tier, 16 inches; 5th tier, 16 inches; 6th tier, 16 inches; 7th tier, _____ inches; roof tier, 20 inches.

Are floors to be supported by columns and girders, give the following information: Size and material of girders under 1st floor, 8" blk. wall for #17 only under each of the upper floors, _____
Size and materials of columns under 1st floor, _____ under each of the upper floors, _____

How many lbs building will safely sustain per superficial foot upon 1st floor 150 lbs.; upon 2d floor 75 lbs.; upon 3d floor 75 lbs.; upon 4th floor 75 lbs.; upon 5th floor 75 lbs.

Are the front, rear or side walls to be supported, in whole or in part, by iron girders or lintels, give the particulars. Quaint wall of Bldg. No. 417 above 1st floor, supported on 3-9-63 lb. p. y. steel beams

Are girders to be supported by brick piers and columns, state the sizes of piers and columns. all carrying front wall in Bldg. No. 417 supported on 16" x 2 1/2" x 16" cast iron columns 3/4" metal with cap + sole plates

By whom the construction of the building is to be superintended. Contractor

PLAN No. 202 7B 18976
New York, March 26 1897To the BOARD OF EXAMINERS,
Through the Superintendent of Buildings.

Gentlemen:

It is proposed to erect two building
located on the west side of nos 417-419 East 6th St.
commencing about _____ feet from the
corner of _____ and
_____ Street,

known as No. _____

in the City of New York, in accordance with the plans and detailed statement
of the specifications for said work, now on file in the Department of Buildings
of the City of New York.

Pursuant to Section 504, Chapter 410 of the Laws of 1882, as amended,
I respectfully ask that the provisions of Title 5 of Chapter 11 of Chapter 410 of
the Laws of 1882, as amended, may be modified so far as to allow

Permission is requested to
allow the rear partition enclosing
the stairs on the upper stories
and partitions enclosing First
Story entrance hall of Building
no 417 East 6th St to be constructed
of 4" Terra cotta blocks and
Angle Iron frame

Owner: Jos. L. Buttenweiser
237 E. 60th St.

Architect: G. F. Pelham

ORIGINAL

THE CITY OF NEW YORK DEPARTMENT OF BUILDINGS

MANHATTAN Municipal Bldg., New York 7

BROOKLYN Municipal Bldg., Brooklyn 1

BRONX 1932 Arthur Ave., New York 57

QUEENS 120-55 Queens Blvd., Kew Gardens 24, L. I.

RICHMOND Boro Hall, St. George 1, S. I.

NOTICE — This Application must be TYPEWRITTEN and filed in TRIPLICATE

Minor Structures, Minor Alterations and Repairs, Elevator Repairs, Drop Curb, Fire Escapes, Miscellaneous

Block 434 Lot 48 DISTRICT (under building zone resolution) Use Business Height 1 1/2 Area XX B Is sidewalk shed or fence required no

SIDE WALK SHED. No sidewalk shed or fence shall interfere with visibility or operation of any traffic light. The Department of Traffic shall be notified whenever such structure is to be erected within seventy five (75) feet of a traffic light. Failure to comply may be cause for revocation of this permit.

BUILDING NOTICE

1655

DEPARTMENT OF BUILDINGS

REC'D APR 28 1959

CITY OF NEW YORK BOROUGH OF MANHATTAN DO NOT WRITE IN THIS SPACE

LOCATION 419 East 6th St. N.S. 225'-2'6" East of 1st Ave. Manhattan (Give Street Number)

COMPENSATION INSURANCE has been secured in accordance with the requirements of the Workmen's Compensation Law as follows: Midtown Coal & Oil Co. 286 East 10th St. Man. General Mutual XO-421-14386 9-11-50 11-1-50

State proposed work in detail: to reline existing chimney and build boiler room for new central heat and hot water.

Date of Construction [X] Before 1938 [] After 1937

Indicate class of construction:

- Class 1—Fireproof Class 2—Fire protected Class 3—Non-fireproof Class 4—Wood frame Class 5—Metal Class 6—Heavy timber

Number of stories high 5B

How occupied M.D. 10 fam. O.L.T.

Is application made to remove a violation? no

How to be occupied same

If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

Estimated Cost \$ 7600. includes fuel oil and plbg.

(Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions

If exemption from payment fee is claimed, state clearly the basis of claim.

Initial fee payment—

APR 23 1959 11 25 50 3 20 5 39 3.20

2nd payment of fee to be collected before a permit is issued—Amount \$ 26.00

Verified by L. Gaffney Date Paid 5.20

APR 20 1959 20.50

ADDITIONAL FEES REQUIRED (Yes or No) AMOUNT \$

VERIFIED BY DATE

1. The sum of the fees indicated on the first and second receipts shall represent the total fee. Any variation on contemplated work or change affecting the estimated cost shall be recorded as an amendment. If any question arises in connection with the estimated cost or with the adequacy of the fee, no permit shall be issued unless adjusted to the satisfaction of the department at the direction of the Borough Superintendent.

Vertical handwritten notes on the left margin: 'M.S. - 6/12/59', 'Plan filed', 'Carroll from late Carroll & Campbell type station', 'L. Gaffney'.