

R 435
L 16

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

200

Plan No. 200

APPLICATION FOR ERECTION OF BRICK BUILDINGS

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here) Arthur C. ...

THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN, 1907

1. State how many buildings to be erected. 1

2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof). 104 1/2 St. Mac ...

3. Will the building be erected on the front or rear of lot? Front

4. How to be occupied? School dwelling. If for dwelling, state the number of families in each house. 1

5. Size of lot? 31 feet front; 78 feet rear; 476 feet deep. Give diagram of same.

6. Size of building? 356 feet front; 476 + 45 feet rear; 476 feet deep. Size of extension? feet front; feet rear; feet deep.

Number of stories in height: main building? Two Extension? Height from curb level to highest point: main building? 296 feet. Extension? feet.

7. What is the character of the ground: rock, clay, sand, etc.? Hard earth

8. Will the foundation be laid on earth, rock, timber or piles? Natural earth

9. Will there be a cellar? No - air space only

10. What will be the base, stone or concrete? Concrete base stones, give size and thickness, and how laid. Portland cement. if concrete, give thickness

11. What will be the depth of foundation walls below curb level or surface of ground? 10'0"

12. Of what will foundation walls be built? Stone

13. Give thickness of foundation walls: front, 20 inches; sides, 20 inches; rear, inches; party, 20 inches.

14. Will interior supports be brick partition walls or piers, iron columns or wooden posts? *Con. Solid.*
 Give size of same *7" and 8" C.I.*
15. If piers, give thickness of cap stones or plates bond stones or plates
16. Give base course, width and thickness *12" x 48" x 48" Portland C. Concrete.*
17. Will any part of front, side or rear wall be supported on piers in cellar?
- Give size: front size of base course
- rear " " "
- side " " "

Size of cap stones size of bond stones

18. Of what materials will the upper walls be constructed? *Brick.*
- What will be thickness of upper walls, exclusive of ashlar, if any?
- Basement: front *16* inches; rear *16* inches; side *12* inches; party *12 + 20* inches
- 1st story: " *12* " " *12* " " *8 + 12* " " *12* "
- 2d story: " *12* " " *12* " " *8 + 12* " " *12* "
- 3d story: " " " " " " " "
- 4th story: " " " " " " " "
- 5th story: " " " " " " " "
- 6th story: " " " " " " " "
- 7th story: " " " " " " " "

19. What will be the materials of the front? *Brick.* If of stone, what kind?
- If ashlar, give thickness

20. Will flues be lined with pipe or have 8 inches of brick around the same? *Lined with T.C.*

21. Will any wall be supported on iron or steel girders? *part of rear wall of dwelling.*
- Front, material size weight or thickness
- Side, " " " " " " "
- Rear, " *Steel* " *2 - 7" I* " " " *15"*
- Interior, " " " " " " "

Will any wall be supported on iron or steel columns?

Front, material size weight or thickness

Side, " " " " " " "

Rear, " " " " " " "

Interior, " " " " " " "

22. Give material of girders *Steel* of columns *C.I.*
- Under 1st tier, size of girders *12" x 15" - 21" x 42"*; size of columns *9" dia - 1" shell*
- " 2d tier, " *12" x 15" - 31" x 42"* " " *8" " - 1" "*
- " 3d tier, " " " " " " "
- " 4th tier, " " " " " " "
- " 5th tier, " " " " " " "
- " Roof tier, " *7" x 10" - 21" x 25"* " " *8" dia 3/4"*

43. How basement to be occupied?
 How made water-tight?
44. How will cellar stairs be enclosed?
45. How cellar to be occupied?
- How made water-tight?
46. Will shafts be open or covered with louvre skylights full size of shafts?
- Size of each shaft?
47. Dimensions of water closet windows?
- Dimensions of windows for living rooms?
48. Of what materials will hall partitions be constructed?
49. Of what materials will hall floors be constructed?
50. How will hall ceilings and soffits of stairs be plastered?
51. Of what material will stairways be constructed?
- Give sizes of stair well holes.
52. If any other building on lot, give size: front; rear; deep; stories high
 how occupied.; on front or rear of lot; material
- How much space between it and proposed building?
53. How will floors and sides of water closets to the height of 16 inches be made waterproof?
54. Number and location of water closets: Cellar; 1st floor; 2d floor; 3d floor
; 4th floor; 5th floor; 6th floor; 7th floor
55. What is the estimated cost of each building, exclusive of lot? \$ 8,000.00
56. What is the estimated cost of all the buildings, exclusive of lots? \$
- Owner, St. Stanislaus P. C. Church Address, E. 7th St.
 Architect, Arthur A. Anderson Co. " 573 B'way
 Superintendent, Arthur A. Anderson, Pres. " 573 B'way
 Mason, "
 Carpenter, "

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,
 BOROUGH OF MANHATTAN, Lot 22 100

The undersigned gives notice that they intend to use the existing wall of building
facing on E. 7th St. 203'4" E. of 11th St.
 as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be
 examined and a permit granted therefor. The foundation wall is built of brick 20 inches thick,
10' feet below curb; the upper wall is built of brick 16 inches thick,
3' feet deep, 3' feet in height.

(Sign here) Arthur A. Anderson Co.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK
RECEIVED
BUREAU OF BUILDINGS
OF THE BOROUGH
OF MANHATTAN
NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen or Cloth.

ALT. APPLICATION No. 1808 1924

LOCATION #104-106 St. Marks Place. BLOCK 435 LOT 16

To THE SUPERINTENDENT OF BUILDINGS: New York City, July 22nd./24 192

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York, and with the provisions of all other laws and rules relating to the alteration of said building in effect at this date.

Work under this approval will not be commenced until a permit has been secured, application for which will be filed with the Superintendent of Buildings, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law.

EXAMINED AND RECOMMENDED FOR APPROVAL ON Aug. 27, 1924

J. Drappin
Examiner

APPROVED AUG 27 1924 192

W. M. [Signature]
Superintendent of Buildings, Borough of Manhattan.

STATE, COUNTY AND }
CITY OF NEW YORK, } ss. Charles Reissmann
Typewrite Name of Applicant.

being duly sworn, deposes and says: That he resides at Number #147 Fourth Ave, in the Borough of Manhattan in the City of New York, in the County of New York in the State of New York, that he is architect for St. Stanislaus B.M. Church and that they are the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number #104-106 St. Marks Place. and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and

Plumbing work (if any) proposed to be done upon the same premises and specified in separate applications filed herewith, and all subsequent amendments thereto—is duly authorized by St. Stanislaus B.M. Church owners and that he is duly authorized by the aforesaid owners to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in their behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner... St. Stanislaus B.M. Church #104-106 St. Marks Place
Rev. Felie F. Burant, Rector #104-106 St. Marks Place
Leonard Kaszyus, Assistant Rector #104-106 St. Marks Pl.
 Lessee.....
 Architect... Charles Feissmann #147 Fourth Ave
 Superintendent..... owners

The said land and premises above referred to are situate at, bounded and described as follows, viz.:
 BEGINNING at a point on the SOUTH side of St. Marks Place
 distant 203'4" feet east from the corner formed by the intersection of
First Ave and St. Marks Place.
 running thence south 97'6" feet; thence east 51'8" feet;
 thence north 97'6" feet; thence west 51'6" feet
 to the point or place of beginning,—being designated on the map as Block No. 435 Lot No. 16
 (SIGN HERE)..... Charles Feissmann Applicant

Sworn to before me, this 22nd day of July 1924
 Dimensions and Lot and Block numbers agree with Land Map.
 (Signature)
 Date..... Tax Dept.
 (Title)

ALTERATION APPLICATION

**BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN
CITY OF NEW YORK**

NOTE: ALL elevations and grades for curbs and sidewalks must be obtained from the Commissioner of Public Works, Municipal Building, New York City

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

BUREAU OF BUILDINGS
THE CITY OF NEW YORK
RECEIVED
MAY 23 1924
FOR THE BOROUGH
OF THE BOROUGH

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE.
"SPECIFICATIONS—SHEET A" (Form 152) must be filed with EVERY Alteration Application.
"SPECIFICATIONS—SHEET B" (Form 158) must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. 1808 ¹⁹²⁴ ~~1808~~ BLOCK 435 LOT 16

LOCATION #104-106 St. Marks Place.

Examined 192 Examiner.

SPECIFICATIONS—SHEET A

- (1) NUMBER OF BUILDINGS TO BE ALTERED one
Any other building on lot or permit granted for one? no
- (2) ESTIMATED COST OF ALTERATION: \$ 700.
- (3) OCCUPANCY (in detail):
Of present building School and dwelling

Of building as altered School and dwelling
- (4) SIZE OF EXISTING BUILDING:
At street level 51'8" feet front 97'6" feet deep
At typical floor level 51'8" feet front 97'6" feet deep
Height B'mant and two stories 30' feet
- (5) SIZE OF BUILDING AS ALTERED:
At street level feet front feet deep
At typical floor level as above feet front as above feet deep
Height stories feet
- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: Ordinary
(Frame, Ordinary or Fireproof)
- (7) NUMBER OF OCCUPANTS (in each story of building as altered, giving males and females separately in the case of factories):
Two Hundred and Fifty occupants on 1st. story.
Two Hundred and Fifty occupants on 2nd. story.
- (8) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:
Propose to remove the partitions on the 1st. and 2nd. stories in the portion used as dwelling and chapel, also the present stairs as shown and cut additional new door in brick wall on the second story as shown on plans.

BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN, CITY OF NEW YORK

HVC **CERTIFICATE OF OCCUPANCY No. 8901** **1924**

Supersedes Certificate of Occupancy No.

To the owner or owners of the building:

New York **Nov. 28** 19 **24**

THIS CERTIFIES that the building located on Block **435**, Lot **16**

known as **104-6 St. Marks Place**
51'8" front

under a permit, Application No. **1808** Alt of **19 24** conforms to the approved plans and specifications accompanying said permit and any approved amendments thereto, and to the requirements of the building code and all other laws and ordinances and to the rules and regulations of the board of standards and appeals, applicable to a building of its class and kind, except that in the case of a building heretofore existing and for which no previous certificate of occupancy has been issued and which has not been altered or converted since March 14, 1916, to a use that changed its classification as defined in the building code, this certificate confirms and continues the existing uses to which the building has been put; and

CERTIFIES FURTHER that the building is of **non-fireproof** construction within the meaning of the building code and may be used and occupied as a **residence & public** building as hereinafter qualified, in a **residence** district under the building zone resolution, subject to all the privileges, requirements, limitations, and conditions prescribed by law or as hereinafter specified.

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED			USE
		MALE	FEMALE	TOTAL	
Basement					Janitor's apartment
1st Floor				250	School
2nd "				250	School

This certificate is issued to **Frank Witlke,**
603 East 5th Street, City, for the owner or owners.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

BUREAU OF BUILDINGS
 OF THE CITY OF NEW YORK
 Received APR - 2 1925
 OF THE BOROUGH
 OF MANHATTAN

OK 25

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen or Cloth.

ALT. APPLICATION No. 703 1925
 192

LOCATION 104-106 St. Marks Place BLOCK 435 LOT 16, 48, 49, 52
101-109 East 7th street

New York City, April 1st, 1925

To THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York, and with the provisions of all other laws and rules relating to the alteration of said building in effect at this date

Work under this approval will not be commenced until a permit has been secured, application for which will be filed with the Superintendent of Buildings, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law.

EXAMINED AND RECOMMENDED FOR APPROVAL ON April 15 1925

J. Deapkin
 Examiner

APPROVED APR 25 1925

Superintendent of Buildings, Borough of Manhattan.

STATE, COUNTY AND } ss. Louis A. Sheinart
 CITY OF NEW YORK }
 Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 194 Powery
 , in the Borough of Manhattan
 in the City of New York , in the County of New York
 in the State of New York , that he is Architect for
Church of St. Stanislaus Inc.

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 104-106 St. Marks Place 101-109 East 7th street and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work

(if any) proposed to be done upon the said premises and specified in separate applications filed herewith, and all subsequent amendments thereto—is duly authorized by Church of St. Stanislaus Inc. [Name of Owner or Lessee] and that Louis A. Sheinart duly authorized by the aforesaid owners to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in their behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner Church of St. Stanislaus Inc. 101 East 7th Street
 Cardinal Patrick J. Hayes, Pres. " "
 Rev. Felix F. Burant, Sec'y " "

Lessee _____

Architect Louis A. Sheinart 194 Powery

Superintendent Architect

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING at a point on the south side of St. Mark's Place distant 203'-4" feet east from the corner formed by the intersection of SEC First Ave. and St. Marks Place running thence 97'-6" south feet; thence 20'-2" west feet; thence 97'-6" south feet; thence 98'-4" east thence 82'-5" north thence 16' northwesterly thence 25'-10" west thence 97'-6" north feet thence 51'-8" west to the point or place of beginning,—being designated on the map as Block No. 435 Lot No. 16, 48, 49, 52

(SIGN HERE) *[Signature]* Applicant

Sworn to before me, this 2 day of Apr 1925

Dimensions and Lot and Block numbers agree with Land Map.
 (Signature) _____
 Date _____ Tax Dept.
 (Title) _____

ALTERATION APPLICATION

BUREAU OF BUILDING
 BOROUGH OF MANHATTAN
 CITY OF NEW YORK

NOTE: ALL elevations and grades for curbs and sidewalks must be obtained from the Commissioner of Public Works, Municipal Building, New York City

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

RECEIVED
 APR - 2 1925
 FOR THE BOROUGH
 OF MANHATTAN

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.
 "SPECIFICATIONS—SHEET A" (Form 152) must be filed with EVERY Alteration Application.
 "SPECIFICATIONS—SHEET B" (Form 153) must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. 703 ¹⁹²⁵ ₁₉₂ BLOCK 435 LOT 16, 48, 49, 52

LOCATION 104-106 St. Marks place 101-109 East 7th Street

Examined 192 Examiner _____

SPECIFICATIONS—SHEET A

- (1) NUMBER OF BUILDINGS TO BE ALTERED one
 Any other building on lot or permit granted for one? yes
- (2) ESTIMATED COST OF ALTERATION: \$ 15,000
- (3) OCCUPANCY (in detail):
 Of present building parochial school

 Of building as altered parochial school
- (4) SIZE OF EXISTING BUILDING:

At street level	<u>51'-8"</u>	feet front	<u>97'-6"</u>	feet deep
At typical floor level	<u>51'-8"</u>	feet front	<u>97'-6"</u>	feet deep
Height	<u>two</u>	stories	<u>28'</u>	feet
- (5) SIZE OF BUILDING AS ALTERED:

At street level	<u>51'-8"</u>	feet front	<u>97'-6"</u>	feet deep
At typical floor level	<u>51'-8"</u>	feet front	<u>97'-6"</u>	feet deep
Height	<u>three</u>	stories	<u>42'</u>	feet
- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: Ordinary
[Frame, Ordinary or Fireproof]
- (7) NUMBER OF OCCUPANTS (in each story of building as altered, giving males and females separately in the case of factories):
750 ~~810~~ persons TOTAL
250 EACH FLOOR.

(8) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED: Add an additional story on to the present building raising the existing side walls above the roof. Enclose the present stairs from cellar to roof in brick walls and extend the stairs from second story to roof. Extend the outside stairs up to the third story. Erect partitions forming class rooms on the third story. Remove the present front mansard and erect new front wall. Remove the present roof beams and set in new floor beams for third story and reset the roof beams to the new level. All as indicated on plan.

BUREAU OF BUILDINGS**BOROUGH OF MANHATTAN, CITY OF NEW YORK**

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.
 “SPECIFICATIONS—SHEET A” [Form 152] must be filed with EVERY Alteration Application.

“SPECIFICATIONS—SHEET B” [Form 158] must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. 703 1925 192 BLOCK 455 LOT 6, 48, 49, 52

LOCATION 104-106 St. Marks Place 101-109 West 7th Street

Examined 192

Examiner

SPECIFICATIONS—SHEET B

If the building is to be raised in height or if the occupancy is changed so that the floor loads will be increased, the following information must be given as to the EXISTING BUILDING, and the thicknesses of existing walls and size of footings must be clearly shown on the plans:

- (9) FOUNDATIONS: Character (whether stone, concrete, caisson, piles, grillage, etc.)
- stone
- Depth below curb 10 ft.
- Soil on which they rest (as per §231, Building Code) coarse sand
- (10) UPPER WALLS: Material brick
- Kind of Mortar lime and cement
- Thickness of Ashlar (if any)
- (11) PARTY WALLS: Any to be used? yes

If building is to be enlarged or extended, the following information as to the NEW WORK must be given:

- (12) FOUNDATIONS: Character (whether stone, concrete, caisson, piles, grillage, etc.)
- Depth below curb
- Soil on which they rest (as per §231, Building Code)
- (13) FOUNDATION WALLS: Material
- (14) UPPER WALLS: Material
- Kind of Mortar
- Thickness of Ashlar (if any)
- (15) PARTY WALLS: Any to be used?

155 L 16 206 St Marks Pl

ST MARKS PLACE 104-106.
 B 435
 L 16

DP 313-07 Alt 129-82* V 1816-30* SR 8077-17
 UB 1038-07* Alt 253-17 V 1817-30* SR 4990-24
 SR 33489-07 Alt 1808-24 V 1140-50* CO 8901
 NB 260-07 Per 2761-24G V 1802-59* SR 2918-25
 SR 577-13 P 1856-24 SR 4363-25
 FC 1315-49 Alt 703-25 ~~SR 583-25~~
 Compl-5677-58 PA-34-59 SR 4377-49
 PRS 1632-61
 Compl-1912-60 P 583-25
 SPR 2028-60 Per 1453-25G

ST Marks Place 104-106 B-435
 L-16

Alt 129-82* V 1816-30*
 NB 260-07 V 1817-30*
 SP 313-07 FO 1315-49
 UB 1038-07* SR 4377-49
 SR 33489-07 V 1140-50*
 SR 577-13 Compl-5677-58
 Alt 253-17 EA 34-59
 SR 8077-17 V 1802-59*
 Alt 1808-24 Compl-1912-60
 Per 2761-24G SPR 2028-60
 P 1856-24 PRS 1632-61
 SR 4990-24 CO 8901
 Alt 703-25
 P 583-25
 Per 1455-25G
 SR 2918-25
 SR 4363-25

AND STREET HOUSE NO. AND STREET HOUSE NO. AND STREET

APPLICATIONS

	KIND	NO.	YEAR	FILED	COMPLETED	DRAWINGS
1	N.B.	260	1907			FILED
2	Act	1808	1934		10/23/24	inside
3	P.O.	1856	1924		11/15/24	Act 1808-24
4	DO	8901	1924			
5	Misc	1315	1949			Inside
6	PA	34	1959			Inside
7	Act	703	1925			
8						
9						
10						
11						

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan, In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN, Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street.

Plan No.

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) O. Reissmann

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, June 19- 1906

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- 1. State how many buildings to be altered one
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) South side of St. Marks Pl., 250' east of First Av. # 18.
3. How was the building occupied? How is the building to be occupied? Tenement
4. Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size; height How occupied? Give distance between same and proposed building feet.
5. Size of lot? 25'10" feet front; 25'10" feet rear; 97'6" feet deep.
6. Size of building which it is proposed to alter or repair? 25'10" feet front; 25'10" feet rear; 52'4" feet deep. Number of stories in height? 5 Height from curb level to highest point? 55 ft.
7. Depth of foundation walls below curb level? 8 ft Material of foundation walls? stone Thickness of foundation walls? front 24 inches; rear 24 inches; side 24 inches; party 24 inches.
8. Material of upper walls? brick If ashlar, give kind and thickness
9. Thickness of upper walls: Basement: front inches; rear inches; side inches; party inches. 1st story: 16 16 16 16 2d story: 12 12 12 12 3d story: 12 12 12 12 4th story: 12 12 12 12 5th story: 12 12 12 12 6th story:
10. Is roof flat, peak or mansard? flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. Present front wall of cellar & 1st story to be removed, upper walls to be supported by 2-25" 65 lbs. per ft. steel beams set on 12" x 12" x 1" cast iron columns provided with top & bottom lugs, flanges etc. anchored to wall & girders set on 20" x 24" bonded brick piers set on 20" x 24" x 10" granite top stones set on 44" x 48" x 12" concrete footing. Cut out part of present rear wall of main bldg. Bld. show windows flush into the wall.

If altered Internally, give definite particulars, and state how the building will be occupied :

48. Bld. G. C. comp. on all floors, lath & plaster partitions.
Remove & rebld. partitions.
Cut windows in cross partitions.

Occupied as at present

49. How much will the alteration cost? \$7000 -

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How cellar to be occupied?

How made water-tight?

57. Will shafts be open or covered with louvre skylights full size of shafts?

Size of each shaft?

COMPENSATION INSURANCE has been secured in accordance with the requirements of the Workmen's

Compensation Law as follows: State Insurance Fund, Policy #Y 395 297-5 Exp. 1/1/69

Owner Archdiocesan of N.Y., St. Stanislaus Parish 101 E. 7th St., N. Y. C.
Name and Relationship to Premises Address

No. Address
Name and Relationship to Premises Address

(If a corporation, give full name and address of at least two officers.)

Wrecker D & D DEMOLITION CO., INC. Address 675 McLean Ave., Yonkers, N.Y.
10704

Charles J. Draehman states that he resides at
555 Bronx River Road, Yonkers, N.Y. and has been fully authorized to file this demolition notice by

St. Stanislaus Parish 101 E. 7th St., N. Y. who is the
(Name) (Address)

owner of the building to be demolished as herein prescribed and said
(Owner, Etc.)

consent to the demolition has been obtained by me and that all statements contained in this application are true and correct.

Dated Mar. 26th, 1968 Sign here, with full name D & D DEMOLITION CO., INC.
(Applicant)

Charles J. Draehman, Pres.
(If a corporation, name and title of officer signing)

675 McLean Ave., Yonkers, N. Y. 10704
(Address)

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

Referred to U. B. Clerk on MAR 27 1968 19

for report, stating all pending unsafe building cases against the property covered by this notice, and all unpaid bills for emergency work or survey and search fees, if any. NO UNSAFE BUILDING CASE PENDING

(Dated) MAR 27 1968 (Signed) Mal Z...

Referred to Inspector on _____ 19

for supervision, and FINAL REPORT when work has been completed.


DEMOLITION COMMENCED 19

DEMOLITION COMPLETED 19

(Dated) _____ (Signed) _____

Inspector _____ District _____

PLOT DIAGRAM



Bribery is a Crime: A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law, Section 378 and 1826.

675 McLean Ave.

YONKERS, NEW YORK 10705

STATE OF NEW YORK)
COUNTY NEW YORK) ss.:

CHARLES J. DRACIKIAN, being duly sworn, deposes and says:
I am the PRESIDENT of D & D Demolition Co., Inc.
and fully familiar with the application for the erection of
a sidewalk shed and the application for a demolition permit
for premises

137-133 E. 34th St NYC.

I hereby certify that the sidewalk shed has been constructed
as specified in the application and in compliance with all
the details thereof and in accordance with the Rules and
Regulations of your department and that the construction of
said shed was completed on the 28th day of MARCH 1968.

I make this affidavit to comply with the directive of the
Dept. of Buildings and in order to induce the Department to
issue the permit for the demolition of the above premises.

Sworn to before me this
28 day of MARCH, 1968.

D & D DEMOLITION CO. INC.
Charles J. Dracikian

Samuel Greenberg

SAMUEL GREENBERG
Notary Public for the State of New York
Commission Expires 12/31/1968