

B 435
L 38

189 . Filed 1897

Received Oct 17 1898

NOTICE.—This permit expires by its own limitation six months from date of approval of the plan by the Superintendent of Buildings.

STEVENSON CONSTABLE.

Superintendent of Buildings.

SPECIFICATIONS

FOR THE

PLUMBING AND DRAINAGE

OF THE BUILDINGS HEREIN DESCRIBED.

Location N^o 129 Seventh Str.

Number of Buildings One Description of Buildings Tenement & Stores.

Dimensions of each Building 25' x 50' Dimensions of each Lot 25' x 100'

Owner Conrad Siman Address Fort Lee New Jersey.

Architect J. Boeckellson Address N^o 54 Bond St.

Plumber J. G. Blass Address " 144 Seventh Str.

	Cellar.	Basement.	First Story.	Second Story.	Third Story.	Fourth Story.	Fifth Story.	Sixth Story.	Seventh Story.
Number of families on each floor.			2	2	2	2	2		

Pursuant to the requirements of law, the accompanying plans for the plumbing and drainage of each of the above-mentioned buildings, and the following description thereof, is hereby submitted for the approval of the Superintendent of Buildings, the undersigned hereby agreeing to cause the work to be done and the material to be furnished in accordance therewith, with such modifications as may be required by the Superintendent of Buildings. No modifications of the plans, or of the work described herein, will be made, unless the same is previously allowed by the Superintendent of Buildings, on the written application of Owner or Architect; and all work pertaining to the proper plumbing and drainage of the buildings and premises which is not covered by the plans, but is found necessary during the progress of the work in order to carry into effect the true intent thereof, will be executed in accordance with the directions of the Superintendent of Buildings.

It is expressly understood that these specifications and the drawings submitted herewith to the Department of Buildings for approval constitute together, as approved by said Superintendent of Buildings, the plans for the plumbing and drainage of the buildings herein described; and in respect to all work not covered thereby, the Plumber is to be governed by the Rules and Regulations as to plumbing and drainage established by the Superintendent of Buildings.

Drawings and specifications constitute plans. Rules and regulations to be part of specifications.

2nd affidavit

83 8

ORIGINAL

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 425
L 38

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

2 446

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 440

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

*Frank Ebeling for
Ebeling & Kefauver*

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, *March 23rd* 1904

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered? *1*
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) *7th Street, north side, No. 129-7th Street, 100 feet west of Ave. A*
3. How was the building occupied? *Stores & 10 families*
How is the building to be occupied? *the same, stores & 10 families.*
4. Is the building on front or rear of lot? *front* Is there any other building erected on lot or permit granted for one? *no* Size *x*; height *x*
How occupied? *x* Give distance between same and proposed building *x* feet.
5. Size of lot? *25* feet front; *25* feet rear; *97'6"* feet deep.
6. Size of building which it is proposed to alter or repair? *25* feet front; *25* feet rear; *50* feet deep. Number of stories in height? *5* Height from curb level to highest point? *53 feet*
7. Depth of foundation walls below curb level? *10* Material of foundation walls? *Brick & Stone*
Thickness of foundation walls? front *20* inches; rear *20* inches; side *20* inches; party *20* inches.
8. Material of upper walls? *Brick* If ashlar, give kind and thickness *x*

9. Thickness of upper walls:

Basement: front. *20* inches; rear. *20* inches; side. *20* inches; party. *20* inches.
 1st story: *Stonefront* " *12* " " *12* " " *12* "
 2d story: " *12* " " *12* " " *12* " " *12* "
 3d story: " *12* " " *12* " " *12* " " *12* "
 4th story: " *12* " " *12* " " *12* " " *12* "
 5th story: " *12* " " *12* " " *12* " " *12* "
 6th story: " " " " " " " "

10. Is roof flat, peak or mansard?.....

11. Size of present extension, if any?.....feet front;.....feet deep;..... feet high.

12. Thickness and material of foundation walls?.....

13. Material of upper walls?..... If ashlar, give kind and thickness.

14. Thickness of upper walls:

Basement: front.....inches; rear.....inches; side.....inches; party.....inches.
 1st story: " " " " " " " "
 2d story: " " " " " " " "
 3d story: " " " " " " " "
 4th story: " " " " " " " "

15. Is present building provided with a fire escape? *yes*.....

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? *rear*.....

17. Size of proposed extension, feet front. *4' 4"*; feet rear. *4' 4"*; feet deep. *5' 4"*; number of stories in height? *Cellar only*; number of feet in height? *10*.....

18. Material of foundation walls? *is present*; depth.....feet; material of base course.....; thickness of base course.....; thickness of foundation walls: front.....inches; side.....inches; rear.....inches; party.....inches.

19. Will foundation be on rock, sand, earth or piles? *present*.....

20. What will be the size of piers in cellar?.....; distance on centres?.....; size of base of piers?.....; thickness of cap stones?.....; of bond stones?.....

21. Material of upper walls? *Brick*.....; material of front?.....

22. Thickness, exclusive of ashlar, of upper walls:

Cellar
 1st story: front.....inches; rear.....inches; side.....inches; party.....inches.
 2d story: " " " " " " " "
 3d story: " " " " " " " "
 4th story: " " " " " " " "
 5th story: " " " " " " " "
 6th story: " " " " " " " "

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose? If so, state for what.

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied? How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How cellar to be occupied? How made water-tight?

57. Will shafts be open or covered with louvre skylights full size of shafts?

Size of each shaft?

58. Dimensions of water closet windows? Dimensions of windows for living rooms?

59. Of what materials will hall partitions be constructed?

60. Of what materials will hall floors be constructed?

61. How will hall ceilings and soffits of stairs be plastered?

62. Of what material will stairways be constructed? Give sizes of stair well holes.

63. If any other building on lot, give size: front; rear; deep; stories high; how occupied; on front or rear of lot; material. How much space between it and proposed building?

64. How will floors and sides of water closets to the height of 16 inches be made waterproof?

65. Number and location of water closets: Cellar... 1; 1st floor... 1; 2d floor... 2; 3d floor... 2; 4th floor... 2; 5th floor... 2; 6th floor...

Owner, *Marko Gross* Address, *42 Ave. D.*

Architect, *Cheling & Meyen* " *194 Bowery*

Superintendent, *Owner* " " " " " "

Mason, " " " " " "

Carpenter, " " " " " "

39. Give material of new walls..... thickness of..... story..... inches;
 story..... inches; story..... inches; story..... inches;
 story..... inches; story..... inches; story..... inches;
 story..... inches.
40. Material of floor beams?..... Size..... tier..... ;
 centres..... ; tier..... ; centres..... ; tier..... ;
 centres..... ; tier..... ; centres..... ; tier..... ;
 centres.....
41. Material of girders?..... Size under 1st tier..... ; 2d tier..... ;
 3d tier..... ; 4th tier..... ; 5th tier..... ; 6th tier.....
42. Material of columns?..... Size under 1st tier..... ; 2d tier..... ;
 3d tier..... ; 4th tier..... ; 5th tier..... ; 6th tier.....
43. Size of piers in cellar..... ; distance on centres..... ; thickness of capstones
 to piers..... ; bond stones.....
44. If constructed of frame, give material of frame..... ; size of sills.....
 corner posts..... ; middle posts..... ; enteties.....
 plates..... ; braces..... ; studs.....
45. How will building be occupied when altered?.....
 If for dwelling, state number of families on each floor.....

46. With what kind of fire escape will building be provided?.....

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars,
 and state in what manner :

47. *A part of the cellar front wall on westerly side will be removed & new brick pier 20' x 20' will be built to support the present first story c. I. column. Said pier will be built of brick laid in cement mortar to have a granite block 10" thick and bond stones 4" thick the full size & not over 2' 6" apart. Windows in rear will be shifted & new brick piers laid in cement mortar will be built all as shown on plans. Area wall in front will be extended and a store front flush with the building line will be put up.*

If altered Internally, give definite particulars, and state how the building will be occupied :

48. *Some partitions in cellar will be removed and a 4" brick partition will be erected. Ceiling in bakery will be made fireproof according to P. C. 41 - Tenementhouse act. Ceiling of storage room will be plastered, 4" concrete floor will be put in cellar & a hardwood floor will be laid on top.*
49. How much will the alteration cost? *\$ 2000⁰⁰*

ORIGINAL

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 485
L 38

Director the Borough President of the Borough of Manhattan,
In The City of New York.

2 446

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 446

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) *Fred. Ebeling for*
Ebeling & Neveu
THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN, *March 23rd* 1904

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered? *1*
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) *7th Street, north side, No. 129-7th Street, 100 feet west of Ave. A*
3. How was the building occupied? *Stores & 10 families*
How is the building to be occupied? *the same, stores & 10 families*
4. Is the building on front or rear of lot? *front* Is there any other building erected on lot or permit granted for one? *no* Size x; height
How occupied? Give distance between same and proposed building feet.
5. Size of lot? *25* feet front; *25* feet rear; *97' 6"* feet deep.
6. Size of building which it is proposed to alter or repair? *25* feet front; *25* feet rear; *50* feet deep. Number of stories in height? *5* Height from curb level to highest point? *53 feet*
7. Depth of foundation walls below curb level? *10* Material of foundation walls *Brick & Stone*
Thickness of foundation walls? front *20* inches; rear *20* inches; side *20* inches; party *20* inches.
8. Material of upper walls? *Brick* If ashlar, give kind and thickness.

9. Thickness of upper walls:
 Basement: front. *20* inches; rear. *20* inches; side. *20* inches; party. *20* inches.
 1st story: *Storefront* " *12* " " *12* " " *12* "
 2d story: " *12* " " *12* " " *12* " " *12* "
 3d story: " *12* " " *12* " " *12* " " *12* "
 4th story: " *12* " " *12* " " *12* " " *12* "
 5th story: " *12* " " *12* " " *12* " " *12* "
 6th story: " " " " " " " "

10. Is roof flat, peak or mansard?.....
 11. Size of present extension, if any?.....feet front;.....feet deep;.....feet high.

12. Thickness and material of foundation walls?.....
 13. Material of upper walls?..... If ashlar, give kind and thickness.....

14. Thickness of upper walls:
 Basement: front.....inches; rear.....inches; side.....inches; party.....inches.
 1st story: " " " " " " " "
 2d story: " " " " " " " "
 3d story: " " " " " " " "
 4th story: " " " " " " " "

15. Is present building provided with a fire escape? *yes*.....

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? *rear*.....
 17. Size of proposed extension, feet front. *4' 4"*; feet rear. *4' 4"*; feet deep. *5' 4"*;

number of stories in height? *Cellar only*; number of feet in height? *10*.....
 18. Material of foundation walls? *is present*; depth.....feet; material of base course.....; thickness of base course.....; thickness of foundation walls: front.....inches; side.....inches; rear.....inches; party.....inches.

19. Will foundation be on rock, sand, earth or piles? *present*.....

20. What will be the size of piers in cellar?.....; distance on centres?.....; size of base of piers?.....; thickness of cap stones?.....; of bond stones?.....

21. Material of upper walls? *Bricks*.....; material of front?.....

22. Thickness, exclusive of ashlar, of upper walls:
Cellar
 1st story: front.....inches; rear.....inches; side.....inches; party.....inches.
 2d story: " " " " " " " "
 3d story: " " " " " " " "
 4th story: " " " " " " " "
 5th story: " " " " " " " "
 6th story: " " " " " " " "

39. Give material of new walls..... thickness of.....story..... inches;
story..... inches;story..... inches;story
 inches;story..... inches;story..... inches;
story..... inches.
40. Material of floor beams?..... Size..... tier.....;
 centres.....; tier.....; centres.....; tier.....
 centres.....; tier.....; centres.....; tier.....;
 centres.....
41. Material of girders?..... Size under 1st tier.....; 2d tier.....;
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
42. Material of columns?..... Size under 1st tier.....; 2d tier.....;
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
43. Size of piers in cellar.....; distance on centres.....; thickness of capstones
 to piers.....; bond stones.....
44. If constructed of frame, give material of frame.....; size of sills.....
 corner posts.....; middle posts.....; entercies.....
 plates.....; braces.....; studs.....
45. How will building be occupied when altered?.....
 If for dwelling, state number of families on each floor
46. With what kind of fire escape will building be provided?.....

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars,
 and state in what manner :

47. *A part of the Cellar front wall on westerly side will be removed & new brick pier 20" x 20" will be built to support the present first story C. I. column. Said pier will be built of brick laid in cement mortar to have a granite block 10" thick and bond stones 4" thick the full size & not over 2' 6" apart. Windows in rear will be shifted & new brick piers laid in cement mortar will be built all as shown on plans. Area wall in front will be extended and a store front flush with the building line will be put up.*

If altered Internally, give definite particulars, and state how the building will be occupied :

48. *Some partitions in cellar will be removed and a 4" brick partition will be erected. Ceiling in bakery will be made fireproof according to Sec. 41 - Tenement house act. Ceiling of storage rooms will be plastered, 4" concrete floor will be put in cellar & a hardwood floor will be laid on top.*
49. How much will the alteration cost? *\$2000⁰⁰*

39. Give material of new walls.....thickness of.....story.....inches;
story.....inches;story.....inches;story
inches;story.....inches;story.....inches;
story.....inches.
40. Material of floor beams?..... Size..... tier.....;
 centres.....; tier.....; centres.....; tier.....
 centres.....; tier.....; centres.....; tier.....
 centres.....
41. Material of girders?..... Size under 1st tier.....; 2d tier.....;
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
42. Material of columns?..... Size under 1st tier.....; 2d tier.....;
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
43. Size of piers in cellar.....; distance on centres.....; thickness of capstones
 to piers.....; bond stones.....
44. If constructed of frame, give material of frame.....; size of sills.....
 corner posts.....; middle posts.....; entertics.....
 plates.....; braces.....; studs.....
45. How will building be occupied when altered?.....
 If for dwelling, state number of families on each floor
46. With what kind of fire escape will building be provided?.....

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars,
 and state in what manner:

47. *A part of the Cellar front wall on westerly side will be removed & new brick pier 20' x 20' will be built to support the present first story C. I. column. Said pier will be built of brick laid in cement mortar to have a granite block 10" thick and bond stones 4" thick the full size & not over 2' 6" apart. Windows in rear will be shifted & new brick piers laid in cement mortar will be built all as shown on plans. Area wall in front will be extended and a store front flush with the building line will be put up.*

If altered Internally, give definite particulars, and state how the building will be occupied:

48. *Some partitions in cellar will be removed and a 4" brick partition will be erected. Ceiling in bakery will be made fireproof according to Sec. 41 - Tenement house act. Ceiling of storerooms will be plastered, 4" concrete floor will be put in cellar & a hardwood floor will be laid on top.*
49. How much will the alteration cost? *\$2000⁰⁰*

TENEMENT HOUSE DEPARTMENT

OF
THE CITY OF NEW YORK,

No. 61 IRVING PLACE, S. W. COR. 18TH ST.,
BOROUGH OF MANHATTAN,

NEW YORK, 1903.

To the Superintendent of Buildings,
Borough of Manhattan.

DEAR SIR:

Amendment to Plans and specifications
have been submitted to the Tenement House Department for
the alteration of one tenement house located at
No. 129 Seventh Street.

Borough of Manhattan, by
Architect Ebeling & Meyen; Address #194 Bowery
Owner Marks Gross; Address #102 Ave. "B"
and have been approved by the Tenement House
Department on _____ A copy of the approved amendment to
plans is herewith forwarded to your department.

Yours respectfully,

John J. ...

Tenement House Commissioner.

Amendment to _____ By _____

Plan No. Alt. 139 ~~139~~ 1904.

TENEMENT HOUSE DEPARTMENT

THE CITY OF NEW YORK,

No. 61 IRVING PLACE, S. W. COR. 18TH ST.,
BOROUGH OF MANHATTAN,

NEW YORK, 1903.

To the Superintendent of Buildings,
Borough of Manhattan.

DEAR SIR:

Plans and specifications
have been submitted to the Tenement House Department for
the alteration of one tenement house located at
129 - 7th Street,
Borough of Manhattan, by
Architect Ebeling & Meyen
Owner Marks Gross; Address 102 Avenue B
and have been approved by the Tenement House
Department on _____ A copy of the approved
plans is herewith forwarded to your department.

Yours respectfully,

Tenement House Commissioner.

By _____

Plan No. Alt. 139 ~~139~~ 1904.

TENEMENT HOUSE DEPARTMENT

OF

THE CITY OF NEW YORK,

No. 61 IRVING PLACE, S. W. COR. 15TH ST.,
BOROUGH OF MANHATTAN,

NEW YORK, _____ 1903.

To the Superintendent of Buildings,
Borough of Manhattan.

DEAR SIR:

Amendment to Plans and specifications
have been submitted to the Tenement House Department for
the alteration of one tenement house located at
No. 129 Seventh Street.
Borough of Manhattan, by
Architect Ebeling & Meyen; Address #194 Bowery
Owner Marks Gross; Address #102 Ave. "B"
and have been approved by the Tenement House
Department on _____. A copy of the approved amendment to
plans is herewith forwarded to your department.

Yours respectfully,

Thomas C. Train

Tenement House Commissioner.

Amendment to _____ By _____

Plan No. Alt. 139 ~~1000~~ 1904.

Form 104-1903.

TENEMENT HOUSE DEPARTMENT

OF

THE CITY OF NEW YORK,

No. 61 IRVING PLACE, S. W. COR. 15TH ST.,
BOROUGH OF MANHATTAN,

NEW YORK, _____ 1903.

To the Superintendent of Buildings,
Borough of Manhattan.

DEAR SIR:

Plans and specifications
have been submitted to the Tenement House Department for
the alteration of one tenement house located at
129 - 7th Street,
Borough of Manhattan, by
Architect Ebeling & Meyen; Address 194 Bowery
Owner Marks Gross; Address 102 Avenue B
and have been approved by the Tenement House
Department on _____. A copy of the approved
plans is herewith forwarded to your department.

Yours respectfully,

Thomas C. Train
Tenement House Commissioner.

By _____

Plan No. Alt. 139 ~~1000~~ 1904.

1135 38

THE CITY OF NEW YORK
DEPARTMENT OF WATER SUPPLY, GAS AND ELECTRICITY
BUREAU OF WATER REGISTER—BOROUGH OF MANHATTAN

PERMIT NUMBER	16947
DIVISION REFERENCE No.	
Permit Division Form No. 127 M-b	
VERIFICATION OF BUILDER'S ESTIMATE	

7/12/1916

TO THE BUREAU OF BUILDINGS,
MUNICIPAL BUILDING, NEW YORK CITY

Permit has been issued to

129-7 St

use of water in the building operations at

Building Bureau Plan No. 1333 Oct 16

A charge has been fixed by this Bureau in accordance with the following estimate of the quantities of Masonry and Plastering

required for above work as submitted to us by the

Owner
Architect
Contractor

Cubic yards Masonry Stone Work, Terra Cotta, Concrete, Fireproofing, Brick Work and all other forms of Masonry, except Plastering, should be grouped under this heading.

Square yards Plastering Portion of Building To be Plastered

Please note below any discrepancies between this estimate and your estimate of the material required and return to this office.

Markus Gross
407 E 9th

Respectfully,

Water Register.

THE CITY OF NEW YORK
BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN

TO THE BUREAU OF WATER REGISTER,
MUNICIPAL BUILDING, NEW YORK CITY

September 6th 1916

In accordance with the plans on file in this office, the quantities of material as specified above are correct, except

RECEIVED BY THE BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN
SEP 11 1916

10001- 15 Cubic Yards Masonry
20 Square Yards Plastering
will be required

Respectfully,

8

Superintendent of Buildings

per *E. M. Amos*
Estimator

THIS COPY TO BE RETAINED BY THE BUREAU OF BUILDINGS

Form 3 Department of Buildings of The City of New York.
THE BOARD OF THE CITY OF NEW YORK
FOR THE BOROUGH OF MANHATTAN.

PLAN No. 146 Alf of 190 4

State and City of New York, }
County of } ss.:

Fred. Ebeling for
Ebeling & Meyen

I, Fred. Ebeling, being duly sworn, deposes and says: That he resides at Number 194 Bowery in the Borough of Manhattan The City of New York, in the County of New York the State of New York; that he is the Architect for

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part thereof, situate, lying and being in the Borough of Manhattan The City of New York, aforesaid, and known and designated as Number 129-7th Street and hereinafter more particularly described;

that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement of writing of the specifications and plans of such proposed work, is duly authorized to be performed by owner and Ebeling & Meyen that they are the architects authorized by the Owner

to make application for the approval of such detailed statement of specifications and plans in his name.

The Deponent further says that the full names and residences, street and number, of the owner or owners of the land, and also of every person interested in said building or proposed building, structure, or proposed structure, names, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

- Marks Gross No. 42 Ave. J
as Owner
- Ebeling & Meyen No. 194 Bowery
as Architects

No
as
No
as
No
as

The said land and premises above referred to, are situate at, bounded and described as follows, viz.:

BEGINNING at a point on the north side of 7th Street, distant 100 feet west from the corner formed by the intersection of Ave. W. and 7th Street running thence 25 feet west feet; thence 97' 6" north feet; thence 25 feet east feet; thence 97' 6" south feet to the point or place of beginning.

Sworn to before me, this 31 day of March 1904

Fred. Ebeling for Ebeling & Meyers.

E. J. Carroll
Commissioner of the State of New York

Notary Public, _____ County.

G. WALLACE,

Int of the Board of Buildings and
Commissioner of Buildings for the Bor-
oughs of Manhattan and The Bronx.

No. 220 Fourth Avenue, S. W. cor. 18th Street,
Borough of Manhattan.

JOHN GUILFOYLE,

Commissioner of Buildings for
the Borough of Brooklyn.

Office, Borough Hall, Borough of Brooklyn.

DANIEL CAMPBELL,

Commissioner of Buildings for the Bor-
oughs of Queens and Richmond.

Office, Richmond Building, New Brighton, Staten Island,
Borough of Richmond.

Branch Office, Town Hall, Jamaica, Long Island,
Borough of Queens.

PLAN No.

4446

NEW BUILDINGS }
ALTERATIONS }

190 44

Location

129 Seventh St.

Borough of

In all cases Inspectors will furnish the following information without regard to the information
given in the application and plans on file in the Department.

1. Foundation walls. Depth below curb level..... material.....
thickness, front..... inches; rear..... inches; side..... inches; party..... inches.
2. Upper walls. Material.....; thickness as follows:

Basement:	front.....	inches;	rear.....	inches;	side.....	inches;	party.....	inches.
1st story:	"	"	"	"	"	"	"	"
2d story:	"	"	"	"	"	"	"	"
3d story:	"	"	"	"	"	"	"	"
4th story:	"	"	"	"	"	"	"	"
5th story:	"	"	"	"	"	"	"	"
6th story:	"	"	"	"	"	"	"	"
3. Nature of ground..... *But. Lignite*
4. Quality of sand used in mortar.....
5. What walls are built as party walls?.....
6. What fire escapes are provided?.....
7. Is building fireproof?..... *No*
8. If building is vacant, state how the same was occupied..... *Tenement*
9. Is the present building to be connected with any adjoining building?.....
If so, state dimensions and material of adjoining building, viz: -
Material.....; feet front.....; feet rear.....;
feet deep.....; feet in height.....; number of stories.....;
how occupied.....
10. How is present building occupied? Basement.....; 1st floor *4 fam.*.....;
2d floor *4 fam.*.....; 3d floor *4 fam.*.....; 4th floor *4 fam.*.....; 5th floor *4 fam.*.....;
6th ".....; 7th ".....; 8th ".....; 9th ".....
11. Height of building—feet.....; stories.....
12. Size of building—feet front.....; feet rear.....; feet deep.....
13. Size of lot— " ".....; " ".....; " ".....
14. Are fireproof shutters provided?..... What kind?.....

William A. McEntee

Inspector.

Dated..... 190

Department of Buildings of The City of New York.
THE BOARD OF BUILDINGS OF THE CITY OF NEW YORK
FOR THE BOROUGH OF MANHATTAN.

PLAN No. *146* *Alv* of 190 *4*

State and City of New York, }
County of } ss.:

*Fred. Ebeling for
Ebeling & Meyen*

being duly sworn, deposes and says: That he resides at Number *194 Bowery*
..... in the Borough of *Manhattan*
in The City of *New York*....., in the County of *New York*.....
in the State of *New York*.....; that he is *the Architect for*

the
owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part
hereof, situate, lying and being in the Borough of *Manhattan*
in The City of New York, aforesaid, and known and designated as Number *129-7th Street*
....., and hereinafter more particularly described;
that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement
in writing of the specifications and plans of such proposed work, is duly authorized to be performed by *owner and
Ebeling*
& Meyen
and that *they are the architects*
duly authorized by *the Owner*
to make application for the approval of such detailed statement of specifications and plans in *his*
behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the
said land, and also of every person interested in said building or proposed building, structure, or proposed structure,
premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

Marks Gross No *42 Ave. D.*
as *Owner*

Ebeling & Meyen No *194 Bowery*
as *Architects*

No
as.....
No
as.....
No
as.....



G. WALLACE,
 Chief of the Board of Buildings and
 Commissioner of Buildings for the Bor-
 oughs of Manhattan and The Bronx.
 No. 220 Fourth Avenue, S. W. cor. 18th Street,
 Borough of Manhattan.

JOHN GUILFOYLE,
 Commissioner of Buildings for
 the Borough of Brooklyn.
 Office, Borough Hall, Borough of Brooklyn.

DANIEL CAMPBELL,
 Commissioner of Buildings for the Bor-
 oughs of Queens and Richmond.
 Office, Richmond Building, New Brighton, Staten Island,
 Borough of Richmond.
 Branch Office, Town Hall, Jamaica, Long Island,
 Borough of Queens.

PLAN No. 446 **NEW BUILDINGS** 190 4
ALTERATIONS

Location 129 Seventh St.
 Borough of _____

Refer to cellar walls of rear extension to Bldg. 446
 There is no extension to Bldg. 446

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Department.

1. Foundation walls. Depth below curb level _____ material _____
 thickness, front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
2. Upper walls. Material _____; thickness as follows:
 Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 1st story: " 12 " " 12 " " 12 " " 12 "
 2d story: " 12 " " 12 " " 12 " " 12 "
 3d story: " 12 " " 12 " " 12 " " 12 "
 4th story: " 12 " " 12 " " 12 " " 12 "
 5th story: " 12 " " 12 " " 12 " " 12 "
 6th story: " _____ " " _____ " " _____ " " _____ "
3. Nature of ground not suitable
4. Quality of sand used in mortar _____
5. What walls are built as party walls? _____
6. What fire escapes are provided? _____
7. Is building fireproof? No
8. If building is vacant, state how the same was occupied tenement
9. Is the present building to be connected with any adjoining building? _____
 If so, state dimensions and material of adjoining building, viz: -
 Material _____; feet front _____; feet rear _____;
 feet deep _____; feet in height _____; number of stories _____;
 how occupied _____
10. How is present building occupied? Basement _____; 1st floor 4 fam.;
 2d floor 4 fam.; 3d floor 4 fam.; 4th floor 4 fam.; 5th floor 4 fam.;
 6th " _____; 7th " _____; 8th " _____; 9th " _____
11. Height of building—feet _____; stories _____
12. Size of building—feet front _____; feet rear _____; feet deep _____
13. Size of lot— " " _____; " " _____; " " _____
14. Are fireproof shutters provided? _____ What kind? _____

William P. McCarty
 Inspector.

TENEMENT HOUSE DEPARTMENT

OF
THE CITY OF NEW YORK.

MANHATTAN OFFICE
No. 61 IRVING PLACE,
S. W. Cor. 18th St.

BRONX OFFICE
AVENUE,
Near St.

BROOKLYN OFFICE,
No. 44 COURT STREET,
Cor. Joralemon St.

Borough

NEW Y

Amendment to Plans and Application No.

139 Oct 1906

Location

129-

*120
 be
 H.C.
 cell.
 from
 burr
 of 3
 to c
 from
 by 8
 rope
 will
 13 H.C.*

*That this
 d as
 and to cellar
 it leaves a landing
 ar H.C.
 not been*

ance to

{ 10/27/06 }

Per. 10

RECEIVED

Mr. G. J.

446 Oct 06

23. With what will walls be coped? *stone*
24. Will roof be flat, peak, or mansard? *flat*; material
25. Give size and material of floor and roof beams. *concrete*
- 1st tier, material; size; distance on centres
- 2d tier, " " " "
- 3d tier, " " " "
- 4th tier, " " " "
- 5th tier, " " " "
- Roof tier, " *apruce*, " *2 x 6*, " " *16*
- Give thickness of headers of trimmers
26. Give material of girders of columns
- Under 1st tier, size of girders size of columns
- " 2d " " " " "
- " 3d " " " " "
- " 4th " " " " "
- " 5th " " " " "
- " Roof tier, " " " "
27. If front, rear or side is to be supported on columns or girders, give:
- Girders, material; front; side; rear
- size " " "
- Columns, material " " "
- size " " "
28. If constructed of frame, give material; size of sill
- plate; enteties; posts; studs
- braces
29. If open on one side, give size of plate posts
30. How will extension be occupied? *Water Closet*
- If for dwelling, give number of families on each floor
31. How will extension be connected with main building? *by a door*
32. Give size of skylights material
33. Give material of cornices
34. Give material of light shafts; size

If to be increased in height, give the following information:

35. Will building be raised from foundation, or extended on top? Give particulars
-
-
-
-
36. How many stories high will building be when raised?; feet high
37. Will the roof be flat, peak or mansard?; material
38. Material of coping?

TENEMENT HOUSE DEPARTMENT

OF THE CITY OF NEW YORK.

Manhattan Office,
44 EAST 23d STREET,
S. W. Cor. 4th Ave.

Bronx Office,
391 EAST 149th STREET.

Brooklyn Office,
503 FULTON STREET.

Borough of _____

NEW YORK, APRIL 23, 1916.

Amendment to Plans and Application No. ALTERATION 84 1916.

Location 129 Seventh Street.

One (1) additional w.c. and compartment at East store first story now provided, shift windows as shown.

(2) Water closet compartment door will be glazed with wire glass.

Respectfully submitted,

Jacob Disher

BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK

Rec'd MAY 1 1916

FOR THE BOROUGH
OF MANHATTAN

1833

APR 23 1916

MAY 4 1916
This is to certify that this amendment and plan has been submitted to the Tenement House Department and is hereby approved.

[Signature]

Do not write beyond these lines

4434-16

*original Ten House
herewith to file with
B N 445-16*

(4)

[Signature]