

Plan No. 28 *Original*

Received JAN 27 1891

Crisp

APPLICATION FOR ERECTION OF BUILDINGS.

B
435
L
53

An application is hereby made to erect one building — as per subjoined detailed statement of
Erection of Buildings, and 2 herewith submit Plans and Drawings of such pro-
posed building — and I do hereby agree that the provisions of the Building Law will be com-
plied with whether the same are specified herein or not.

(Sign here) Charles Ruff
per Schneider & Herter Archts.
NEW YORK, Jan. 5. 1891

1. State how many buildings to be erected. one
2. How occupied? If for dwelling, state the number of families. dwelling for 15 families Jewiter
3. What is the street or avenue and the number thereof? Give diagram of property. # 99 E. 7. Street
4. Size of lot. No. of feet front, 26'-3"; No. of feet rear, 26'-3"; No. of feet deep, 97'-6"
5. Size of building. No. of feet front, 26'-3"; No. of feet rear, 26'-3"; No. of feet deep, 86'-2"
No. of stories in height, 5; No. of feet in height from curb level to highest point of roof
beams, 59'-6"
6. What will each building cost exclusive of the lot? \$ 30,000
7. What will be the depth of foundation walls from curb level or surface of ground? 10 ft.
8. Will foundation be laid on earth, sand, rock, timber or piles? earth
9. What will be the base, stone or concrete? stone If base stones, give size and thickness
and how laid. 8" thick 2'-6" x 3'-0" laid edge to edge If concrete, give thickness.
10. What will be the sizes of piers?
11. What will be the sizes of the base of piers?
12. What will be the thickness of foundation walls? in front 20" in rear part 2'-0" Of what material
constructed? in front part hard burnt brick cement mortar in rear part blue quarry Old York stone & Cement
13. What will be the thickness of upper walls? Basement, _____ inches; 1st story, 16"
inches; 2d story, 12 inches; 3d story, 12 inches; 4th story, 12 inches;
5th story, 12 inches; 6th story, _____ inches; 7th story, _____ inches, and from thence
to top, _____ inches. Of what materials to be constructed? of hard burnt brick lime & sand
14. State whether independent or party walls. independent
15. With what material will walls be coped? blue stone
16. What will be the materials of front? brick & stone If of stone, what kind? sandstone
Give thickness of ashlar. 4" Give thickness of backing in each story. 1st story 16"
17. Will the roof be flat, peaked or mansard? flat
18. What will be the materials of roofing? tin
19. Give size and materials of floor beams. 1st tier, 3 x 10 spruce; 2d tier, 3 x 10
_____ ; 3d tier, 3 x 10 ; 4th tier, 3 x 10 ; 5th tier,
3 x 10 ; 6th tier, _____ ; 7th tier, _____
_____ ; 8th tier, _____ ; roof tier, 3 x 9
State distances from centres. 1st tier 16 inches; 2d tier, 16 inches; 3d tier, 16 inches;
4th tier, 16 inches; 5th tier, 16 inches; 6th tier, _____ inches; 7th tier, _____ inches;
8th tier, _____ inches; roof tier, 20 inches.
20. If floors are to be supported by columns and girders, give the following information: Size and
material of girders under 1st floor. 8 x 10 yellow pine under each of the upper floors, _____
Size and materials of columns under 1st floor,
8" cast iron posts under each of the upper floors, _____
21. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give
definite particulars. iron lintels will be placed over windows
on 1st story windows
22. If girders are to be supported by brick piers and columns, state the sizes of piers and columns.

23. State by whom the construction of the building is to be superintended. Schneider & Herter

IF THE BUILDING IS TO BE OCCUPIED AS AN APARTMENT OR TENEMENT HOUSE,
GIVE THE FOLLOWING PARTICULARS.

1. State how many families are to occupy each floor, and the whole number in the house; also, if any part is to be used as a store or for any other business purposes, state the fact, *3 families in each floor*
15 families in all 7 furnished rooms in Basement
 2. What will be the heights of ceilings? 1st story, *10'-6"* feet; 2d story, *9'-6"* feet; 3d story, *9'-6"* feet; 4th story, *9'-6"* feet; 5th story, *9'-6"* feet; 6th story, _____ feet; 7th story, _____ feet.
 3. How are the hall partitions to be constructed and of what materials? *of studs set plumb on sill*
& plates & plastered both sides
- Owner *Charles Ruff*, Address *228 E. 10. Street*
Architect *Schmidler & Glenter*, Address *47. Middle house*
Mason _____, Address _____
Carpenter _____, Address _____

IF A WALL OR PART OF A WALL ALREADY BUILT IS TO BE USED, FILL UP
THE FOLLOWING.

The undersigned give notice that _____ intend to use the _____ wall of building _____ as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall _____ built of _____ inches thick, _____ feet below curb; the upper wall _____ built of _____ inches thick, _____ feet deep, _____ feet in height.

(Sign here) _____

NOTE.—In making application for the erection of buildings the following drawings must be furnished: Plans of each and every story, front, rear and side elevations, and longitudinal and transverse sections. All plans must be drawn to a uniform scale and must be on tracing cloth, properly designated and colored.

THE BUILDING LAW REQUIRES:

- 1st—All stone walls must be properly bonded.
- 2d—All skylights having a superficial area of more than 9 square feet must be of iron and glass.
- 3d—All buildings over two stories or above 25 feet in height, *except dwellings, school houses, and churches*, on streets less than 30 feet wide, must have iron shutters on every window and opening above the 1st story. The front windows on streets over 30 feet wide are exempted.
- 4th—Outside fire escapes are required on all dwelling houses over two stories in height, occupied or built to be occupied by two or more families on any floor above the first, and on dwellings more than four stories in height, occupied by three or more families above the first floor, and on office buildings, hotels and lodging houses, factories, mills, workshops, hospitals, asylums and schools, all to be constructed as follows:

BALCONIES MUST NOT BE LESS THAN THREE FEET WIDE.

BRACKETS must not be less than $\frac{1}{2}$ x $\frac{1}{2}$ inches wrought iron, placed edgewise, or $\frac{1}{2}$ inch angle iron $\frac{1}{4}$ inch thick, well braced, and not more than three feet apart, and the braces to brackets must be not less than $\frac{3}{4}$ inch square wrought iron, and must extend two-thirds of the width of the respective brackets or balconies. In all cases the brackets must go through the wall, and be turned down three inches.

BRACKETS ON NEW BUILDINGS must be set as the walls are being built. When brackets are to be put on old houses, the part going through the wall shall not be less than one inch diameter, with screw nuts and washers not less than five inches square and $\frac{1}{2}$ inch thick.

TOP RAILS.—The top rail of balcony must be $\frac{1}{2}$ inch x $\frac{1}{2}$ inch wrought iron or $\frac{1}{2}$ inch angle iron $\frac{1}{4}$ inch thick, and in all cases must go through the walls, and be secured by nuts and 4 inch square washers, at least $\frac{3}{4}$ inch thick, and no top rail shall be connected at angles by the use of cast iron.

BOTTOM RAILS.—Bottom rails must be $\frac{1}{2}$ inch x $\frac{3}{4}$ inch wrought iron or $\frac{1}{2}$ inch angle iron $\frac{3}{4}$ inch thick, well leaded into the wall. In frame buildings the top rails must go through the studding and be secured on the inside by washers and nuts as above.

FILLING-IN BARS.—The filling-in bars must be not less than $\frac{1}{2}$ inch round or square wrought iron, placed not more than 6 inches from centres, and well riveted to the top and bottom rails.

STAIRS.—The stairs in all cases must be not less than 18 inches wide, and constructed of $\frac{1}{2}$ x $\frac{3}{4}$ inch wrought iron sides or strings. Steps may be of cast iron of the same width of strings, or $\frac{5}{8}$ inch round iron, double rungs, and well riveted to the strings. The stairs must be secured to a bracket on top and rest on and be secured to a bracket or extra cross bar at the bottom. All stairs must have a $\frac{3}{4}$ inch hand rail of wrought iron, well braced.

FLOORS.—The flooring of balconies must be of wrought iron $\frac{1}{2}$ x $\frac{3}{4}$ inch slats placed not over 15 inches apart, and secured to iron butts $1\frac{1}{2}$ x $\frac{3}{4}$ inch, not over three feet apart and riveted at the intersection. The openings for stairways in all balconies shall not be less than 20 inches wide and 35 inches long, and have no covers.

DROP LADDERS.—Drop ladders from lower balconies where required shall not be less than 14 inches wide, and shall be made of $\frac{1}{2}$ x $\frac{3}{4}$ inch sides and $\frac{5}{8}$ inch rungs of wrought iron. In no case shall a drop ladder be more than 12 feet in length. In no case shall the ends of balconies extend more than nine inches over the brackets.

SCUTTLE LADDERS.—Ladders to scuttles shall be constructed in all cases the same as the stairs or step-ladders from balconies of fire escapes.

THE HEIGHT OF RAILING around balconies shall not be less than two feet nine inches.

No Fire Escape will be approved by this Bureau if not in accordance with above specifications.

- 5th—All walls must be coped with stone or terra cotta. If coped with stone, the stone must not be less than $2\frac{1}{2}$ inches thick; and if with terra cotta, the terra cotta must be made with proper lap joints.
- 6th—Roofs must be covered with fire-proof material.
- 7th—All cornices must be fire-proof.
- 8th—All FURNACE FLUES OF DWELLING HOUSES shall have at least eight inch walls on each side. No furnace flues shall be of less size than eight inches square, or four inches wide and sixteen inches long, inside measure. If preferred, the furnace flues may be made of cast iron or fire-clay pipe of proper size built in the walls, with an air space of not less than one inch between said pipes, and four inches of brick wall on the outside.
All flues not built for furnace or boiler flues must be altered to conform to the above requirements before they are used as such.
- 9th—No iron beam, lintel, or girder, intended to span an opening over eight feet, intended to support a wall, shall be used for that purpose, *until tested and approved* as provided by law.

Man and aff. and danger of property on app. 12 12 1891.

REPORT UPON APPLICATION.

Fire Department, City of New York,

BUREAU OF INSPECTION OF BUILDINGS.

New York, _____ 189

To the Superintendent of Buildings:

I respectfully report that I have thoroughly examined and measured the wall____,etc., named in the foregoing application, and found the foundation wall____to be built of _____ inches thick, _____feet below curb, the upper wall____built of _____ inches thick, _____ feet deep, _____ feet in height, and that the mortar in said wall____ is _____ hard and good, and that the wall____built as party wall____and _____ in a good and safe condition.

What is the nature of the ground? _____

What kind of sand was used in the mortar? _____

(The Inspector must here state what defects, if any, are in the wall.)

(The " " state the thickness of wall in each and every story.)

Inspector.

FINAL REPORT OF INSPECTOR.

NEW YORK, *October 1st* 1891

To the Superintendent of Buildings:

Work was commenced on the within described building on the _____ day of *Oct* 1891 and completed on the _____ day of *September* 1891, and all the iron girders, beams and columns are properly set, and of size as per application, and all the work upon said building has been done in accordance with the foregoing detailed statement, except as noted below.

Respectfully submitted,

August Rivest Inspector.

REMARKS.

Original
Fire Department, City of New York.

Bureau of Inspection of Buildings.

Detailed Statement of Specification
FOR
NEW BUILDINGS.

No. 28 Submitted Jan 12 1891

LOCATION.

99 East 4th Street
CRO

Owner Charles Ruff

Architect Schneider & Hertig

Builder

Received by 189

Returned by 189

Report favorable.

Referred to Inspector J. R. ...

Jan 20 1891

Returned Oct 5 1891

A. Birnstiel Inspector.

Examined
New York, Jan 13 1891

This is to certify that I have examined the within detailed statement, together with the copy of the plans relating thereto, and find the same to be in accordance with the provisions of the laws relating to Buildings in the City of New York, that the same has been approved, and entered in the records of this Bureau.

Enoch McLeod
Superintendent of Buildings.

N. Y. Jan 20 1891

Amended:
True iron ladders 2 1/2 ft high.
over 1st story windows
One side of basement
for janitor rooms only
where marked on plans.
Fire escapes will be
constructed where
marked on plans
Schneider & Hertig

Approved
Enoch McLeod
Superintendent of Buildings
A. 53311 - Hazlett Debb

Handwritten notes on the right side of the page, including dates like "Jan 19 1891" and various signatures and initials.

Form 3-1903

THE BUREAU OF BUILDINGS OF THE CITY OF NEW YORK
FOR THE BOROUGH OF MANHATTAN.

PLAN No. 2148 All of 1908.

State and City of New York, }
County of New York, } ss.:

Ignatz J. Rosenberg

being duly sworn, deposes and says: That he resides at Number 99 7th St.

in the Borough of Manhattan

in The City of NY NY, in the County of NY

in the State of NY; that he is architect for

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of... in The City of New York, aforesaid, and known and designated as Number... and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement, in writing, of the specifications and plans of such proposed work, is duly authorized to be performed by Sam. Rosensky owner and that I. J. Rosenberg owner duly authorized by owner to make application for the approval of such detailed statement of specifications and plans in his behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure, or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

Sam. Rosensky No. 99 7th St. as owner

No.

as

No.

as

No.

as

No.

as

The said land and premises above referred to are situate at, bounded and described as follows, viz.:

BEGINNING at a point on the North side of East
7th Street, distant 200 feet
East from the corner formed by the intersection of
First Ave and
running thence East 26'-0" feet;
thence North 100'-0" feet;
thence West 26'-0" feet;
thence South 100'-0" feet
to the point or place of beginning.

Sworn to before me this 30
day of Dec 1908

Geety S. Rosenberg

F. H. Hush
Notary Public NY County.

B 435
L 53

Applicant must indicate the Building Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 2418

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Ignaty J. Rosenberg

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, Dec. 29 1908.

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered One
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) the North side of East 7th Street 200^{ft} East of First Ave more or less as 99 - 7th Street
- How was the building occupied? Tenement
How is the building to be occupied? Tenement
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? _____ Size _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 26'-0" feet front; 26'-0" feet rear; 100 feet deep.
- Size of building which it is proposed to alter or repair? 26 feet front; 26 feet rear; 76'-0" feet deep. Number of stories in height? 5 Height from curb level to highest point? 51'-0"
- Depth of foundation walls below curb level? 7'-0" Material of foundation walls? Stone in Cement Thickness of foundation walls? front 24" inches; rear 24" inches; side 24" inches; party _____ inches.
- Material of upper walls? Brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front 20 inches; rear 20 inches; side 20 inches; party _____ inches.
1st story: " 16 " " 16 " " 16 " " _____ "
2d story: " 12 " " 12 " " 12 " " _____ "
3d story: " 12 " " 12 " " 12 " " _____ "
4th story: " 12 " " 12 " " 12 " " _____ "
5th story: " 12 " " 12 " " 12 " " _____ "
6th story: " _____ " " _____ " " _____ " " _____ "
- Is roof flat, peak or mansard? flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. *Enlarge the present Windows in East and West Side in Basements as per plans.*

If altered internally, give definite particulars, and state how the building will be occupied :

48. *Concrete the Basement floor so to make same waterproof, Cut windows in Basement floor's walls, set new half full skylight as per plans. Remove part of present party fire escapes on front of Building as per plans.*

49. How much will the alteration cost? *\$ 200⁰⁰/₁₀₀*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what ?

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each ?	-	-						
52. Height of ceilings?	-	-	-	-	-	-	-	-

53. How basement to be occupied ? _____
 How made water-tight? _____

54. Will cellar or basement ceiling be plastered? _____ How? _____

55. How will cellar stairs be enclosed? _____

56. How will cellar be occupied? _____
 How made water-tight? _____

57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

Size of each shaft? _____

The said land and premises above referred to are situate at, bounded and described as follows, viz.:

BEGINNING at a point on the North side of East Sercent Street, distant 260'-0" feet West from the corner formed by the intersection of Avenue "A" and West running thence 63'-0" feet; thence 81'-0" feet; thence 72'-0" feet; thence 110'-0" feet to the point or place of beginning.

Sworn to before me, this 27 day of May, 1908.

Gueta J. Rosenberg

G. Miller Jr.

Notary Public..... County.

[Faint notary seal stamp]

THE DEPARTMENT OF BUILDINGS OF THE CITY OF NEW YORK
FOR THE BOROUGH OF MANHATTAN.

PLAN No. 111 of 1908.

State and City of New York, }
County of New York, } ss.:

Isaiah V. Rosenbaum

being duly sworn, deposes and says: That he resides at Number 99-7th Street
in the Borough of Manhattan

in The City of New York, in the County of New York

in the State of New York; that he is the Architect
for the Jacob C. Heinsheimer & Frederic
S. Heinsheimer are the

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made
a part hereof, situate, lying and being in the Borough of Manhattan

in The City of New York, aforesaid, and known and designated as Number 111 East
7th Street, and hereinafter more particularly described;

that the work proposed to be done upon the said premises, in accordance with the accompanying detailed
statement, in writing, of the specifications and plans of such proposed work, is duly authorized to be
performed by Isaiah V. Rosenbaum Isaac Heinsheimer
and that the Architect Isaiah V. Rosenbaum
duly authorized by the Owners

to make application for the approval of such detailed statement of specifications and plans in their
behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners
of the said land, and also of every person interested in said building or proposed building, structure, or
proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any repre-
sentative capacity, are as follows:


Jacob C. Heinsheimer No. 111 East 7th Street
as Owner

Frederic S. Heinsheimer No. 111 East 7th Street
as Owner

Isaiah V. Rosenbaum No. 99-7th Street
as Architect

" " " " " " " "
as Supervisor
No. " " " "

as



NOTE:
 ERRECTING NEW 10\"/>

= PRES. BRICKWORK
 = NEW BRICKWORK TIGHTLY BONDED TO OLD.



PRES. BRICK
 NEW BRICK
 CELLAR FLOOR
 12\"/>

NEW CHIMNEY
 &
 BOILER ROOM
 AT
 99 EAST 7TH AVE.

PART of CELLAR PLAN
 SCALE 1/4\"/>

PLAN AT 1\"/>

17 AVE.
 58
 75 26 36 - S
 EAST 7TH AVE
 BLOCK 435
 LOT 58
 PLOT PLAN

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

PLAN No. 2448 { New Buildings } 1909
ALTERATIONS

Location 79 7 St.

BOROUGH OF MANHATTAN.

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Bureau.

- 1. Foundation walls. Depth below curb level _____ material _____
thickness, front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
- 2. Upper walls. Material _____; thickness as follows:
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " " " " " " " " " "
2d story: " " " " " " " " " "
3d story: " " " " " " " " " "
4th story: " " " " " " " " " "
5th story: " " " " " " " " " "
6th story: " " " " " " " " " "

✓ 3. ~~Nature of ground~~ State thickness and material of basement side walls.

4. ~~Quality of sand used in mortar~~ 20" thick in good condition

5. What walls are built as party walls? f. 20" thick in good condition

6. What fire escapes are provided? _____

7. Is building fireproof? _____

✓ 8. If building is vacant, state how the same was occupied. As at Present

9. Is the present building to be connected with any adjoining building? _____

If so, state dimensions and material of adjoining building, viz. :-

Material _____; feet front _____, feet rear _____
feet deep _____; feet in height _____; number of stories _____

how occupied _____

✓ 10. How is present building occupied? Basement 1 Family; 1st floor Tenement;

✓ 2d floor Tenement; 3d floor Tenement; 4th floor Tenement; 5th floor Tenement;

6th floor _____; 7th floor _____; 8th floor _____; 9th floor _____;

11. Height of building—feet _____; stories _____

12. Size of building—feet front _____; feet rear _____; feet deep _____

13. Size of lot— " " _____; " " _____; " " _____

14. Are fireproof shutters provided? _____ What kind? _____

Dated, Jan 3rd 1909 Inspector.

ORIGINAL

THE CITY OF NEW YORK DEPARTMENT OF BUILDINGS

MANHATTAN Municipal Bldg., New York 7

BROOKLYN Municipal Bldg., Brooklyn 1

BRONX 1932 Arthur Ave., New York 57

QUEENS 120-55 Queens Blvd., Kew Gardens 24, L. I.

RICHMOND Boro Hall St. George 1, S. I.

NOTICE - This Application must be TYPEWRITTEN and filed in TRIPPLICATE.

- CHECK ONE BOX
[X] ORIGINAL INSTALLATION
[] REPLACEMENT OR ALTERATION
[] OTHER THAN ABOVE

OIL BURNING EQUIPMENT

F.P. 1606

DEPARTMENT OF BUILDINGS

RECEIVED JUN 27 1960

CITY OF NEW YORK BOROUGH OF MANHATTAN

N.B., ALT., OR B.N. NO. 19

BLOCK 435 LOT 53 19 50 161.5

LOCATION 99 East 7th St., N/S 161.5 E of First Ave. BOROUGH Manh.

APC-5 FILED DO NOT WRITE IN THIS SPACE

ALL ITEMS MUST BE FILLED IN EXCEPT WHERE OTHERWISE INDICATED

Maximum Input 1,620,000 BTU per hour Maximum Output 1,136,000 BTU per hour

Fee Computation FOR OIL BURNING EQUIPMENT \$ 50.00 TOTAL \$ 50.00

FEE PAID JUN 24 1960

TO THE BOROUGH SUPERINTENDENT Date June 3 19 60

I hereby make application for approval of the installation described herein and certify to the accuracy of the statements given in this application and the computations, plans and detailed drawings which were prepared by me or under my supervision...

Arnel Associates (APPLICANT)

93 Court St. Brooklyn (ADDRESS)

(SIGNATURE OF APPLICANT)

Examined For Approval on 6/23/60

JUN 23 1960

Approved 19

BOROUGH SUPERINTENDENT

SPECIFICATIONS

Construction of building Brick
How is building occupied? Class A-M.D. State number of families 16
Proposed work Install oil burner, boiler and 2000 gal. fuel oil tank,
Name of Burner(s) Heveoil B.S. & A. Cal. No. 918-40
Capacity of Tank(s) 2000 Grade of Oil 4
Will system be fully automatic? yes Name of preheater
B.S. & A. Cal. No. Will preheater conform with Rule 7.2.2?
Will all safety and operating controls be provided as per B.S. & A. resolution approving the burner and/or preheater? yes Name of constant level device
Name of anti-siphon or foot valve Will tanks be inside or outside building? inside
Buried or above ground? above Will tank enclosure comply with Rule 6? yes
Any heating coils in tanks? no Will fill line comply with Rule 7.4? yes
Will vent line comply with Rule 7.3? yes
Location of shut-off valves at burner & tank
Type of measuring device Petrometer Name of pump Integral
Will pump of burner be below top of storage tank? yes
In dwelling will automatic control be installed? N.A.
Will damper when closed completely cut off passage of flue gases? no
Location of remote control cellar Labeled yes
Is ventilation adequate? yes Will fire protection comply with Rule 14? yes
Is installation along line of subway? no Will it conform with Rule 6.5.1?
Fill Box Permit No. 20920-1

8-9-60 No MD Objections J.D. Connors

Vertical handwritten notes on the left margin.

PROPOSED CONSTRUCTION WORK

Will installation include the erection or alteration of a chimney? no (YES OR NO). If answer is "yes", describe

and fill in either estimated cost \$_____ or whether work is included in approved application _____ (N.B., ALT., OR B.N.)
No. _____. If answer is "no", fill in statement regarding construction of existing chimney. Will the tank be buried, enclosed, or installed outside the building? no (YES OR NO). If answer is "yes", specify _____

_____. If answer to either or both of the above questions is "yes", submit this form in quadruplicate.

STATEMENT REGARDING CONSTRUCTION OF EXISTING CHIMNEY

I hereby state that I have inspected the chimney at the premises wherein under this application I propose to install oil burning equipment and found that the chimney is in good condition and has walls of _____

1 1/2 Brick
(GIVE MATERIAL AND THICKNESS)

and lining of Terra Cotta
(GIVE MATERIAL)

Philip Barkin
(NAME OF P.E., OR R.A., OR LICENSED INSTALLER)

Philip Barkin
(SIGNATURE)

367 Flushing Ave., Bklyn
(ADDRESS)

STATEMENT OF OWNER

I hereby state that I am the ^{sole}~~part~~ owner of the premises described in this application and that the premises are occupied as Class A-M.D. 16 Fam.

I have authorized the applicant to file this application for the work specified herein.

If occupied as a Multiple Dwelling, also complete the following:

I hereby further state that a Central Heating Plant did exist at these premises prior to July 1st, 1951. (DID OR DID NOT)

The owner or owners of the said premises are

Stanley Wnek
(NAME AND RELATIONSHIP TO PREMISES)

99 E. 7th St., N. Y. C.
(ADDRESS)

(NAME AND RELATIONSHIP TO PREMISES)

(ADDRESS)

(NAME AND RELATIONSHIP TO PREMISES)

(ADDRESS)

Stanley Wnek
(SIGNATURE OF OWNER OR OFFICER OF CORP.)

(IF A CORPORATION, GIVE NAME AND ADDRESS OF CORPORATION ON THE FIRST LINE ABOVE AND THE NAME AND ADDRESS OF TWO OFFICERS ON THE SECOND AND THIRD LINES; AND SIGNED BY AN AUTHORIZED OFFICER OF THE CORPORATION)

WORK PERMIT

I hereby state that I will make the installation described in this application and plans, if any, approved therewith and I certify that to the best of my knowledge and belief, the installation will conform to the Administrative Code, the rules of the Board of Standards and Appeals and the rules of the Department of Air Pollution Control and I have obtained Workmen's Compensation insurance as follows:

Cos. Mut. Ins. Co.
INSURANCE COMPANY

05-41356
POLICY NO.

6/19/60
EXPIRES

Mu-Way Fuel Oil Co.
NAME OF INSURED

367 Flushing Ave. Bklyn 5
ADDRESS

Philip Barkin
NAME OF LICENSED INSTALLER

367 Flushing Ave. Bklyn 5
ADDRESS OF LICENSED INSTALLER

License No. 1559 CLASS B

5/31/61
EXPIRES

Philip Barkin
SIGNATURE OF LICENSED INSTALLER

PERMISSION IS HEREBY GRANTED TO INSTALL OIL BURNING EQUIPMENT AS DESCRIBED IN THE FOREGOING APPLICATION.

DATE OF ISSUANCE _____ BOROUGH SUPERINTENDENT _____ ISSUED BY CLERK _____

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

FOR CONSTRUCTION INSPECTOR'S USE WHEN "PROPOSED CONSTRUCTION WORK" ABOVE, IS INVOLVED.

On _____ (DATE) I inspected the subject premises and found that the construction work involved in this application has been done in accordance with the approved application and plan.

Signed _____ (CONSTRUCTION INSPECTOR)