

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 486  
L 25

Office of the Borough President of the Borough of Manhattan,  
In The City of New York.

BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,  
Office, No. 220 FOURTH AVENUE,  
S. W. Corner 18th Street.

Plan No. 3034

### APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) George T Brown

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, Dec 1905

#### LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered. One
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) South side of E. 9th St.  
Distance 250.0 West of Ave H.C.  
# 432 E. 9th St
- How was the building occupied? Tenement & Store  
How is the building to be occupied? Same
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size x; height \_\_\_\_\_ How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
- Size of lot? 28.0' feet front; 25.0' feet rear; 100.0' feet deep.
- Size of building which it is proposed to alter or repair? 25.0' feet front; 25.0' feet rear; 50.0' feet deep. Number of stories in height? 4 Height from curb level to highest point? \_\_\_\_\_
- Depth of foundation walls below curb level? 10.0' Material of foundation walls? Stone Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party 20 inches.
- Material of upper walls? Brick If ashlar, give kind and thickness \_\_\_\_\_
- Thickness of upper walls:  

Basement:	front	<u>20</u>	inches;	rear	<u>20</u>	inches;	side	<u>20</u>	inches;	party	<u>20</u>	inches.
1st story:	"	<u>16</u>	"	"	<u>16</u>	"	"	<u>16</u>	"	"	<u>16</u>	"
2d story:	"	<u>12</u>	"	"	<u>12</u>	"	"	<u>12</u>	"	"	<u>12</u>	"
3d story:	"	<u>12</u>	"	"	<u>12</u>	"	"	<u>12</u>	"	"	<u>12</u>	"
4th story:	"	<u>12</u>	"	"	<u>12</u>	"	"	<u>12</u>	"	"	<u>12</u>	"
5th story:	"		"	"		"	"		"	"		"
6th story:	"		"	"		"	"		"	"		"
- Is roof flat, peak or mansard? Flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. ~~Increasing~~ <sup>Enlarge</sup> present window in Western apartment on three upper stories in rear wall. All windows to be increased 1:4" in width making said openings 4:4" wide; to have new lintels over <sup>top of same</sup> consisting of 2) 5" - S.I.B.'s cutting new window in rear wall on first story into Toilet Room where shown on plans. 1:4" X 4:0" with brick arch over same.

If altered Internally, give definite particulars, and state how the building will be occupied :

48. Erecting new W.C.'s Compartments in rear of Building on three upper stories. & Toilet room on first story, all as shown on plans. New Sinks & Tubs in each apartment.

49. How much will the alteration cost? \$ 1000 <sup>00</sup>/<sub>100</sub>

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

1 Store first story

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?			18	2	2	2		
52. Height of ceilings?	7:0"		10:0"	9:6"	9:0"	9:0"		

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How cellar to be occupied?

How made water-tight?

57. Will shafts be open or covered with louvre skylights full size of shafts?

Size of each shaft?

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

PLAN NO. 3634 NEW BUILDINGS ALTERATIONS 1905

Location

432 E. 9th St

BOROUGH OF MANHATTAN.

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Bureau.

1. Foundation walls. Depth below curb level ... material ... thickness, front ... inches; rear ... inches; side ... inches; party ... inches.

2. Upper walls. Material Brick; thickness as follows: Basement: front ... inches; rear 16 inches; side ... inches; party ... inches. 1st story: ... 2d story: ... 3d story: ... 4th story: ... 5th story: ... 6th story: ...

3. Nature of ground. ...

4. Quality of sand used in mortar. ...

5. What walls are built as party walls? ...

6. What fire escapes are provided? ...

7. Is building fireproof? ...

8. If building is vacant, state how the same was occupied. Store & Tenement of 6 families

9. Is the present building to be connected with any adjoining building? ...

If so, state dimensions and material of adjoining building, viz:—

Material ...; feet front ...; feet rear ...

feet deep ...; feet in height ...; number of stories ...

how occupied ...

10. How is present building occupied? Basement Storage; 1st floor Store; 2d floor 2 fam; 3d floor 2 fam; 4th floor 2 fam; 5th floor ...; 6th ...; 7th ...; 8th ...; 9th ...

11. Height of building—feet ...; stories ...

12. Size of building—feet front ...; feet rear ...; feet deep ...

13. Size of lot— " " ...; " " ...; " " ...

14. Are fireproof shutters provided? ... What kind? ...

Dated Dec 22<sup>nd</sup> 1905

W. J. McKeon Inspector.

58. Dimensions of water-closet windows? .....  
 Dimensions of windows for living rooms? .....
59. Of what materials will hall partitions be constructed? .....
60. Of what materials will hall floors be constructed? .....
61. How will hall ceilings and soffits of stairs be plastered? .....
62. Of what material will stairways be constructed? .....
- Give sizes of stair well holes? .....
63. If any other building on lot, give size; front .....; rear .....; deep .....; stories high .....; how occupied .....; on front or rear of lot .....; material .....
- How much space between it and proposed building? .....
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? .....
65. Number and location of water closets: Cellar .....; 1st floor .....; 2d floor .....; 3d floor .....; 4th floor .....; 5th floor .....; 6th floor .....
66. This building will safely sustain per superficial foot upon the first floor ..... lbs.; upon 2d floor ..... lbs.; upon 3d floor ..... lbs.; upon 4th floor ..... lbs.; upon 5th floor ..... lbs.; upon 6th floor ..... lbs.; upon 7th floor ..... lbs.; upon 8th floor ..... lbs.

Owner, Hyman Lottman Address, 78 Mc. B. ~~345 E. 84 St.~~

Architect, George Brown " 345 E. 84 St.

Superintendent, \_\_\_\_\_ " \_\_\_\_\_

Mason, \_\_\_\_\_ " \_\_\_\_\_

Carpenter, \_\_\_\_\_ " \_\_\_\_\_