

IF TO BE EXTENDED ON ANY SIDE GIVE THE FOLLOWING INFORMATION.

4. What will be the base, stone or concrete? If base stones, give size and thickness and how laid, If concrete, give thickness,
5. What will be the sizes of piers? What will be the sizes of the base of piers?
6. What will be the thickness of upper walls? 1st story, inches ; 2d story inches ; 3d story, inches ; 4th story, inches ; 5th story, inches ; 6th story, inches ; 7th story, inches ; from thence to top, inches ; and of what materials to be constructed,
7. State whether independent or party-walls. If party-walls give thickness thereof.
8. With what material will walls be coped?
9. What will be the materials of front? If of stone, what kind? Give thickness of front ashlar. Give thickness of backing.
10. Will the roof be flat, peaked or mansard?
11. What will be the materials of roofing?
12. Give size and material of floor beams, 1st tier, x ; 2d tier, x ; 3d tier, x ; 4th tier, x ; 5th tier, x ; 6th tier, x ; 7th tier, x ; roof tier, x State distance from centres on 1st tier, inches ; 2d tier, inches ; 3d tier, inches ; 4th tier, inches ; 5th tier, inches ; 6th tier, inches ; 7th tier, inches ; roof tier, inches
13. If floors are to be supported by columns and girders, give the following information : Size and material of girders under 1st floor, x under each of the upper floors, Size and material of columns under first floor, under each of the upper floors,
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars,
15. If girders are to be supported by brick piers and columns, state the size of piers and columns.
16. How will the extension be connected with present or main building?
17. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy each floor.
18. State who will superintend the alterations. *the owner*

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE BUILDING WILL BE OCCUPIED :

Vent shaft for W.C. introduced, constructed of two thicknesses of Galv. iron from 2nd tier to and 3 ft. above roof covered with galv iron and glass skylight. Necessary framing for same Partitions to be altered for W.C. on each of the four upper floors. No other alteration. Building to remain occupied as at present

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN WHAT MANNER :

ORIGINAL

FORM 54-1898.

Department of Buildings of the City of New York.

BOROUGH OF MANHATTAN AND THE BRONX.

Plan No. 220-111 1899 Filed 1899

NOTICE.—In making application for the approval of plans for light and ventilation of new tenement and lodging houses, or for alterations of existing tenement or lodging houses, the following drawings must be furnished Plans of all floors, including cellar and basement, and, if necessary, transverse and longitudinal sections. All plans must be drawn to a uniform scale, not less than one-quarter inch to the foot, and be on tracing cloth or cloth prints, and each shaft or court properly designated and dimensions of same plainly marked thereat.

NOTICE.—This permit expires by its own limitation six months from date of approval of the plan by the Commissioner of Buildings, unless the building is then begun.

THOMAS J. BRADY, Commissioner of Buildings.

APPLICATION

TO THE

COMMISSIONER OF BUILDINGS

TO APPROVE PLANS FOR LIGHT AND VENTILATION OF PROPOSED TENEMENT OR LODGING HOUSE.

Pursuant to law, application is hereby made to the Commissioner of Buildings to approve plans herewith submitted for light and ventilation of the buildings described in the following specifications, which are made part of said plans. The plans and specifications are to be construed together, but in case of any difference between them these specifications, subject to such conditions as may be imposed by the Commissioner of Buildings, are to govern.

Location No. 440 East 9th Street Number of Buildings one

Owner Ferdinand Reinbauer Address 312 W. 58th St.

Architect James W. Cole Address 403 W. 51st St.

Dimensions of each Lot 25' x 27'

Dimensions of each Building 25' x 27'

Dimensions of each Extension

Number of floors above cellar or basement of main building 5 of extension

If it is proposed to alter an existing tenement or lodging house, or to convert a dwelling house or other building into a tenement or lodging house, state in what particulars:

The building is an existing tenement and it is proposed to introduce on the four upper floors, water closets and sinks as shown, and to make the alterations necessary for same.

Cellar—How to be occupied?.....

Basement—How to be occupied?.....

Cellar ceiling—Height above sidewalk.....

Basement ceiling—Height above sidewalk.....

	Cellar.	Basement.	1st floor.	2d floor.	3d floor.	4th floor.	5th floor.	6th floor.	7th floor.
How many families will occupy each floor.....	—	—	—	2	2	2	2	—	—
Height of ceilings.....									
Number of living rooms opening on shafts and courts.....									
Number of living rooms opening on street and yard.....									

Halls—How lighted and ventilated?.....

State dimensions of ventilating skylight over main hall.....

Dimensions of windows for living rooms.....

Dimensions of windows for water-closet apartments *12" x 36" louvre work.*

Dimensions of fanlights over doors of living rooms where marked on plans.....

Cellar—How lighted and ventilated?.....

Basement—How lighted and ventilated?.....

“ How made water-tight?.....

Cellar—How lighted and ventilated?.....

“ How made water-tight?.....

Will cellar or basement ceiling be plastered?.....

What additional structure, if any, will be on lot?.....

Distance from extreme rear of main building to rear line of lot.....

Distance from extreme rear of extension to rear line of lot.....

	Cellar.	Basement.	1st floor.	2d floor.	3d floor.	4th floor.	5th floor.	6th floor.	7th floor.
Number and location of water-closets..	—	—	—	1	1	1	1	—	—

How will the floor and sides of water-closet apartments be made water-tight? *By Alberone Stone "saps and bases, latter 16" in height.*

How will water-closet apartments be ventilated? *By a vent shaft 3 sq. ft. in area with skylight at top, same to have louvre work on sides at least 18" in height.*

No privy vault or cesspool will be maintained on the premises if a connection with any public sewer can be made.

The general water-closet accommodations will not be placed in the cellar and no water-closet will be placed in the yard. In tenement houses there will be one water-closet on each floor, and where there is more than one family on a floor there will be one additional water-closet on that floor for every two additional families.

In lodging houses there will be one water-closet on each floor, and where there is more than fifteen persons on any floor there will be an additional water-closet on that floor for every additional fifteen persons or fraction thereof.

That the floor and sides of each water-closet apartment in every tenement and lodging house will be made water-proof with some non-absorbent material.

In every tenement house connected with any public sewer, running water will be provided over a sink in each set of apartments.

Each lodging house will be provided with an isolation room, arranged as follows: 1st. It will be located on the uppermost floor and its air space will not be less than one thousand cubic feet. 2d. It will have a window opening on the street or avenue and a louvred skylight on the roof. 3d. It will be provided with a water-closet apartment having its partitions extended to ceiling and a window opening on the outer air, also a sink with running water; and, 4th. The walls and floor will be rendered impermeable to liquids or gases.

Yards, areas, light-shafts and courts will be properly graded, flagged or concreted and drained.

Where the premises are occupied as a tenement house no part thereof will be used for a lodging house or private school. Nor will they be used for the storage and handling of rags.

No stable or coal yard will be maintained on any lot whereon it is proposed to erect a tenement or lodging house or convert any building to the purposes of a tenement or lodging house.

And, finally, the undersigned hereby agrees to faithfully comply with all the laws relating to the erection of tenement or lodging houses, or to the conversion of other buildings to the purposes of a tenement or lodging house, or to the maintenance of such tenement or lodging house, and also the rules and regulations under which this permit is issued.

Ferdinand Beinhauer
Owner.

per James W. Cole
Architect.

Dated *Sept. 20th* 189*9*.

These plans and specifications were referred to Inspector.....

8 District, on the..... day of *10/12*, 189*9*.

.....
Clerk.

FINAL REPORT.

NEW YORK,....., 189 .

To the Commissioner of Buildings :

SIR—I have the honor to report that the above described premises were begun on the.....day of....., 189....., and completed on the..... day of....., 189....., and that said premises conform in all respects to the conditions of the above permit and also the laws and rules and regulations relating to the light and ventilation of tenement and lodging houses.

Respectfully submitted,

.....
Inspector,.....District.

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B
L
486
29

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 953

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Frank Straub

THE CITY OF NEW YORK, BOROUGH OF MANHATTAN, April 26th 1912

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered one
2. What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) south side of East 9th Street S.W. Cor. of Avenue A No. 442 East 9th Street and 144 Avenue A
3. How was the building occupied? store and tenement
How is the building to be occupied? " " "
4. Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size x; height How occupied? Give distance between same and proposed building feet.
5. Size of lot? 27 feet front; 27 feet rear; 60 feet deep.
6. Size of building which it is proposed to alter or repair? 27 feet front; 27 feet rear; 50 and 60 feet deep. Number of stories in height? 5 Height from curb level to highest point? 50 ft
7. Depth of foundation walls below curb level? 10 ft Material of foundation walls? stone Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party inches.
8. Material of upper walls? brick If ashlar, give kind and thickness
9. Thickness of upper walls:
Basement: front inches; rear inches; side inches party inches.
1st story: " 12 " " 12 " " 12 " " " "
2d story: " 12 " " 12 " " 12 " " " "
3d story: " 12 " " 12 " " 12 " " " "
4th story: " 12 " " 12 " " 12 " " " "
5th story: " 12 " " 12 " " 12 " " " "
6th story: " " " " " " " " "
10. Is roof flat, peak or mansard? flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. Part of front wall on 9th Street to be cut down, new girder of two 12"-32 lb. per ft. steel beams to be set to support wall as shown, resting on present 7" east main corner column and new 16"x12" bonded brick pier in 1st story, as per plans.
 New show windows to be set, flush with the building line.
 Door opening on 9th Street bricked up as shown.

If altered internally, give definite particulars, and state how the building will be occupied :

48. Urinal and toilet compartments on 1st story to be removed as shown

49. How much will the alteration cost? \$1200.

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-						
52. Height of ceilings?	-	-	-	-				

53. How basement to be occupied? _____
 How made water-tight? _____
54. Will cellar or basement ceiling be plastered? _____ How? _____
55. How will cellar stairs be enclosed? _____
56. How will cellar be occupied? _____
 How made water-tight? _____
57. Will shafts be open or covered with louvre skylights full size of shafts? _____
 Size of each shaft? _____

58. Dimensions of water closet windows? _____
Dimensions of windows for living rooms? _____

59. Of what materials will hall partitions be constructed? _____

60. Of what materials will hall floors be constructed? _____

61. How will hall ceilings and soffits of stairs be plastered? _____

62. Of what material will stairways be constructed _____
Give sizes of stair well holes? _____

63. If any other building on lot, give size; front _____; rear _____; deep _____
stories high _____; how occupied _____; on front or rear
of lot _____; material _____.
How much space between it and proposed building? _____

64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____

65. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor _____;
3d floor _____; 4th floor _____; 5th floor _____; 6th floor _____.

66. This building will safely sustain per superficial foot upon the 1st floor _____ lbs.; upon 2d floor
_____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor _____
lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor _____ lbs.

67. Is architect to supervise the alteration of the building or buildings mentioned herein? no
Name _____
Address _____

68. If not the architect, who is to superintend the alteration of the building or buildings described herein?
Name Edward F. Benihauer
Address 2 West 88th Street

Edward F. Benihauer, attorney in fact - 2 West 88th Street

Owner, Estate of Ferdinand Benihauer Address, 2 West 88th Street

Architect, Frank Straub " 25 West 42nd Street

Mason, _____ " _____

Carpenter _____ " _____

BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN, CITY OF NEW YORK

1502

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen or Cloth.

Received JUL -2 1934
FOR THE BOROUGH
OF MANHATTAN

ALT. APPLICATION No. 1502 193

LOCATION SWC. 141 Avenue A, 442 E. 9th Street BLOCK 436 LOT 29

New York City, June 29th. 1934. 193

To THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York, and with the provisions of all other laws and rules relating to the alteration of said building in effect at this date.

Work under this approval will not be commenced until a permit has been secured, application for which will be filed with the Superintendent of Buildings, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law.

EXAMINED AND RECOMMENDED FOR APPROVAL ON July 25th 193

Joseph Ferrero
James Stack
Examiner

APPROVED _____ 193

Superintendent of Buildings, Borough of Manhattan.

W.M.

Frederick J. Berger R.A. doing business under style of Bruno W. Berger & Son, Architects,

STATE, COUNTY AND CITY OF NEW YORK }

ss. _____
Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 121 Bible House,
in the City of New York, in the Borough of Manhattan,
in the State of New York, in the County of New York,
that he is the architect and that

GARFO PROPERTIES INC., is the

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number SWC., 141 Avenue A, 442 E. 9th Street.

and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work

(if any) proposed to be done upon the same premises and specified in separate applications filed herewith, and all subsequent amendments thereto—is duly authorized by **GARFO PROPERTIES INC., owner** [Name of Owner or Lessee] and that **Bruno W. Berger & Son, Architects,** duly authorized by the aforesaid **owner** to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in **owner's** behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner **GARFO PROPERTIES INC.,** 141 Avenue A.,
 Frank Garfinkel, Pres., 141 Avenue A.,
 Frieda Garfinkel, Secy., 141 Avenue A.,

Lessee _____

Architect **Bruno W. Berger & Son,** 121 Bible House, Man. N.Y. City.

Superintendent & General Contractor, **Joseph Reisberg,** 612 E. 9th Street.

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING at a point on the west side of Avenue A. distant 0 feet from the corner formed by the intersection of 9th Street and Avenue A. running thence west 86.6 feet; thence south 27 feet; thence east 86.6 feet; thence north 27 feet;

to the point or place of beginning, being designated on the map as Block No. ⁴³⁶ Lot No. 29
 (SIGN HERE) *Bruno W. Berger & Son* Applicant

Sworn to before me, this _____ day of _____ 1934
[Signature]
 24
 34

Affix Seal of Registered Architect here

ALTERATION APPLICATION

**BUREAU OF BUILDINGS
 BOROUGH OF MANHATTAN
 CITY OF NEW YORK**

NOTE: ALL elevations and grades for curbs and sidewalks must be obtained from the Commissioner of Public Works, Municipal Building, New York City.

DEPARTMENT OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE.—This Application must be TYPEWRITTEN and filed in TRIPLICATE.
 "SPECIFICATIONS—SHEET A" (Form 152) must be filed with EVERY Alteration Application.
 "SPECIFICATIONS—SHEET B" (Form 158) must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. 1502 ¹⁹³⁴ BLOCK 436 LOT 29

LOCATION SWC., 141 Avenue A., 442 E. 9th Street.

DISTRICT (under building zone resolution) Use Business Height 1½ Area B

Examined.....193..... Examiner.

SPECIFICATIONS—SHEET A

(1) NUMBER OF BUILDINGS TO BE ALTERED ONE (1) on front of lot.
 Any other building on lot or permit granted for one? yes, another on rear of lot

(2) ESTIMATED COST OF ALTERATION: \$ 275.00

(3) OCCUPANCY (in detail): (FRONT) Class A Multiple Dwelling (OLD LAW TEN.)
 Of present building

DEPARTMENT OF BUILDINGS
OF THE CITY OF NEW YORK

Of building as altered (FRONT) Class A Multiple Dwelling (OLD LAW TEN.)

JUL - 2 1934
OFFICE OF THE BOROUGH
OF MANHATTAN

(4) SIZE OF EXISTING BUILDING: Front
 At street level 27 feet front 60 feet deep
 At typical floor level 27 feet front 49 feet deep
 Height 5 stories 50'8" feet

(5) SIZE OF BUILDING AS ALTERED: Front
 At street level 27 feet front 60 feet deep
 At typical floor level 27 feet front 49 feet deep
 Height 5 stories 50'8" feet

(6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: ordinary
 [Frame, Ordinary or Fireproof]

(7) NUMBER OF OCCUPANTS (in each story of building as altered, giving males and females separately in the case of factories): no change in occupancy

(8) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED: It is proposed to remove pier between two windows in gable wall 1st story and enlarge opening to form show window with supporting steel above, remove partition dividing two rooms north apartment also remove rear brick wall and steel above and install 4" T.C. Blk. on 2d. story, and all as noted on drawings filed herewith.

AUTHORIZATION OF OWNER

Frank Garfinkel DEPOSES AND SAYS: That he resides at 141 Avenue A
Borough of Manhattan, City of New York State of New York
; that he is president of Garfo Properties Inc. owner of

all that certain piece or lot of land situated in the Borough of Manhattan in the City of
S/W Cor. 9th Street & Avenue A
New York, and located on the 442 E. 9th St. & s

AND KNOWN AS No. 141 Ave. A on said street; that the "Class A" multiple dwelling proposed to be
altered upon said premises will be altered in accordance with the annexed specifications and plans submitted here-
with for the approval of the Tenement House Department, and that Bruno W. Berger & Son, Arch'ts
is duly authorized by said owner to make application in said owner's behalf in compliance with Chapter 713 of
the Laws of 1929 for the approval of such specifications and plans.

NOTE—This clause to be used only when the person executing this authorization is not the sole owner of the premises described herein.

He further says that the full names and residences, street and number, of the owner or owners of
the said land, and of every person having an interest in said premises and multiple dwelling either as
owner, lessee, or otherwise, as required by Section 300 of the Multiple Dwelling Law, are as follows:
Garfo Properties Inc. 141 Ave. A, N. Y. C.
(Name) No. (Address)

As Owner (Relation to premises)

Frank Garfinkel 141 Ave., A, N. Y. C.
(Name) No. (Address)

As President (Relation to premises)

Frieda Garfinkel 141 Ave. A, N.Y.C.
(Name) No. (Address)

Secretary. (Relation to premises)

Frank Garfinkel
Signature.

AFFIDAVIT OF REGISTERED ARCHITECT

Frederick J. Berger, R. A. doing business under
Style of Bruno W. Berger & Son, Architects,

STATE OF NEW YORK }
COUNTY OF New York }

being duly sworn, deposes and says: That he resides at 121 Bible House
Borough of Manhattan City of New York County of New York
State of New York ; that he is the

Registered architect designated in the foregoing authorization from the owner of the prem-
ises described in said authorization; that the statements made in the foregoing application are true; that each
set of plans accompanying this application is identical in all particulars, and that said specifications and plans
contain a correct description of such dwelling, lot and work, and that the alteration of such dwelling will be in
accordance with such plans and specifications as approved, and that he hereby make application in behalf of
Garfo Properties Inc.

said owner and in compliance with the foregoing authorization and
Chapters 713 of the Laws of 1929, and 99 of the Laws of 1909, as amended, for the approval of such detailed
statement of specifications and plans.

Sworn to before me this _____
day of _____ 193_____

Frederick J. Berger R.A.

Notary Public _____ County.

NOTE:—Any false swearing in a material point in the foregoing affidavits is deemed PERJURY. (Section 300, Multiple Dwelling Law.)

ORIGINAL
act 1502-34
DEPARTMENT OF BUILDINGS
OF THE CITY OF NEW YORK
Received JUL - 2 1934
FOR THE BOROUGH
OF MANHATTAN

DEPARTMENT OF BUILDINGS
BOROUGH OF MANHATTAN, CITY OF NEW YORK

ALTERATION APPLICATION No. **1502** **193** **4**
[N. B., ALT., OR ELEV.] 442 E. 9th St.
 LOCATION 141 Avenue "A" S W Cor BLOCK 436 LOT 29

DISAPPROVED July 11th, 193 ⁴ with the following OBJECTIONS:

JF/JI

- A.1 New partitions in public hall required to be properly fire~~x~~ retarded both sides.
- A-2 Proposed change at point checked X not clear.
- 3 Show on plans and specify construction of wall supporting new column. Specify nature of mortar in walls supporting new loads. Specify if any openings exist in cellar wall at at new column. Provide adequate bearing plates and separators.
- 4 File new specification sheet due to error in occupancy of 1st floor. Store shown on plans.

Joseph Ferro
James J. Stack

Examiner

Commissioner of Buildings

Aspy

DEPARTMENT

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPLICATE

ALTERATION (N.B., ALT., ELEV., ETC.)

APPLICATION No. 1502 193 4

LOCATION SWC 141 Avenue A, 442 East 9th Street. BLOCK 436 LOT 29

New York City July 12th, 193 4

TO THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the following AMENDMENT to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

BRUNO W. BERGER & SON

(Signed)

ARCHITECTS Applicant

121 BIBLE HOUSE, N. Y. CITY

- A-1....New partitions in public hall now shown properly fire retarded both sides.
A-2....Proposed change at point checked "X" now made clear.
3....New shown on plans and specified construction of wall supporting new column. 18" stone, lime-cement mortar.
4....New Specification sheet A now filed specifying store in 1st story.

NOTE—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears.

EXAMINED AND RECOMMENDED FOR APPROVAL ON

July 25

193

James J. Beck, Jr. Examiner

APPROVED 193

Superintendent of Buildings, Borough of Manhattan