

AUTHORIZATION OF OWNER.

State and City of New York, }
County of _____ } ss.:

Sigmund Schue

being duly sworn, deposes and says: That he resides at Number *230 Grand*
Street in the Borough of *Manhattan*
in the City of *New York*, in the County of *New York*
in the State of *New York*; that he is the owner of all that certain
lot, piece or parcel of land, situate, lying and being in the Borough of *Manhattan*
in The City of New York, aforesaid, and located by a certain diagram bearing date the *1st*
day of *April* 190*9*, made by *Louis A. Sheward*
Architect, which diagram is hereto annexed; the said premises being located on the *North*
side of *St. Marks Pl* and known and designated as Number *121-123*
St. Marks Place and in such diagram more particularly described;
that the tenement house proposed to be altered upon the said premises will be altered in accordance with the
accompanying detailed statement in writing of the specifications and plans submitted for the approval of the
Tenement House Department by *Sigmund Schue* and that he hereby
duly authorize the said *Louis A. Sheward*
to make application in *his* behalf in compliance with Chapters 334 and 466 of the Laws of 1901, for the
approval of such detailed statement of the specifications and plans.

He further says that the full names and residences, street and number, of the owner or owners of the
said land, and of every person having an interest in said premises and tenement house either as owner,
lessee, or otherwise, as required by Section 121 of the Tenement House Act, are as follows:

Sigmund Schue No. *230 Grand St*
(Name) (Address)

as *Owner*
(Relation to premises)

Louis A. Sheward No. *1496 Bryant Ave*
(Name) (Address)

as *Architect*
(Relation to premises)

No. _____
(Name) (Address)

as _____
(Relation to premises)

Sworn to before me this _____
day of _____ 190*9*

Sigmund Schue

[Signature]
Notary Public _____
City of New York _____ County.

NOTE.—This clause to be used only when the person executing
this authorization is not the sole owner of the premises described
herein.

DEPARTMENT OF BUILDINGS OF THE CITY OF NEW YORK
FOR THE BOROUGH OF MANHATTAN.

RECEIVED
CITY OF NEW YORK
SEP 1 1906
FOR THE DEPARTMENT OF BUILDINGS

PLAN No. MB of 190

State and City of New York, }
County of New York, } ss.:

Edward A. Meyers

being duly sworn, deposes and says: That he resides at Number 1 Union Square West
in the Borough of Manhattan
in The City of New York, in the County of New York
in the State of New York; that he is the architect for

Julius Fishman

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made
a part hereof, situate, lying and being in the Borough of Manhattan
in The City of New York, aforesaid, and known and designated as Number W. W. Cor. of
Avenue A, and 8th St., and hereinafter more particularly described;

that the work proposed to be done upon the said premises, in accordance with the accompanying detailed
statement, in writing, of the specifications and plans of such proposed work, is duly authorized to be
performed by Julius Fishman
and that Edward A. Meyers
duly authorized by Julius Fishman
to make application for the approval of such detailed statement of specifications and plans in his
behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners
of the said land, and also of every person interested in said building or proposed building, structure, or
proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any repre-
sentative capacity, are as follows:

Julius Fishman No. 13 West 88th Street
as Owner, Builder & Supt.

Edward A. Meyers No. 1 Union Square West
as Architect for plans only

No

No

[OVER]

The said land and premises above referred to are situate at, bounded and described as follows, viz.:

BEGINNING at a point on the North side of 8th Street

..... distant feet

Being A Men of from the corner formed by the intersection of

Ever A and 8th Street

running thence North 80:6" feet;

thence West 113:0" feet;

thence South 80:6" feet;

thence East 113:0" feet

to the point or place of beginning.

Sworn to before me, this 1st day of Sept 1906 }

Edward A. Meyer

E. J. Carroll

Notary Public..... County.

25. Is the building to be fire proof? Yes
26. Of what material will partitions be built? Cross 2" x 4" studs fore and aft 2" x 4" studs
27. Give material of skylights Galvanized Iron; size 4 x 6 ft.
28. What will be the material of roofing? Tin. Will roof be flat, peak or mansard? Flat
29. What will be the material of dumb waiter shafts? 3" Terra cotta block
30. What will be the material of elevator shafts? None
31. What will be the material of the cornices? Galvanized Iron
32. What will be the material of bay windows? None
33. What kind of fire escape will be provided? As required by law. (Sect. 12)
34. Will cellar be plastered? Yes How? Plaster & plaster
35. Will access to roof be by scuttle or bulkhead? Bulkhead. If by bulkhead, how constructed? Brick wall
36. With what material will walls be coped? Terra cotta coping
37. How will building be heated? Ranges stoves etc.
38. Is there any other building erected on lot or permit granted for one? No
 Size x; height feet. How occupied?
 Give distance between same and proposed building feet.
39. Are any buildings to be taken down? No; how many?

If the Building is to be occupied as a Flat, Apartment, Tenement or Lodging House, give the following particulars:

40. Is any part of building to be used as a store or for any other business purpose? If so state for what?
Store

	Cellar.	Base-ment.	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor	7th Floor
41. How many families will occupy each? - <u>Inside</u>			0	6	6	6	6	6	
42. Height of ceilings?	7'-0" 8'-4" 6'-6"		11'-5" 11'-11" 9'-10" 11'-2"	9'-2"	9'-2"	9'-2"	9'-2"	9'-2"	

43. How basement to be occupied?
 How made water-tight?
44. How will cellar stairs be enclosed?
45. How cellar to be occupied? Storage etc.
 How made water-tight? Cement
46. Will shafts be open or covered with louvre skylights full size of shafts? Covered with louvre skylight
 Size of each shaft? 2'-0" x 2'-0"
47. Dimensions of water-closet windows? As per plans
 Dimensions of windows for living rooms? As per plans
48. Of what materials will hall partitions be constructed? Brick wall
49. Of what materials will hall floors be constructed? 4" Portland cements

50. How will _____ and soffits of stairs be _____
51. Of what material will stairways be constructed? stone
Give sizes of stair well holes _____
52. If any other building on lot, give size: front 10; rear _____; deep _____; stories high _____; how occupied _____; on front or rear of lot _____; material _____
How much space between it and proposed building? _____
53. How will floors and sides of water closets to the height of 6 inches be made waterproof? slate
54. Number and location of water closets: Cellar low _____; 1st floor 5 _____; 2d floor 6 _____; 3d floor 6 _____; 4th floor 6 _____; 5th floor 6 _____; 6th floor 6 _____; 7th floor _____
55. This building will safely sustain per superficial foot upon the 1st floor 90 lbs.; upon 2d floor 75 lbs.; upon 3d floor 75 lbs.; upon 4th floor 75 lbs.; upon 5th floor 75 lbs.; upon 6th floor 75 lbs.; upon 7th floor _____ lbs.; upon 8th floor _____ lbs.
56. What is the estimated cost of each building, exclusive of lot? \$ 60000 each
57. What is the estimated cost of all the buildings, exclusive of lots? \$ 120000

Owner, Julius Tishman Address, 13 West 89th Street
 Architect, Edward A. Meyers " Union Square West
 Superintendent, Owner " _____
 Mason, " " _____
 Carpenter, " " _____

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, _____ 190

The undersigned gives notice that _____ intend to use the _____ wall of building _____ as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall _____ built of _____ inches thick, _____ feet below curb; the upper wall _____ built of _____ inches thick, _____ feet deep, _____ feet in height.

(Sign here) _____

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B
L

486
33

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. _____

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Adolf Japp

The City of New York, Borough of Manhattan, Mar. 19th 1907

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 133 Avenue A
N.W. Corner 8th Street
- How was the building occupied? Stores & Tenement
How is the building to be occupied? same
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 50 feet front; 50 feet rear; 100 feet deep.
- Size of building which it is proposed to alter or repair? 50 feet front; 50 feet rear; 100 feet deep. Number of stories in height? 6 Height from curb level to highest point? 75'
- Depth of foundation walls below curb level? 13' Material of foundation walls? Stone Thickness of foundation walls? front 24 inches; rear 24 inches; side 24 inches; party _____ inches.
- Material of upper walls? brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front 18 inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " 18 " " 18 " " 18 " " " " "
2d story: " 18 " " 18 " " 18 " " " " "
3d story: " 15 " " 15 " " 15 " " " " "
4th story: " 15 " " 15 " " 15 " " " " "
5th story: " 12 " " 12 " " 12 " " " " "
6th story: " 12 " " 12 " " 12 " " " " "
- Is roof flat, peak or mansard? flat

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. _____

If altered internally, give definite particulars, and state how the building will be occupied :

48. Remove one partition install
closed & minimal apartments

49. How much will the alteration cost? \$400. -

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what ?

first floor stores

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each ?	-	-	5	5	6	6	6	6
52. Height of ceilings?	-	-	15	11	11	11	11	11

53. How basement to be occupied? _____
 How made water-tight? _____

54. Will cellar or basement ceiling be plastered? yes How? on Iron casting

55. How will cellar stairs be enclosed? by brick masonry

56. How will cellar be occupied? storage

How made water-tight? cement

57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

Size of each shaft? _____

58. Dimensions of water closet windows? 3' x 6'
 Dimensions of windows for living rooms? 3' x 6'
59. Of what materials will hall partitions be constructed? plaster
60. Of what materials will hall floors be constructed? _____
61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
 Give sizes of stair well holes? _____
63. If any other building on lot, give size; front _____; rear _____; deep _____;
 stories high _____; how occupied _____; on front or rear
 of lot _____; material _____.
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? tile
& marble
65. Number and location of water closets: Cellar _____; 1st floor 2; 2d floor 5;
 3d floor 6; 4th floor 6; 5th floor 6; 6th floor 6;
66. This building will safely sustain per superficial foot upon the 1st floor _____ lbs.; upon 2d floor
 _____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor
 _____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
 _____ lbs.

Owner, Sigmund Schue Address, 230 Grand Ave
185 E 104th

Architect, Arvey Hopp " _____

Superintendent, _____ " _____

Mason, _____ " _____

Carpenter, _____ " _____

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 436
L 33

Office of the Borough President of the Borough of Manhattan, 2
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. _____

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) O. Reissman

The City of New York, Borough of Manhattan, Nov. 10 - 1908

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) West side of Ave. A. 0 ft. north of 8th St. #131-133
- How was the building occupied? garment
How is the building to be occupied? _____
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 80'6" feet front; 80'6" feet rear; 113 feet deep.
- Size of building which it is proposed to alter or repair? 80'6" feet front; 80'6" feet rear; 113 feet deep. Number of stories in height? 6 Height from curb level to highest point? 58 ft.
- Depth of foundation walls below curb level? 8 ft. Material of foundation walls? stone Thickness of foundation walls? front 24 inches; rear 24 inches; side 24 inches; party _____ inches.
- Material of upper walls? brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front 16 inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " 16 " " 16 " " 16 " " " " "
2d story: " 12 " " 12 " " 12 " " " " "
3d story: " 12 " " 12 " " 12 " " " " "
4th story: " 12 " " 12 " " 12 " " " " "
5th story: " 12 " " 12 " " 12 " " " " "
6th story: " 12 " " 12 " " 12 " " " " "
- Is roof flat, peak or mansard? flat

11. Size of present extension, if any? _____ feet front; _____ feet deep; _____ feet high.

12. Thickness and material of foundation walls? _____

13. Material of upper walls? _____ If ashlar, give kind and thickness _____

14. Thickness of upper walls :
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " _____ " _____ " _____ " _____ " _____ "
2d story: " _____ " _____ " _____ " _____ " _____ "
3d story: " _____ " _____ " _____ " _____ " _____ "
4th story: " _____ " _____ " _____ " _____ " _____ "

15. Is present building provided with a fire escape? yes

If to be extended on any side, give the following information :

16. Is extension to be on side, front or rear? _____

17. Size of proposed extension, feet front _____; feet rear _____; feet deep _____; number of stories in height? _____ number of feet in height? _____

18. Material of foundation walls? _____; depth _____ feet; material of base course _____; thickness of base course _____; thickness of foundation walls, front _____ inches; side _____ inches; rear _____ inches; party _____ inches.

19. Will foundation be on rock, sand, earth or piles? _____

20. What will be the size of piers in cellar? _____; distance on centres? _____; size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____

21. Material of upper walls? _____; material of front? _____

22. Thickness, exclusive of ashlar, of upper walls :
1st story: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
2d story: " _____ " _____ " _____ " _____ "
3d story: " _____ " _____ " _____ " _____ "
4th story: " _____ " _____ " _____ " _____ "
5th story: " _____ " _____ " _____ " _____ "
6th story: " _____ " _____ " _____ " _____ "

23. With what will walls be coped? _____

24. Will roof be flat, peak, or mansard? _____; material _____

25. Give size and material of floor and roof beams
1st tier, material _____; size _____; distance on centres _____
2d tier, " _____ " _____ " _____ "
3d tier, " _____ " _____ " _____ "
4th tier, " _____ " _____ " _____ "
5th tier, " _____ " _____ " _____ "
Roof tier, " _____ " _____ " _____ "
Give thickness of headers _____ of trimmers _____

26. Give material of girders _____ of columns _____
Under 1st tier, size of girders _____; size of columns _____
" 2d " " " _____; " " _____
" 3d " " " _____; " " _____
" 4th " " " _____; " " _____
" 5th " " " _____; " " _____
" Roof tier, " " _____; " " _____

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner:

47. New show windows to be bld. as shown on plans, flush into the wall.
No change in construction.

If altered internally, give definite particulars, and state how the building will be occupied:

48. New partition to be bld. in cellar & first story as shown on plans.
New stairs to cellar stairs.
Removal of partitions shown.

Occupied as at present
\$1000 —

49. How much will the alteration cost?

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?	-	-						
52. Height of ceilings?	-	-						

53. How basement to be occupied? _____
 How made water-tight? _____

54. Will cellar or basement ceiling be plastered? _____ How? _____

55. How will cellar stairs be enclosed? _____

56. How will cellar be occupied? _____
 How made water-tight? _____

57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

Size of each shaft? _____

58. Dimensions of water closet windows? _____
 Dimensions of windows for living rooms? _____
59. Of what materials will hall partitions be constructed? _____

60. Of what materials will hall floors be constructed? _____

61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
 Give sizes of stair well holes? _____
63. If any other building on lot, give size; front _____; rear _____; deep _____;
 stories high _____; how occupied _____; on front or rear
 of lot _____; material _____.
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____

65. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor _____;
 3d floor _____; 4th floor _____; 5th floor _____; 6th floor _____;
66. This building will safely sustain per superficial foot upon the 1st floor _____ lbs.; upon 2d floor
 _____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor
 _____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
 _____ lbs.

Owner, J. Schuman Address, 69-7th St.
 Architect, R. Weissman " 30 First St.
 Superintendent, owner " _____
 Mason, _____ " _____
 Carpenter, _____ " _____

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, ONE AFFIDAVIT is sufficient for all. Plans must be filed on tracing Linen or Cloth.

BUREAU OF BUILDINGS
SEP 25 1914
BOROUGH OF MANHATTAN
CITY OF NEW YORK

3523

ALT. APPLICATION No. **3523** 1914

LOCATION #131-133 #127-29
North West Cor. of Avenue A. & St. Marks Pl.

New York City Sept. 25th, 1914.

To THE SUPERINTENDENT OF BUILDINGS:

Application is hereby made for approval of the plans and specifications herewith submitted, and made a part hereof, for the ALTERATION of the building therein described,—with the understanding that if no work is performed within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all the rules and regulations of the Bureau of Buildings for the Borough of Manhattan, all provisions of the Building Code of The City of New York, and with every other provision of law relating to this subject in effect at this date.

(Sign here) *[Signature]* Applicant

When properly signed by the Superintendent of Buildings of the Borough of Manhattan, this application becomes a PERMIT as required by the Building Code of The City of New York, to perform such work as is described in the foregoing statement and the attached plans and specifications which are a part hereof.

EXAMINED AND RECOMMENDED FOR APPROVAL ON 10/6/14 1914

[Signature]
Examiner.
CHIEF INSPECTOR AND ACTING
SUPERINTENDENT OF BUILDINGS

APPROVED 10/6/1914

Superintendent of Buildings, Borough of Manhattan *[Signature]*

STATE, COUNTY AND CITY OF NEW YORK } ss. **Louis A. Sheinart** (Applicant)

being duly sworn, deposes and says: That he resides at Number 194 Bowery
in the Borough of Manhattan
in the City of New York, in the County of New York
in the State of New York, that he is Architect for

Sigmund Schnee
owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number North West Cor. of Avenue A. & St. Marks Pl.

and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work

(if any) proposed to be done upon the same premises and specified in separate applications **filed herewith,**

and all subsequent amendments thereto—is duly authorized by **Sigmund Schnee**

[Name of Owner or ~~Lessee~~ ~~XXXX~~]

and that **Louis A. Sheinart**

duly authorized by the aforesaid **Sigmund Schnee** to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in **his** behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner **Sigmund Schnee,**
69 E. 7th St.

Lessee

Architect **Louis A. Sheinart, 194 Bowery**

Superintendent **Owner**

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING

at a point on the **West** side of **Ave. A.**

distant **1'-0"** feet **North** from the corner formed by the intersection of

North West Cor. Ave. A. and St. Marks Pl.

running thence **55'-West** feet; thence **80'-6" North** feet;
thence **55'-East** feet; thence **80'-6" South** feet;

feet

to the point or place of beginning,—being designated on the map as Block No. 436 Lot No. 33

Sworn to before me, this **25th**
day of **Sept** 191**4**
J. Elford

[Signature]

**ALTERATION
PERMIT**
**BUREAU OF BUILDINGS
BOROUGH OF MANHATTAN
CITY OF NEW YORK**

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPPLICATE.

“SPECIFICATIONS—SHEET A” [Form 152] must be filed with EVERY Alteration Application.

“SPECIFICATIONS—SHEET B” [Form 153] must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. **3523** 191

LOCATION North West Cor. Ave. A. & St. Marks Pl. #131-33 #127-29

Examined 10/2/14 191

M. V. Curran
Examiner

SEP 25 1914
BOROUGH OF MANHATTAN
CITY OF NEW YORK

SPECIFICATIONS—SHEET A

- (1) NUMBER OF BUILDINGS TO BE ALTERED One.
Any other building on lot or permit granted for one? No
- (2) ESTIMATED COST OF ALTERATION: \$ 200-
- (3) OCCUPANCY (in detail):
Of present building Store & Tenement
Of building as altered Store & Tenement
- (4) SIZE OF EXISTING BUILDING:
- | | | | | |
|------------------------|-------|------------|---------|-----------|
| At street level | 55' - | feet front | 80' -6" | feet deep |
| At typical floor level | 55' - | feet front | 72' - | feet deep |
| Height | 6 | stories | 65' - | feet |
- (5) SIZE OF BUILDING AS ALTERED:
- | | | | | |
|------------------------|-------|------------|---------|-----------|
| At street level | 55' - | feet front | 80' -6" | feet deep |
| At typical floor level | 55' - | feet front | 72' - | feet deep |
| Height | 6 | stories | 65' - | feet |
- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING:
Ordinary [Frame, Ordinary or Fireproof]
- (7) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Erect stud and plaster partition, dividing corner store
and for new water-closet compartment, as shown on plan.