

1170

Original

117

Department for the Survey and Inspection of Buildings,

OFFICE, No. 2 FOURTH AVENUE.

438
16
17

New York, November 8th 1869.

PLAN AND SPECIFICATION

For Alterations, Additions, or Repairs to Buildings already Erected.

The undersigned gives notice that he is the owner or
see of premises No 416 & No 418 East 14th Street proposes to alter or
on the Rear
enlarge the building thereon, in the manner described below, and respectfully requests that said premises be
examined, and a permit granted for such alteration or enlargement.

The present building is built of Brick, 1 1/2 story, 11 feet in height, 50 feet front
27 feet deep, with Flat roof.

The foundation walls are built of Stone, 24 inches thick. The upper walls are built of Brick,
8 inches thick, and 11 feet in height from curb level.

If independent walls, state the fact all

If party-walls, state the fact none

If there is any other building on the lot, state the fact Rear Stable

Owner W. G. Hooper Residence 810 St. 261

Architect _____ Residence _____

Builder T. H. S. & P. R. Residence 179 Ludlow Street

DESCRIPTION OF PROPOSED ALTERATIONS, ADDITIONS, OR REPAIRS.

If raised or built upon, give

1. Number of stories 1 1/2 Story
2. Number of feet in height 14 Feet
3. Style of roof Flat Roof
4. Materials of roofing Tin
5. Materials of cornices Coping with gutter partly
6. Access to roof Step ladder & Scaffolds
7. Fire escape, if required _____
8. Iron shutters, if required _____
9. How to be occupied as Shop

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 438

L 16

17

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No.

BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK
RECEIVED
SEP 13 1902
FOR THE BOROUGH
OF MANHATTAN

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) *Fred. Ebeling*

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, *Sept. 9th*, 1902

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered? *2*
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) *41.6 x 41.8 East 11th St south side, 319'-4" west of Avenue A*
3. How was the building occupied? *Stores, 14 x 13 families & stable in rear building*
How is the building to be occupied? *Stores, 14 x 13 families & lofts in rear building*
4. Is the building on front or rear of lot? *front & rear*. Is there any other building erected on lot or permit granted for one? *no*. Size.....x.....; height.....
How occupied?..... Give distance between same and proposed building.....feet.
5. Size of lot? *50'-8"*.....feet front; *50'-4"*.....feet rear; *95'-8" x 95'-5"* feet deep.
6. Size of building which it is proposed to alter or repair? *50'-8"*.....feet front; *50'-4"*.....feet rear; *95'-8" x 95'-5"* feet deep. Number of stories in height? *5 x 2*..... Height from curb level to highest point? *53'-0" x 19'-0"*
7. Depth of foundation walls below curb level? *10'-0" x 7'-4"*. Material of foundation walls? *stone*.
Thickness of foundation walls? front *24*.....inches; rear *24*.....inches; side *24 x 30* inches; party *24*.....inches.
8. Material of upper walls? *brick*..... If ashlar, give kind and thickness.....

39. Give material of new walls..... thickness of.....story.....inches;
story.....inches;story.....inches;story
inches;story.....inches;story.....inches;
story.....inches.
40. Material of floor beams?..... Size.....tier.....;
 centres.....;tier.....; centres.....;tier.....;
 centres.....;tier.....; centres.....;tier.....;
 centres.....
41. Material of girders?..... Size under 1st tier.....; 2d tier.....;
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
42. Material of columns?..... Size under 1st tier.....; 2d tier.....;
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
43. Size of piers in cellar.....; distance on centres.....; thickness of capstones
 to piers.....; bond stones.....
44. If constructed of frame, give material of frame.....; size of sills.....
 corner posts.....; middle posts.....; enteries.....;
 plates.....; braces.....; studs.....
45. How will building be occupied when altered?.....
 If for dwelling, state number of families on each floor.....
46. With what kind of fire escape will building be provided?.....

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars,
 and state in what manner :

47. *New store front will be put in front of #418, front will
 the building line. The windows of second story rear
 building will be lowered down 2'0" to enlarge
 same. A new window opening will be cut in
 easterly wall of second story for water closets.
 The iron structure in front of #418 will not be touched.*

If altered Internally, give definite particulars, and state how the building will be occupied:

48. *A new chimney will be built in rear building, lined with fire
 bricks the full height. A new stud partition will be added
 in rear of first story; also a new stairs leading from
 first story front building down to first story rear building,
 and a new stairs leading to second story rear building.
 Floor plans partitions around water closets. All
 as shown on plan and no further alterations will be*
49. How much will the alteration cost? *\$250.00*..... (*made*.....)

... is to be occupied as a Flat, Apartment or ... give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose? If so, state for what.....

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each? - - - - -								
52. Height of ceilings? - - - - -								

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered?..... How?.....

55. How will cellar stairs be enclosed?

56. How cellar to be occupied?

How made water-tight?

57. Will shafts be open or covered with louvre skylights full size of shafts?

Size of each shaft?

58. Dimensions of water closet windows?

Dimensions of windows for living rooms?

59. Of what materials will hall partitions be constructed?

60. Of what materials will hall floors be constructed?

61. How will hall ceilings and soffits of stairs be plastered?

62. Of what material will stairways be constructed?

Give sizes of stair well holes

63. If any other building on lot, give size: front.....; rear.....; deep.....;

stories high.....; how occupied.....; on front or rear of lot.....;

material.....

How much space between it and proposed building?

64. How will floors and sides of water closets to the height of 16 inches be made waterproof?

65. Number and location of water closets: Cellar.....; 1st floor.....; 2d floor.....;

3d floor.....; 4th floor.....; 5th floor.....; 6th floor.....

Owner, *Frank Genovese & Son*..... Address, *416 East 11th St.*.....

Architect, *Fred. C. Beling*..... " *97 Seventh St.*.....

Superintendent, *Owners*..... "

Mason,..... "

Carpenter,..... "

DEPARTMENT OF HOUSING AND BUILDINGS BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 2

BRONX
1932 Arthur Ave.,
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 15, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT

2803

PERMIT No. 194 9 N.B. } Alt. Application No. 1986 194 9
ELEV. SIGN

LOCATION 416-418 East 11th Street
BLOCK 438 LOT 16 & 17

FEES PAID FOR

NOTE—Trees in streets fronting on site are under jurisdiction of Department of Parks. They must be protected and written notification made to that Department at least 48 hours prior to commencement of work.

New York City December 13, 1949 194

To the Borough Superintendent: masonry, carpentry, tile, plastering, lathing, roofing, sheet metal, cement
Application is hereby made for a **PERMIT** to perform the work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance, this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:
State Insurance Fund #NY-235266 Exp. 7-14-50

When the policy of a general contractor does not fully cover the work of any sub-contractor, such sub-contractor must file a certificate of workmen's compensation covering his particular work. No work is to be commenced by this sub-contractor until his certificate has been submitted and approved by this department.

No certificate of occupancy will be issued unless the construction work covered by this permit will be supervised by a Licensed Architect, or a Professional Engineer, or by a Superintendent of Construction, having at least ten years' experience, acceptable to the Borough Superintendent. An affidavit shall be filed indicating such supervision, as required by Section 2.1.3.7 of the Building Code.

Name and address of person designated for this supervision is as follows:

Name John Pistilli Address 35 Renfrew Place, Port Richmond SI

STATE AND CITY OF NEW YORK } ss. John Pistilli for Anthony Baratta
COUNTY OF New York } Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 35 Renfrew Place in the Borough of Richmond in the City of SI, in the County of Richmond in the State of New York, that he is agent for the contractor for the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 416-418 East 11th Street and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Assemblea Christiana Nel Nome Di Gesu, Inc. (Name of Owner or Lessee)

and that Anthony Baratta is duly authorized by the aforesaid owner to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) X John Pistilli

Sworn to before me, this 13th day of December 194 9
Notary Public or Commissioner of Deeds

COMMISSIONER OF DEEDS
New York County Clerk's No. 58
Commission Expires June 11, 1950

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON DEC 13 1949, 194

DEC 13 1949

Approved 194 Examiner [Signature]
Borough Superintendent [Signature]

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF MANHATTAN CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 2

BRONX
1932 Arthur Avenue,
Bronx 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 15, L. I.

RICHMOND
Boro Hall
St. George I, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE, and one copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, one affidavit is sufficient for all.

AFFIDAVIT

1986 FORM A
1949

APPLICATION No. ALT. 194 BLOCK 438 LOT 16 & 17
Give Street No. and 418
LOCATION 416 East 11th Street South Side 244' East of First Avenue
FEES REQUIRED FOR _____

To THE BOROUGH SUPERINTENDENT:

Application is hereby made for approval of the plans and specifications herewith submitted and to be made a part hereof for the structure herein described, with the understanding that:

If this application shall be disapproved in part and if no further action is taken thereon within one year after notice of partial disapproval, it shall be automatically withdrawn.

Any permit issued under which no work is commenced within one year from the time of issuance shall expire by limitation. (Administrative Code C26-177.0).

Work will be supervised by Licensed Architect, Professional Engineer or by a Superintendent of Construction who has had ten years' experience supervising building construction and who has been properly qualified. (Adm. Code C26-187.0).

Work under this approval will not be commenced until a permit has been obtained, application for which will be filed with the Borough Superintendent, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law. (Adm. Code C26-161.0).

EXAMINED AND RECOMMENDED FOR APPROVAL ON _____, 1949
APPROVED _____, 1949

Joseph P. ...
Borough Superintendent

STATE AND CITY OF NEW YORK }
COUNTY OF New York } ss.:

WILLIAM J. FREED
(Typewrite name)

being duly sworn, deposes and says: That he resides at 624 Madison Avenue
in the City of New York, in the Borough of Manhattan
in the State of New York, that he is making this application for the approval of plans and specifications herewith submitted and made part hereof, for the building therein described. Deponent further says that he has personally supervised the preparation of the Architectural & Structural plans and that to the best of his knowledge and belief, the work will be carried out in compliance therewith, and the structure, if built in accordance with such plans, will conform with all the provisions of the Building Code of the City of New York and with the provisions of all other laws and regulations applicable thereto in effect on this date.

Deponent further says that he is duly authorized by Di Gesu Inc. who is the equitable owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, to make application for the approval of such detailed statements of specifications and plans, elevator or plumbing work (if any) and amendments thereto, in the Owners behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed structure are as follows:

Owner Assemblea Christiana Nel Nome Di Gesu Address 205 First Avenue N.Y.C.
(If a Corporation, give full name and addresses of at least two officers)
Joseph Creazzo President 205 First Avenue N.Y.C.
Ralph Iraci Treasurer 140 East 7th St. N.Y.C.

Lessee Same Address _____

Architect FREED and GORDON Address 624 Madison Avenue N.Y. 22
Engineer _____ Address _____
Superintendent A. Baratta Address 35 Renfrew Pl. Staten Island N.Y.

16

The said land and premises above referred to are situated, bounded and described as follows, viz.:
 BEGINNING at a point on the South side of East 11th Street distant 244 feet East from the corner formed by the intersection of E. 11th St. and First Ave. running thence South 95.5 feet; thence East 50.4 feet; thence North 95.8 feet; thence West 50.8 feet; to the point or place of beginning,—being designated on the map as

Block No. 438

Lot No. 16 & 17

(SIGN HERE) *Wm. J. Freed* Applicant

Sworn to before me, this 14th

day of November 1949

Margaret Leary
 Notary Public or Commissioner of Deeds.



Note:—If building is a Multiple Dwelling, authorization of owner required on Form 95R.

Above Block and Lot Verified

Department of

House Number Dated 194

Bureau of

PLOT DIAGRAM must be drawn to indicated scale, showing the correct street lines from the city plan: the plot to be built upon in relation to the street lines and the portion of the lot to be occupied by the building; the legal grades and the existing grades, properly identified, of streets at nearest points from the proposed buildings in each direction; the House numbers and the Block and Lot numbers. Obtain this data from Bureau of Sewers and Highways and the Tax Department or consult Plan Desk in each Borough as to where data is available. Show dimensions of lot, building, courts and yards.

Status of Street: private— ; public highway— ; other

The legal width of is ft.; sidewalk width should be ft.

The legal width of is ft.; sidewalk width should be ft.

The street lines as shown in the diagram are substantially correct. Proposed changes in street lines and grades, if any, are indicated in red. The legal grades and the existing grades are indicated on the diagram thus: Legal Grade, 25.00. Existing, 24.00.

Dated 194

Bureau of


N.



The north point of the diagram must agree with the arrow.

E. 11TH ST

FIRST AVE



DEPARTMENT OF HOUSING & BUILDINGS

RECEIVED NOV 14 1949

DEPARTMENT OF HOUSING AND BUILDINGS

ALTERED BUILDING

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPLICATE

ALT. No. **1986** ¹⁹⁴⁹ ~~194~~ BLOCK **438** LOT **16 & 17**

LOCATION **416-18 E. 11 St. S.S. 244' E. of First Avenue**
House Number, Street, Distance from Nearest Corner and Borough

ZONING: USE DIST. Residence HEIGHT DIST. 1 1/2 AREA DIST. B

Initial fee payment—Amount \$ 20 fee 1st Receipt No. _____

Date _____ Cashier Maguire

2nd payment of fee to be collected before a permit is issued—Amount \$ No fee

Verified by R. Moskowitz Date June 23 '50

2nd Receipt No. _____ Date _____ Cashier _____

EXAMINED AND RECOMMENDED **DEC 5 1949**
FOR APPROVAL ON _____ 194

APPROVED _____ 194

Joe P. ... Examiner
... Borough Superintendent

SPECIFICATIONS

- (1) Classification of Buildings to be Altered. (NOTE—See C26-238.0) Class 3 2 BLDGS
- (2) Any other buildings on lot or permit granted for one? yes (order erect) (vacant bakery)
Is building on front or rear of lot? Front
affidavit certifying the quality of steel must be filed. (Commissioner's memo Jan. 4, 1949).
- (3) Use and Occupancy. Public Church
(NOTE—If a multiple dwelling, authorization of owner must be filed.)
A new C of O (will) (will not) be required.

Date 12/5/49 Examiner J.P. ...

STORY (Include cellar and basement)	EXISTING LEGAL USE		LIVE LOAD	No. OF PERSONS			APTS.	ROOMS	USE
	APTS.	ROOMS		USE	MALE	FEMALE			
cellar	-	-	Bakery-Storage	On grd.	30	35	65	-	Blr. Rm Social Room
First	-	-	4 stories	60#	100	75	175	-	church
Second	4	16	Old						Floor Beams to be removed
Third	4	16	Law	60#	48	48	96	-	Church
Fourth	4	16	Tenement						Floor Beams to be removed

P. & D.
MAY 5 1950

Error made in calling 3rd fl. church same should read 2nd fl. church

(4) State generally in what manner the Building will be altered:

Entire fourth floor ^{beams} will be removed. All existing interior partitions and existing second floor beams will be removed making building two story and cellar. No alteration to rear building. New plumbing, heating and electric systems thruout building. New "Perma-Stone" surfacing for front.

(5) Size of Existing Building:

At street level	50.8	feet front	46	feet deep	50.6	feet rear
At typical floor level	same	feet front		feet deep		feet rear
Height ¹	cellar and four	stories	41	feet		

(6) If volume of Building is to be changed, give the following information:

At street level	50.8	feet front	46	feet deep	50.6	feet rear
At typical floor level	same	feet front		feet deep		feet rear
Height ¹	cellar and two	stories	41	feet		

Area² of Building as Altered: At street level 2326.68 Total floor area² 4653.36 sq. ft.
 Total Height³ Additional Cubic Contents⁴ same cu. ft.

(7) Estimated Cost of Alteration:⁵ 25,000.00

Estimated Cost, exclusive of extension:

(8) Is Application made to remove violations? No If Yes, State Violation Numbers

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following: Building to be reduced
 Character of soil Bearing capacity

(10) State what disposition will be made of waste and sewage
 (Public sewer, Private sewer, Cesspool, etc.) exist. public sewer

(11) Does this Application include Dropped Curb? no
 (If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.⁶

Drop Curb	ft. @ \$	per ft.	Splay	ft. @ \$	per ft.
Exact distance from nearest corner to Curb Cut:				feet.	
Deposit: \$	Fee: \$	Total: \$			
Paid	19	Document No.		Cashier	

(12) Temporary Structures between Street Line and Curb:

Will a Sidewalk Shed be required?	yes	Length	50	feet.
Will any other miscellaneous temporary structures be required?	no			
Fee Required	Fee Paid	19	Document No.	Cashier

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.

2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.

3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.

4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)

5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.

6. Space for plot diagram is located on Affidavit Form.

7. Uses should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.

CITY OF NEW YORK DEPARTMENT OF HOUSING AND BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 2

BRONX
1932 Arthur Avenue
Bronx 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 15, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

AMENDMENT

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPLICATE

Alt. _____ APPLICATION No. 1986 19 49 BLOCK 438 LOT 16-17
 (N. B., Alt., Elev., etc.)

LOCATION 416 -18 E. 11 St. Manhattan
 House Number Street Distance from Nearest Corner Borough

Application is hereby made to the Borough Superintendent for approval of the following AMENDMENT to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

A-1 Owner's affidavit removing building from M.D. classification filed herewith.

Reconsideration requested to accept stairway accomodating 110 persons and Rear Yard fire escape in lieu of requirements of 6.1.2.2.3.(3). Area is only 2300 sq. ft. and height of existing second floor beam is ~~not~~ above curb; thus area is 1700 sq. ft. under code requirements and height 3'-3" over but a rear remote fire escape is being added.

C-1(e) Reconsideration is further requested to accept one means of egress (3'-8" stairway) from choir Loft Mezzanine in lieu of two 4'-0" wide stairs. This area is not a Balcony with fixed seats but is to be used solely as a Choir Loft for ten persons with capacity for them in the main interior required stair from the second floor to the street.

C-5 Reconsideration is requested to accept a 3'-8" stair from Cellar Social Room to Street and to Rear Yard and to omit second stair from Cellar to Street adjoining office. The Social Room is only 655 sq. ft. in area; is approximately 8'6" below grade and should therefore be amply served by one 3'-8" wide fireproof stair to street.

Account provided by J.P. 11/20/49

C-1(e) accept J.P. 11/20/49

See Revised #1

J.P. 11/20/49

~~This application is for the building at 416-18 E. 11 St.~~



Estimated Cost for this Amendment \$..... Verified by.....

Fee Paid..... 19..... Document No..... Cashier.....

Applicant FREED and GORDON Signature William J. Freed

Address 624 Madison AVE. Date Nov. 30 19 49

NOTE—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears. Only those items that appear above the endorsements at the bottom of the page can be considered.

EXAMINED AND RECOMMENDED DEC 5 1949
FOR APPROVAL ON....., 19.....

APPROVED....., 19.....

J. P. Kunkel
Examiner

[Signature]
Borough Superintendent

7