

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN  
Municipal Bldg.,  
Manhattan

BROOKLYN  
Municipal Bldg.,  
Brooklyn

DEPARTMENT OF  
HOUSING & BUILDINGS  
Brooklyn County Bldg.,  
Grand Conc. & E. 161st St.

QUEENS  
21-10 49th Avenue,  
L. I. City

RICHMOND  
Boro Hall,  
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE

ALTERED BUILDING

PERMIT NO. 19 39 BLOCK 444 LOT 35

Alt. Application No. 946 19 39 SEC. OR WARD VOL.

LOCATION 47 First Avenue

DISTRICT (under building zone resolution) Use Business Height 1 1/2 Area B

EXAMINED AND RECOMMENDED

FOR APPROVAL ON April 6 19 39

APPROVED APR 11 1939

*E. J. ...*  
Examiner  
Borough Superintendent

SPECIFICATIONS

- (1) NUMBER OF BUILDINGS TO BE ALTERED One  
Any other building on lot or permit granted for one? NO  
Is building on front or rear of lot? front
- (2) ESTIMATED COST OF ALTERATION: \$150.
- (3) PROPOSED OCCUPANCY: Old Law Tenement - Class A Multiple Dwelling.

STORY (include Cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
			No change in occupancy. no certificate of occupancy requested.							No change in occupancy no certificate of occupancy requested.
<p>Note: Examined for work specified only. No Copo. req. 4/6/39 E.B.</p>										

- (4) SIZE OF EXISTING BUILDING:  
At typical floor level 26' feet front 90' feet deep 26' feet rear  
At street level 26' feet front 100' feet deep 26' feet rear  
Height<sup>1</sup> 5 stories 55 feet
- (5) SIZE OF BUILDING AS ALTERED:  
At street level 26' feet front 90' feet deep 26' feet rear  
At typical floor level 26' feet front 100' feet deep 26' feet rear  
Height<sup>1</sup> 5 stories 55 feet

- If volume of building is to be increased, give the following information:
- (6) AREA<sup>2</sup> OF BUILDING AS ALTERED: At street level Total floor area<sup>2</sup> sq. ft.
- (7) TOTAL HEIGHT<sup>3</sup> Cubic Contents<sup>4</sup> cu. ft.

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structure where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.

2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.

3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.

4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penhouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)



DEPARTMENT OF HOUSING AND BUILDINGS
BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
Manhattan

BROOKLYN
Municipal Bldg.,
Brooklyn

DEPARTMENT OF HOUSING & BUILDINGS
Bronx County Bldg.,
Grand Concourse, E. 151st St.

QUEENS
21-10 49th Avenue,
L. I. City

RICHMOND
Boro Hall
St. George, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and one copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, one affidavit is sufficient for all.

AFFIDAVIT
BOROUGH OF MANHATTAN
FORM A

APPLICATION No. 946 19 39

BLOCK 444

PERMIT NO. 19 39

LOT 35

LOCATION 47 First Avenue

FEEES REQUIRED FOR

To THE BOROUGH SUPERINTENDENT:

Application is hereby made for approval of the plans and specifications herewith submitted and to be made a part hereof for the structure herein described, with the understanding that:

If this application shall be disapproved in part and if no further action is taken thereon within one year after notice of partial disapproval, it shall be automatically withdrawn.

Any permit issued under which no work is commenced within one year from the time of issuance shall expire by limitation. (Adm. Code C-26-177.0).

Work will be supervised by Licensed Architect, Professional Engineer or by a Superintendent of Construction who has had ten years' experience supervising building construction and who has been properly qualified. (Adm. Code C-26-187.0).

Work under this approval will not be commenced until a permit has been obtained, application for which will be filed with the Borough Superintendent, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law. (Adm. Code C-26-161.0).

Work will be carried out in compliance with all the provisions of the Administrative Code of the City of New York and with the provisions of other laws and rules in effect on this date relating to the erection of said structure.

EXAMINED AND RECOMMENDED

FOR APPROVAL ON

19 39

Examiner

APPROVED APR 11 1939 19

Borough Superintendent

STATE AND CITY OF NEW YORK
COUNTY OF New York ss.:

Sidney Daub
Typewrite Name

being duly sworn, deposes and says: That he resides at 63 Park Row

in the City of New York in the Borough of Manhattan

in the State of New York, that he is making this application for the approval of plans and specifications herewith submitted and made a part hereof, for the building therein described. Deponent further says that he has personally supervised the preparation of the architectural

(Architectural, Structural or Mechanical)

plans and that to the best of his knowledge and belief, the structure, if built in accordance with such plans, will conform to the Administrative Code; the Rules and Regulations of the Board of Standards and Appeals; The Charter; The Multiple Dwelling Law; The Labor Law; The General City Law; The Building Zone Resolution or any other provisions of law applicable thereto, except as hereinafter otherwise noted.

Deponent further says that he is registered Architect for the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of Manhattan City of New York, aforesaid, and known

and designated as Number 47 First Avenue and hereinafter more particularly described; that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, including all amendments to the same which may be filed hereafter—and also all Elevator and Plumbing work (if any) proposed to be done upon the same premises and specified in separate applications filed herewith and all subsequent amendments thereto—is duly authorized by Dry Dock Savings Institution - owners

and that Sidney Daub duly authorized by the aforesaid owners to make application for the approval of such detailed statements of specifications and plans (and amendments thereto) in their behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner Dry Dock Savings Institution - 742 Lexington Avenue, N.Y.C.  
R. A. Bookmeyer - 3rd Vice Pres. - 742 Lexington Ave., N.Y.C.  
O. W. Roosevelt - 1st Vice Pres. - 742 Lexington Ave., N.Y.C.

Lessee \_\_\_\_\_  
 Architect Sidney Daub - 63 Park Row, N.Y.C.  
 Superintendent \_\_\_\_\_

The said land and premises above referred to are situated, bounded and described as follows, viz.: BEGINNING at a point on the West side of First Ave.


distant 25' feet South from the corner formed by the intersection of First Ave. and E. 3rd St.  
 running thence South 26' feet; thence West 100' feet;  
North 26' feet; thence East 100' feet

to the point or place of beginning,—being designated on the map as Block No. 444 Lot No. 35

(SIGN HERE) Sidney Daub APPLICANT

Sworn to before me, this 27<sup>th</sup> day of March, 1939  
 Notary Public or Commissioner of Deeds

JULE COHN  
 Commissioner of Deeds, City of New York  
 New York C. D. No. 43, Reg. No. 1160  
 Commission expires April 12, 1940



NOTE.—If building is a Multiple Dwelling, the following authorization is required:

**AUTHORIZATION OF OWNER**

R.A. Bookmeyer Deposits and says: That he resides at 742 Lexington Ave. Borough Manhattan City New York State of New York; that he is Vice Pres. of Dry Dock Savings Institution, the Owner of all that certain piece or lot of land situated in the Borough of Manhattan in the City of New York, and located on the West side of First Ave. and known as No. 47 on said street; that the multiple dwelling proposed to be altered upon said premises will be constructed in accordance with the annexed specifications and plans submitted herewith for the approval of the Department of Housing and Buildings; that the work will be supervised by Licensed Architect, Professional Engineer or a Superintendent of Construction who has had ten years' experience supervising building construction and who has been properly qualified; and that he is duly authorized by said owner

to make application in said owner's behalf for the approval of such specifications and plans in compliance with Chapter 713 of the Laws of 1929.

NOTE.—This clause to be used only when the person executing this authorization is not the sole owner of the premises described herein.

He further says that the full names and residences, street and number, of the owner or owners of the said land, and of every person having an interest in said premises and projected multiple dwelling either as owner, lessee, or otherwise, as required by Section 300 of the Multiple Dwelling Law, are as follows:

Dry Dock Savings Institution-owners No. 742 Lexington Ave., N.Y.C.  
 Name and Relationship to premises Address  
R. A. Bookmeyer - 3rd Vice Pres. No. 742 Lexington Ave., N.Y.C.  
 Name and Relationship to premises Address  
O. W. Roosevelt - 1st Vice Pres. No. 742 Lexington Ave., N.Y.C.  
 Name and Relationship to premises Address

R. A. Bookmeyer Vice President  
 Signature

ORIGINAL

THE CITY OF NEW YORK  
DEPARTMENT OF BUILDINGS

MANHATTAN  
Municipal Bldg.,  
New York, N. Y. 10007

BROOKLYN  
Municipal Bldg.,  
Brooklyn, N. Y. 11201

BRONX  
1932 Arthur Avenue,  
Bronx, N. Y. 10457

QUEENS  
120-55 Queens Blvd.,  
Kew Gardens, N. Y. 11424

RICHMOND  
Boro Hall,  
St. George, N. Y. 10301

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPLICATE

BLOCK 444 LOT 34  
ZONING: USE DIST. C2-5 in R7-2  
HEIGHT DIST. \_\_\_\_\_  
AREA DIST. \_\_\_\_\_

ALTERED BUILDING

DEPARTMENT OF BUILDINGS

1253

RECEIVED AUG 23 1967

CITY OF NEW YORK

BOROUGH MANHATTAN  
DO NOT WRITE IN THIS SPACE

LOCATION 4947 First Avenue, South West Corner of 3rd Street, Man.  
House Number, Street, Distance from Nearest Corner and Borough

EXAMINED AND RECOMMENDED  
FOR APPROVAL ON \_\_\_\_\_ 19\_\_\_\_

APPROVED \_\_\_\_\_ 19\_\_\_\_

Examiner

Borough Superintendent

Initial fee payment

2nd payment of fee to be collected before a permit is issued—Amount \$ 35.75 = 20

Verified by \_\_\_\_\_ Date 10-19-67

SPECIFICATIONS

- (1) Classification of Buildings to be Altered. (NOTE—See C26-238.0) **brick Class 3**
- (2) Any other buildings on lot or permit granted for one? **yes**  
Is building on front or rear of lot? **front**
- (3) Use and Occupancy. **Class A M.D. (OLT) & stores**  
(NOTE—If a multiple dwelling, authorization of owner must be filed)  
A new C of O ~~XXXX~~ (will not) be required.

STORY (Include cellar and basement)	EXISTING LEGAL USE			PROPOSED OCCUPANCY						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
cellar			boil. rm. & storage	on grd.						boiler rm. & storage
first			stores	100						stores
second	X 2	M 7	dwelling	40				X 2	M 7	dwelling
third	X 3	M 9	"	"				X 3	M 9	"
fourth	X 3	M 9	"	"				X 3	M 9	"
fifth	X 2	M 9	"	"				X 2	M 9	"

(2)

(4) State generally in what manner the Building will be altered:

Adjacent building (90 East 3rd Street) is to be demolished, and the party wall is to be repaired as may be required. The vault area on East 3rd Street is to be abandoned and made safe.

(5) Size of Existing Building:

At street level	feet front	feet deep	feet rear
At typical floor level	feet front	feet deep	feet rear
Height <sup>1</sup>	stories	feet	

(6) If volume of Building is to be changed, give the following information:

At street level	feet front	feet deep	feet rear
At typical floor level	feet front	feet deep	feet rear
Height <sup>1</sup>	stories	feet	

Area <sup>2</sup> of Building as Altered: At street level	Total floor area <sup>2</sup>	sq. ft.
Total Height <sup>3</sup>	Additional Cubic Contents <sup>4</sup>	cu. ft.

(7) Estimated Cost of Alteration:<sup>5</sup> \$ 2,000.00  
Estimated Cost, exclusive of extension:

(8) Is Application made to remove violations? **yes** If Yes, State Violation Numbers

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following:

Character of soil	Bearing capacity
-------------------	------------------

(10) State what disposition will be made of waste and sewage **exist. public sewer**  
(Public sewer, Private sewer, Cesspool, etc.)

(11) Does this Application include Dropped Curb? **no**  
(If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.<sup>6</sup>)

Drop Curb	ft. @ \$	per ft. Splay	ft. @ \$	per ft.
Exact distance from nearest corner to Curb Cut:			feet.	
Deposit: \$	Fee: \$		Total: \$	
Paid	19	Document No.		Cashier

(12) Temporary Structures between Street Line and Curb:

Will a Sidewalk Shed be required?	Length	feet.
Will any other miscellaneous temporary structures be required?		
Fee Required	Fee Paid	19 Document No. Cashier

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.
2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.
3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.
4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)
5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.
6. Space for plot diagram is located on Affidavit Form.
7. Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.
8. If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

**Bribery is a Crime:** A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law, Section 378 and 1826.

THE CITY OF NEW YORK  
DEPARTMENT OF BUILDINGS

MANHATTAN  
Municipal Bldg.,  
New York, N. Y. 10007

BROOKLYN  
Municipal Bldg.,  
Brooklyn, N. Y. 11201

BRONX  
1932 Arthur Avenue,  
Bronx, N. Y. 10457

QUEENS  
120-55 Queens Blvd.,  
Kew Gardens, N. Y. 11424

RICHMOND  
Boro Hall,  
St. George, N. Y. 10301

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPLICATE

ALTERED BUILDING

BLOCK 444 LOT 34  
ZONING: USE DIST 2-5 in R 7-2 *9/27/67*  
HEIGHT DIST.....  
AREA DIST.....

*1253/67*

DO NOT WRITE IN THIS SPACE

LOCATION 49 First Avenue, South West Corner of 3rd Street, Manhattan.  
House Number, Street, Distance from Nearest Corner and Borough

EXAMINED AND RECOMMENDED  
FOR APPROVAL ON.....

*Nov 1967*

*[Signature]*  
Examiner.

APPROVED..... *25028-1057* 19.....

*[Signature]*  
Borough Superintendent.

Initial fee payment

2nd payment of fee to be collected before a permit is issued—Amount \$.....

Verified by..... Date.....

SPECIFICATIONS

- (1) Classification of Buildings to be Altered. (NOTE—See C26-238.0) **brick Class 3**
- (2) Any other buildings on lot or permit granted for one? **yes**  
Is building on front or rear of lot? **front**
- (3) Use and Occupancy. **Class "A" M.D. (O.T.) & Stores**  
(NOTE—If a multiple dwelling, authorization of owner must be filed)  
A new C of O ~~will~~ (will not) be required. *No*

*1 of 3 lot to be reviewed under this application*

STORY (Include cellar and basement)	EXISTING LEGAL USE			PROPOSED OCCUPANCY						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
CELLAR	-	-	boiler rm. & storage	on grd.				-	-	Boiler Rm. & Storage
First	-	-	stores	100				-	-	Stores
Second	2	7	Dwelling	40				2	7	Dwelling
Third	3	9	"	"				3	9	"
Fourth	3	9	"	"				3	9	"
Fifth	3	9	"	"				3	9	"

*6*

(4) State generally in what manner the Building will be altered:

Adjacent building (90 East 3rd Street ) is to be demolished and the party wall is to be repaired as may be required. The vault area on east 3rd street is to be abandoned and made safe. Also new 8" solid app. cinder block wall to be erected at cellar level of #49 First Ave. and a 16" solid app. cinder block wall is to be erected at # 47 First Ave. at cellar level.

(5) Size of Existing Building:  
At street level 47- 26'-0" feet front 64'-0" feet deep 26'-0" feet rear  
At typical floor level 49- 25'-0" feet front 68'-0" feet deep 25'-0" feet rear  
Height<sup>1</sup> 5 st<sup>2</sup>y stories 55'-0" feet

(6) If volume of Building is to be changed, give the following information:  
At street level feet front feet deep feet rear  
At typical floor level feet front feet deep feet rear  
Height<sup>1</sup> stories feet

Area<sup>2</sup> of Building as Altered: At street level Total floor area<sup>2</sup> sq. ft.  
Total Height<sup>3</sup> Additional Cubic Contents<sup>4</sup> cu. ft.

(7) Estimated Cost of Alteration:<sup>5</sup> \$ 1,000.00  
Estimated Cost, exclusive of extension:

(8) Is Application made to remove violations? **yes** If Yes, State Violation Numbers

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following:  
Character of soil Bearing capacity

(10) State what disposition will be made of waste and sewage (Public sewer, Private sewer, Cesspool, etc.) **Existing public sewer**

(11) Does this Application include Dropped Curb? **no**  
(If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.<sup>6</sup>  
Drop Curb ft. @ \$ per ft. Splay ft. @ \$ per ft.  
Exact distance from nearest corner to Curb Cut: feet.  
Deposit: \$ Fee: \$ Total: \$  
Paid 19 . Document No. . Cashier

(12) Temporary Structures between Street Line and Curb:  
Will a Sidewalk Shed be required? Length feet.  
Will any other miscellaneous temporary structures be required?  
Fee Required . Fee Paid 19 . Document No. . Cashier

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.
2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.
3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.
4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the roof. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, porches, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)
5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.
6. Space for plot diagram is located on Affidavit Form.
7. Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.
8. If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

**Bribery is a Crime:** A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law, Section 378 and 1826.



ORIGINAL

2  
1003

Form 1-1902.

Office of the Borough President of the Borough of Manhattan,  
In The City of New York.

B4  
L30

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,  
S. W. Corner 18th Street.

Plan No. 1003

### APPLICATION FOR ERECTION OF BRICK BUILDINGS,

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here) *Richard P. ...*

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN,

*July 11<sup>th</sup> 1905*

1. State how many buildings to be erected. *One*
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) *West side - 51 feet South of E 3<sup>rd</sup> Street*
3. Will the building be erected on the front or rear of lot? *on rear*
4. How to be occupied? *22 compartments* If for dwelling, state the number of families in each house.
5. Size of lot? *26* feet front; *26* feet rear; *100* feet deep.  
Give diagram of same.
6. Size of building? *14* feet front; *14* feet rear; *14'-2* feet deep.  
Size of extension? \_\_\_\_\_ feet front; \_\_\_\_\_ feet rear; \_\_\_\_\_ feet deep.  
Number of stories in height: main building? \_\_\_\_\_ Extension? \_\_\_\_\_  
Height from curb level to highest point: main building? *10* feet. Extension? \_\_\_\_\_ feet.
7. What is the character of the ground: rock, clay, sand, etc.? *earth and sand*
8. Will the foundation be laid on earth, rock, timber or piles? *earth and sand*
9. Will there be a cellar? *yes*
10. What will be the base, stone or concrete? *concrete* If base stones, give size and thickness, and how laid. \_\_\_\_\_ If concrete, give thickness *10 inches*
11. What will be the depth of foundation walls below curb level or surface of ground? *4'-6"*
12. Of what will foundation walls be built? *brick in cement*
13. Give thickness of foundation walls: front, *12* inches; sides, *12* inches; rear, *12* inches; party, \_\_\_\_\_ inches.



