

THE CITY OF NEW YORK
DEPARTMENT OF BUILDINGS

MANHATTAN
Municipal Bldg.
New York 7

BROOKLYN
Municipal Bldg.
Brooklyn 1

BRONX
1932 Arthur Ave.,
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

F.P. PLUMBING, MECHANICAL EQUIPMENT AND TANK INSTALLATION

BLOCK 444 LOT 26

MISC. 1154

FEES REQUIRED FOR.....
F.P. N.B. ALT. No. 1957

DEPARTMENT OF BUILDINGS
RECEIVED OCT 9 - 1957
CITY OF NEW YORK
DO NOT WRITE IN THIS SPACE

Street No. and LOCATION 74 East 3rd Street, south side, 275'0" west of 1st Avenue

Owner Sylvia Lowenthal Address 3060 Brighton 5th Street, Brooklyn, NY

Lessee..... Address.....

Applicant Clinton Brown Address 4824 White Plains Road, Bronx, NY

Contractor Metropolitan Combstion Co. Address 1401 York Avenue, New York City.

COMPENSATION INSURANCE has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:
Federal Insurance Co. # FWC- 5724283- 3/5/58

To The Borough Superintendent: City of New York, Sept. 19th, 1957

Application is hereby made on behalf of the owner-lessee for approval of the plans and specifications herewith submitted, and made a part hereof, for the erection, alteration or installation of the building therein described, with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with the Building Code and all rules and regulations applicable thereto in effect at this date.

Applicant (Sign Here) Clinton Brown Address 4824 White Plains Road, Bronx, NY

Examined and Recommended for Approval on FEB 20 1958 19.....
Examiner Thomas V. B...

APPROVED MAR 10 1958 19.....
Borough Superintendent Thomas V. B...

Work Included Herein: Plumbing?..... Sprinkler?..... Standpipe?..... Fuel Oil? yes Gasoline Tank Installation or Fuel Oil (Bulk)?.....

1. State in detail the work proposed Installation of an automatic oil burning system with 1-5000 gallon fuel oil tank

Is this a new or old building? Old

Give character of construction Non fireproof brick Class: 3

Dimensions: Stories High 5/base Feet High 55 Feet Front 25 Feet Deep 68

How occupied Multiple Dwelling & Stores-Class A No. of Families 20

Is application made to remove a violation or order of any Dept.? No Give No.....

How to be occupied Same

Estimated Cost \$3500.00 \$6,000- FEB 20 1958

(Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions

If exemption from payment of fee is claimed, state clearly the basis of claim.....

PLUMBING SPECIFICATIONS

Describe special equipment or features:.....

Sewage and Drainage Disposal: Combined..... Sanitary..... Storm..... Cesspool.....

How will flushometers be water supplied? From a street pressure, pressure tank or roof tank?.....

Will building be piped for gas?..... Describe purpose.....

Air Conditioner..... How will waste be disposed of?.....

Table of fixtures to include fixtures reset where new roughing is installed.

Size of House Sewer..... Fall per foot.....

No. of Soil Lines..... No. of Waste Lines..... No. of Vent Lines.....

2-21-58 No M.O. Objections J. J. Lennard

100-22-57 Department of Buildings for approval of plans for permit

Secured a full copy permit for 100 OCT 20 1957

FILL BOX PERMIT
NO 11396
3' min. inch FEB 20 1958

Indicate Number of Proposed Fixtures on All Floors																					DESCRIBE FIXTURES			
	Cellar	Basement	First Floor	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth	Eleventh	Twelfth	Thirteenth	Fourteenth	Fifteenth	Sixteenth	Seventeenth	Eighteenth		Nineteenth	Twentieth	
Water-Closets																								
Urinals																								
Wash-basins																								
Bath-tubs																								
Wash-tubs																								
Sinks																								
Drinking Fountains																								
Showers																								
Sprinkler Heads—Halls																								
" —Soffits																								
" —Closets																								

Minimum Water Pressure Approximate depth is.....feet to inner top of
 At Curb Elevation is.....lbs. Sq. In. Existing.....Proposed.....Combined Sewer.....
 NOTE: Obtain from Department Existing.....Proposed.....Sanitary Sewer.....
 of Water Supply, Gas and Existing.....Proposed.....Storm Sewer.....
 Electricity a certificate stating from legal grade of street.

Bureau of Sewers

STANDPIPE AND SPRINKLER SPECIFICATIONS

State proposed work.....

Is building equipped with any other fire-extinguishing system than that proposed? If so, give description:.....

Supply:—

a: Gravity Tank:

Total capacity.....gallons. Fire reserve.....gallons.

Height above main room.....feet, above penthouse roof.....feet.

b: Intermediate Tank:

Capacity.....gallons. Location.....(story).

c: Pressure Tank:

Capacity.....number of gallons. Air Compressor.....

d: Street Main Connections:

Size of Tap.....Size of Main.....

Number.....minimum water pressure at curb.....pounds.

e: Fire Pump.....G.P.M. Capacity. Suction Tank.....gallons.

If an alteration or extension to an existing approved system, give date of approval, plan number and plan showing connections to the source of supply.

FUEL OIL SPECIFICATIONS

- Baume.....#6 fuel oil..... FLASH POINT.....2000..... No. of Tanks.....1
- Capacity of each tank.....5000 gallons..... LOCATION.....cellar..... Foundation.....concrete
- Name of burner.....Petro..... B. S. & A. Approval No.....614/32
- Location of remote control.....wall outside blr. rm..... Number of approved fire extinguishers.....2, sand pails round bottom
- Fire retarding.....Rule 14, BSA & MDL, 1/2" plaster bd. & 26 gauge metal.....

Sketch Showing Plot Diagram and Location of Tank for One- and Two-Family Dwellings May Be Drawn Here:—

New Pacific South Marine Builer

8500 # \$2500.—
 Tank B. 3500
 6000

FUEL OIL OR GASOLINE TANK INSTALLATIONS

Initial fee payment—Amount \$..... OCT-3-57 4-2-2 1st Receipt No. 51150 57 FID..... 16.00

Date..... Cashier.....

2nd payment of fee to be collected before a permit is issued—Amount \$..... 600 (\$2200 - 1600)

Verified by..... Date..... FEB 20 1958

2nd Receipt No..... Date..... FEB 21 58 609 2nd Receipt No. 51154 57 FID..... 6.00

ADDITIONAL FEES REQUIRED..... AMOUNT \$.....

VERIFIED BY..... (Yes or No)..... DATE.....

NOTICE—This application must be typewritten and filed in quadruplicate. All proposed work under this application must be shown on plans and section. All vertical lines of soil, waste, leader and refrigerator pipes should be designated by numbers or letters. A soil or waste line and its attendant vent line may be considered as one stack, and so numbered or lettered. In alterations, NEW WORK ONLY should be specified. When new fixtures are to be connected to present lines, the location and diameter of said lines must be shown on the plan. Minor alterations in connection with work described may be included in this form.

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

MANHATTAN Municipal Bldg., New York 7

BROOKLYN Municipal Bldg., Brooklyn 1

BRONX 1932 Arthur Ave., New York 57

QUEENS 120-55 Queens Blvd., Kew Gardens 24, L. I.

RICHMOND Boro Hall, St. George 1, S. I.

NOTICE — This Application must be TYPEWRITTEN and filed in TRIPLICATE

BUILDING NOTICE

Application for Minor Structures, Minor Alterations and Repairs, Elevator Repairs, Drop Curb, Fire Escapes, Miscellaneous

APPLICATION No. 3076 19 57 Block 444 Lot 26

LOCATION 74 East 3rd Street, south side, 275' 0" west of 1st Avenue

Is sidewalk shed or fence required No

FEES REQUIRED FOR

DISTRICT (under building zone resolution) Use Business Height 1 1/2 Area B

STATE AND CITY OF NEW YORK, COUNTY OF New York ss.:

Clinton Brown being duly (Typewrite Name of Applicant)

sworn deposes and says: That he resides at 4824 White Plains Road, Borough of Bronx City of New York; that he is the agent for the (owner-lessee) of the premises above described, and is duly authorized to make this application for approval of the plans and specifications here-with submitted, and made a part hereof, for the work to be done in the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code and all laws and regulations applicable to the erection or alteration of said structure in effect at this date; that the work to be done is duly authorized by the owner.

Deponent further says that the full names and residences of the owners or lessees of said premises are:

Owner Sylvia Lowenthal Address 3060 Brighton 5th Street, Brooklyn, NY

Lessee Address

Sworn to before me this 3rd day of October, 1957 (Sign here) Clinton Brown Applicant

Notary Public or Commissioner of Deeds If Licensed Architect or Professional Engineer, affix seal.

COMPENSATION INSURANCE has been secured in accordance with the requirements of the Workmen's Compensation Law as follows: Empire State Indemnity Co. State Indemnity Co. NY Marine Ind. Co. 8/15/57

State proposed work in detail: Erection of new metal chimney, and construction of boiler room, per plans submitted herewith

Is this a new or old building? Old

If old building, give character of construction Non fireproof brick

Number of stories high 5/basement

How occupied Multiple Dwelling & Stores- Class A O.L.T.

Is application made to remove a violation? No

How to be occupied same

If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

Estimated Cost \$950.00 4725 - see affidavits SEP 23 1957 (Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions

If exemption from payment fee is claimed, state clearly the basis of claim

10-17-57 I have separate affidavits for each owner and lessee.

10-17-57 See plan & New

NOTARY PUBLIC WITH PERMIT TO TAKE OATHS WITH THE WORK

RECEIVED OCT 3-1957 CITY OF NEW YORK DEPARTMENT OF HOUSING AND BUILDINGS

REMARKS OR SKETCH:

If this application is for Drop Curb Permit, DIAGRAM showing plot to be used, the relative position of the cut curb and the extent thereof, must be drawn above.

Cut curb..... Total Splay.....
Length in Feet Length in Feet

Deposit (\$.....), either in cash or certified check, payable to the order of the Department of Housing and Buildings, to insure the proper construction of the sidewalk and curb.

Refer to N.B. ALT.....19

EXAMINED AND RECOMMENDED

For Approval on 12-16-57 12-16-57 J.D. Semara
Examiner

SEP 23 1958

Approved.....19
Borough Superintendent

Work commenced..... Date signed off.....19

I hereby Certify that the above report is true in every respect and that the work indicated has been done in the manner required by the Rules and Regulations of this Department, except where reported adversely.

Signed..... Inspector

Initial fee payment—Amount \$..... 41762 1st Receipt No. 57 FID..... 5.00

Date..... Cashier.....

2nd payment of fee to be collected before a permit is issued—Amount \$..... (See application)

Verified by..... Date SEP 23 1958

2nd Receipt No..... Date..... Cashier.....

OWNER Sylvia Lowenthal ADDRESS 3060 Brighton 5th St, Brooklyn, NY

APPLICANT Clinton Brown ADDRESS 4824 White Plains Road, Bronx, NY

ADDITIONAL FEES REQUIRED..... AMOUNT \$.....
(Yes or No)

VERIFIED BY..... DATE.....

1. The sum of the fees indicated on the first and second receipts shall represent the total fee. Any variation on contemplated work or change of the estimated cost shall be recorded as an amendment. If any question arises in connection with the estimated cost or with the adequacy of a no permit shall be issued unless adjusted to the satisfaction of the department at the direction of the Borough Superintendent.



THE CITY OF NEW YORK ORIGINAL DEPARTMENT OF BUILDINGS

MANHATTAN Municipal Bldg. New York 7

BROOKLYN Municipal Bldg. Brooklyn 1

BRONX 1932 Arthur Ave., New York 57

QUEENS 120-55 Queens Blvd., Kew Gardens 24, L. I.

RICHMOND Boro Hall, St. George 1, S. I.

PLUMBING, MECHANICAL EQUIPMENT AND TANK INSTALLATION

BLOCK 444 LOT 26

FEEs REQUIRED FOR N.B. ALT. No. 1960

Stamp: B.N. 584 DEPARTMENT OF BUILDINGS FEB 11 1960 CITY OF NEW YORK BOROUGH OF MANHATTAN DO NOT WRITE IN THIS SPACE

Street No. and LOCATION 74 East 3rd Street Man. Owner Sylvia Lowenthal Address 3060 Brighton 5th St., Blkyn. Lessee Address Architect M. Martin Elkind Address 74-09 37th Ave., J. Hts. Contractor Address

COMPENSATION INSURANCE has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:

To The Borough Superintendent: City of New York, 19

Application is hereby made on behalf of the owner-lessee for approval of the plans and specifications herewith submitted, and made a part hereof, for the erection, alteration or installation of the building therein described...

Applicant (Sign Here) M. Martin Elkind Address 74-09 37th Ave., J. Hts.

Examined and Recommended for Approval on 4/18 1960 P.M. Gough Examiner

APPROVED 19 Borough Superintendent

Initial fee payment—

2nd payment of fee to be collected before a permit is issued—Amount \$

Verified by Date

ADDITIONAL FEES REQUIRED AMOUNT \$

VERIFIED BY (Yes or No) DATE

Work Included Herein: Plumbing? Yes Sprinkler? Standpipe? Fuel Oil? Gasoline Tank Installation or Fuel Oil (Bulk)? 1. State in detail the work proposed. Install two W.C. compartments on each floor.

Is this a new or old building? Old

Give character of construction Non F.P. Class: 3

Dimensions: Stories High 5 & Bsmt Feet High 52 Feet Front 25 Feet Deep 66

How occupied OLRD No. of Families 20

Is application made to remove a violation or order of any Dept.? Yes Give No.

How to be occupied Same

Estimated Cost Included in alteration

(Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions

If exemption from payment of fee is claimed, state clearly the basis of claim.

NOTICE—This application must be typewritten and filed in quadruplicate. All proposed work under this application must be shown on plans and section. All vertical lines of soil, waste, leader and refrigerator pipes should be designated by numbers or letters. A soil or waste line and its attendant vent line may be considered as one stack, and so numbered or lettered. In alterations, NEW WORK ONLY should be specified. When new fixtures are to be connected to present lines, the location and diameter of said lines must be shown on the plan. Minor alterations in connection with work described may be included in this form.

3-4-60... 4-5-60... suggested correct plan as indicated to M.S. Burns

PLUMBING SPECIFICATIONS

Describe special equipment or features:

Sewage and Drainage Disposal: Combined Exist. Sanitary..... Storm..... Cesspool.....
 How will flushometers be water supplied? From a street pressure, pressure tank or roof tank?.....

Will building be piped for gas? Exist. Describe purpose

Air Conditioner..... How will waste be disposed of?.....

Table of fixtures to include fixtures reset where new roughing is installed.

Size of House Sewer Exist. Fall per foot.....

No. of Soil Lines (2) 4" No. of Waste Lines..... No. of Vent Lines (2) 3"

Indicate Number of Proposed Fixtures on All Floors																					DESCRIBE FIXTURES		
	Cellar	Basement	First Floor	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth	Eleventh	Twelfth	Thirteenth	Fourteenth	Fifteenth	Sixteenth	Seventeenth	Eighteenth		Nineteenth	Twentieth
Water-Closets			2	2	2	2																	<u>LOW DOWN TANK</u> Flushometer apprx. vacuum breaker.
Urinals																							
Wash-basins																							
Bath-tubs																							
Wash-tubs																							
Sinks																							
Drinking Fountains																							
Showers																							
Sprinkler Heads—Halls																							
" —Soffits																							
" —Closets																							

Minimum Water Pressure Approximate depth is.....feet to inner top of
 At Curb Elevation is.....lbs. Sq. In. Existing.....Proposed.....Combined Sewer.....
 NOTE: Obtain from Department Existing.....Proposed.....Sanitary Sewer.....
 of Water Supply, Gas and Existing.....Proposed.....Storm Sewer.....
 Electricity a certificate stating from legal grade of street.

Bureau of Sewers

STANDPIPE AND SPRINKLER SPECIFICATIONS

State proposed work.....
 Is building equipped with any other fire-extinguishing system than that proposed? If so, give description:.....

- Supply:—
- a: Gravity Tank:
 - Total capacity.....gallons. Fire reserve.....gallons.
 - Height above main room.....feet, above penthouse roof.....feet.
 - b: Intermediate Tank:
 - Capacity.....gallons. Location.....(story).
 - c: Pressure Tank:
 - Capacity.....number of gallons. Air Compressor.....
 - d: Street Main Connections:
 - Size of Tap.....Size of Main.....
 - Number.....minimum water pressure at curb.....pounds.
 - e: Fire Pump.....G.P.M. Capacity. Suction Tank.....gallons.
- If an alteration or extension to an existing approved system, give date of approval, plan number and plan showing connections to the source of supply.

FUEL OIL SPECIFICATIONS

1. Baume..... FLASH POINT..... No. of Tanks.....
2. Capacity of each tank..... LOCATION..... Foundation.....
3. Name of burner..... B. S. & A. Approval No.....
4. Location of remote control.....Number of approved fire extinguishers.....
5. Fire retarding.....

Sketch Showing Plot Diagram and Location of Tank for One- and Two-Family Dwellings May Be Drawn Here:—

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

2
12/26

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

B444
L26
27
Plan No. 125

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Schwartz
The City of New York, Borough of Manhattan, July 24, 1905

LOCATION AND DESCRIPTION OF PRESENT BUILDING:

- State how many buildings to be altered two
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) South side of 3rd Street 25'-0" west of First Ave.
- How was the building occupied? apartments
How is the building to be occupied? apartments
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size x; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 25'-0" feet front; 25'-11" feet rear; 100'-7" feet deep.
- Size of building which it is proposed to alter or repair? 25'-0" feet front; 25'-0" feet rear; 58'-4" feet deep. Number of stories in height? 5 Height from curb level to highest point? 58'
- Depth of foundation walls below curb level? 10 Material of foundation walls? stone Thickness of foundation walls? front 24 inches rear 24 inches; side 24 inches; party 24 inches.
- Material of upper walls? Brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front 20 inches; rear 16 inches; side 16 inches; party 16 inches.
1st story: " 16 " " 16 " " 16 " " 16 "
2d story: " 12 " " 12 " " 12 " " 12 "
3d story: " 12 " " 12 " " 12 " " 12 "
4th story: " 12 " " 12 " " 12 " " 12 "
5th story: " 12 " " 12 " " 12 " " 12 "
6th story: " _____ " " _____ " " _____ " " _____ "
- Is roof flat, peak or mansard? Flat.

11. Size of present extension, if any? _____ feet front; _____ feet deep; _____ feet high.
12. Thickness and material of foundation walls? _____
13. Material of upper walls? _____ If ashlar, give kind and thickness _____
14. Thickness of upper walls: _____
- Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
- 1st story: " _____ " _____ " _____ " _____ " _____ " _____ " _____ "
- 2d story: " _____ " _____ " _____ " _____ " _____ " _____ " _____ "
- 3d story: " _____ " _____ " _____ " _____ " _____ " _____ " _____ "
- 4th story: " _____ " _____ " _____ " _____ " _____ " _____ " _____ "
15. Is present building provided with a fire escape? _____

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? _____
17. Size of proposed extension, feet front _____; feet rear _____; feet deep _____; number of stories in height? _____ number of feet in height? _____
18. Material of foundation walls? _____; depth _____ feet; material of base course _____; thickness of base course _____; thickness of foundation walls, front _____ inches; side _____ inches; rear _____ inches; party _____ inches.
19. Will foundation be on rock, sand, earth or piles? _____
20. What will be the size of piers in cellar? _____; distance on centres? _____; size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____
21. Material of upper walls? _____; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls:
- 1st story: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
- 2d story: " _____ " _____ " _____ " _____ " _____ " _____ " _____ "
- 3d story: " _____ " _____ " _____ " _____ " _____ " _____ " _____ "
- 4th story: " _____ " _____ " _____ " _____ " _____ " _____ " _____ "
- 5th story: " _____ " _____ " _____ " _____ " _____ " _____ " _____ "
- 6th story: " _____ " _____ " _____ " _____ " _____ " _____ " _____ "
23. With what will walls be coped? _____
24. Will roof be flat, peak, or mansard? _____; material _____
25. Give size and material of floor and roof beams
- 1st tier, material _____; size _____; distance on centres _____
- 2d tier, " _____ " _____ " _____ " _____ " _____ "
- 3d tier, " _____ " _____ " _____ " _____ " _____ "
- 4th tier, " _____ " _____ " _____ " _____ " _____ "
- 5th tier, " _____ " _____ " _____ " _____ " _____ "
- Roof tier, " _____ " _____ " _____ " _____ " _____ "
- Give thickness of headers _____ of trimmers _____
26. Give material of girders _____ of columns _____
- Under 1st tier, size of girders _____; size of columns _____
- " 2d " " " _____; " " _____
- " 3d " " " _____; " " _____
- " 4th " " " _____; " " _____
- " 5th " " " _____; " " _____
- " Roof tier, " " _____; " " _____

27. If front, rear or side is to be supported on columns or girders, give
 girders, material _____ ; front _____ ; side _____ ; rear _____
 size _____ " _____ " _____ " _____
 columns, material _____ " _____ " _____ " _____
 size _____ " _____ " _____ " _____
28. If constructed of frame, give material _____ ; size of sill _____ ;
 plate _____ ; enteties _____ ; posts _____ ; studs _____ ;
 braces _____
29. If open on one side, give size of plate _____ posts _____
30. How will extension be occupied? _____ If for
 dwelling, give number of families on each floor _____
31. How will extension be connected with main building? _____
32. Give size of skylights _____ ; material _____
33. Give material of cornices _____
34. Give material of light shafts _____ ; size _____

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? Give particulars _____

36. How many stories high will building be when raised? _____ ; feet high _____
37. Will the roof be flat, peak or mansard? _____ , material _____
38. Material of coping? _____
39. Give material of new walls _____ thickness of _____ story _____ inches ;
 _____ story _____ inches ; _____ story _____ inches ; _____ story
 _____ inches ; _____ story _____ inches ; _____ story _____ inches ;
 _____ story _____ inches.
40. Material of floor beams? _____ Size _____ tier _____
 centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____
41. Material of girders? _____ Size under 1st tier _____ ;
 2d tier _____ ; 3d tier _____ ; 4th tier _____ ; 5th tier _____ ;
 6th tier _____
42. Material of columns? _____ Size under 1st tier _____ ; 2d tier _____ ;
 3d tier _____ ; 4th tier _____ ; 5th tier _____ ; 6th tier _____
43. Size of piers in cellar _____ ; distance on centres _____ ; thickness of cap stones
 to piers _____ ; bond stones _____
44. If constructed of frame, give material of frame _____ ; size of sills _____ ;
 corner posts _____ ; middle posts _____ ; enteties _____ ; plates _____
 braces _____ ; studs _____
45. How will building be occupied when altered? _____
 If for dwelling, state number of families on each floor? _____

46. With what kind of fire escape will building be provided? _____

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. The pier between 1st story parlor windows to be removed and show windows introduced as indicated.

If altered Internally, give definite particulars, and state how the building will be occupied :

48. New fire-proof shaft introduced for W.C. on 1st, 2nd, 3rd, 4th + 5th stories. All toilet compartments to have slate floor and 6" slate base and to have window of not less than 30' between stop beads. The duct ventilating the shaft to be of galvanized iron of not less than 40' area and to have grill guard on each end, and to be located at ceiling of public hall as indicated on plans and sections.

49. How much will the alteration cost? \$ 3000

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what ?

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each ?		2 #76 only	3	3	4	4	4	
52. Height of ceilings?	6'-6"	8'-6"	10'-0"	9'-4"	9'-0"	8'-6"	8'-0"	

53. How basement to be occupied? Stores in #74 + Stores + living rooms in #76

How made water-tight? As at present.

54. Will cellar or basement ceiling be plastered? Basement How? White coat.

55. How will cellar stairs be enclosed?

56. How will cellar be occupied? Storage

How made water-tight? Concrete

57. Will shafts be opened or covered with louvre skylights full size of shafts? Open

Size of each shaft? 4'-4" X 6'-3"