

I hereby make application to build as per subjoined

Dept of Buildings, 1926

1

Detailed Statement of Specification for the Erection of Buildings,

and herewith submit a full set of Plans and Drawings of proposed Buildings.

B 445
L 18

1. State how many buildings to be erected, One
2. How occupied; if for dwelling, state the number of families, Store & tenement, 28 families
3. What is the Street or Avenue and the number thereof, 104 and 106 East 42nd Street, N.Y. City.
4. Size of lot, No. of feet front, 37'6"; No. of feet rear, 37'6"; No. of feet deep, 96.2'
5. Size of building, No. of feet front, 37'6"; No. of feet rear, 37'6"; No. of feet deep, 84'2"
No. of stories in height, 5th basement No. of feet in height, from curb level to highest point 60'
6. What will each building cost [exclusive of the lot], \$ 30,000.00
7. What will be the depth of foundation walls, from curb level or surface of ground 10 feet.
8. Will foundation be laid on earth, rock, timber or piles, earth
9. What will be the base—stone or concrete, stone; if base stones, give size, and how laid 4 x 3'6" crosswise if concrete, give thickness, _____
10. What will be the sizes of piers, _____
11. What will be the sizes of the base of piers, _____
12. What will be the thickness of foundation walls, 2'0" stone, 20" brick and of what materials constructed, Stone and brick laid in cement mortar
13. What will be the thickness of upper walls in ~~1st~~ ^{Basement} story, 16 inches; ~~2d~~ ^{1st} story, 12 inches; ~~3d~~ ^{2^d} story, 12 inches; ~~4th~~ ^{3^d} story, 12 inches; ~~5th~~ ^{4th} story, 12 inches; from thence to top, 12 inches; and of what materials to be constructed, Brick laid in fresh lime mortar and sharp sand.
14. Whether independent or party-walls; if party-walls, give thickness thereof, Independent inches
15. With what material will walls be coped, Blue stone laid in cement mortar
16. What will be the materials of front, Brick; if of stone, what kind _____
Give thickness of front ashlar, _____ and thickness of backing thereof, _____
17. Will the roof be flat, peak, or mansard, Flat
18. What will be the materials of roofing, Tin
19. Give size and materials of floorbeams 1st tier, spruce, 3 x 10; 2d tier, spruce, 3 x 10; 3d tier, spruce, 3 x 10; 4th tier, spruce, 3 x 10; 5th tier, spruce, 3 x 10; 6th tier, spruce, 3 x 10; roof tier, spruce, 3 x 9. State distance from centres on 1st tier, 16 inches; 2d tier, 16 inches; 3d tier, 16 inches; 4th tier, 16 inches; 5th tier, 16 inches; 6th tier, 16 inches; roof tier, 20 inches.
20. If floors are to be supported by columns and girders, give the following information: Size and material of girders under 1st floor, yellow pine, 8 x 10 under upper floors, yellow pine, 8 x 10
Size and materials of columns under 1st floor, 20 x 20 in front, 12 x 12 in rear under upper floors, 5" cast iron columns with top & bottom plates.
21. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars, Front wall to be supported as follows; on each side of top a girder of 3, 9" x 70 lb. rolled iron beams with cast iron separators, supported on east side by 12" x 16" and 8" x 16" cast iron columns and on west side by 8" x 16" x 16" x 16" cast iron columns. On westerly end of building to have three 10 1/2" x 90 lb. wrought iron beams with separators, supported by 16" x 16" and 12" x 16" cast iron columns. The front and rear walls of light courts to be supported by girders of 3, 9" x 70 lb. rolled beams with separators, to be put at level of 2nd tier of beams. All castings to be of one inch metal.
22. If girders are to be supported by brick piers and columns, state the size of piers and columns _____

ick piers

1" metal

200

IF THE BUILDING IS TO BE OCCUPIED AS A TENEMENT HOUSE, GIVE THE FOLLOWING PARTICULARS:

23. State how many families are to occupy each floor, and the whole number in the house; also, if any part is to be used as a store or for any other business purposes, state the fact, *Basement to be used as stores with apartments in rear. Three families in basement; 5 each on 1st, 2nd, 3rd, 4th, & 5th.*
24. What will be the heights of ceilings on 1st story, *9'6"* feet; 2d story, *9'6"* feet; 3d story, *9'0"* feet; 4th story, *9'0"* feet; 5th story, *9'0"* feet; 6th story, _____ feet.
25. How are the hall partitions to be constructed and of what materials, *Stud partitions, lathed and plastered on one side, 12" brick wall on other.*

Owner, *John G. Wm. Dilgion*. Address, *75 E. 3rd Street*
 Architect, *Ernest W. Gris*. Address, *8 Minna Square, N.Y.*
 Mason, _____ Address, _____
 Carpenter, _____ Address, _____

(The following must be signed by the party authorized to submit this detailed statement and the accompanying plans and drawings.)

New York, *Mch. 18th* 188*6*

I do hereby agree that the provisions of the Building Law will be complied with in the construction of the buildings herein described, whether the same are specified herein or not.

(Sign here) *Ernest W. Gris, Architect*

IF A WALL OR PART OF A WALL ALREADY BUILT IS TO BE USED, FILL UP THE FOLLOWING:

The undersigned gives notice that _____ intends to use the _____ wall of building _____ as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall _____ built of _____, _____ inches thick; the upper wall _____ built of _____, _____ inches thick, _____ feet in height _____ feet deep, _____

(Sign here) _____

NOTICE TO OWNERS, ARCHITECTS AND BUILDERS. THE BUILDING LAW REQUIRES

- 1st.—All stone walls must be properly bonded.
- 2d. —All skylights over 3 square feet must be of iron and glass.
- 3d.— All buildings over 2 stories or above 25 feet in height, *except dwellings and churches*, must have iron shutters on *every* window and opening above the first story.
- 4th.—Outside fire escapes are required on all tenement, flat and apartment houses, office buildings, lodging houses and factories, and *the balconies of such fire escapes must take in one window of each suite of apartments*, all to be constructed as follows:

BRACKETS must not be less than $\frac{1}{2}$ x $1\frac{1}{2}$ inches wrought iron, placed edgewise, or $1\frac{1}{2}$ inch angle iron, well braced, and not more than three feet apart, and the braces to brackets must be not less than $\frac{3}{4}$ inch square wrought iron, and must extend two-thirds of the width of the respective brackets or balconies. In all cases the brackets must go through the wall, and be turned down three inches.

BRACKETS ON NEW BUILDINGS must be set as the walls are being built. When brackets are to be put upon old houses, the part going through the wall shall not be less than one inch diameter, with screw nuts and washers not less than five inches square and $\frac{1}{2}$ inch thick.

TOP RAILS—The top rail of balcony must be $1\frac{1}{2}$ inch x $\frac{1}{2}$ inch wrought iron, and in all cases must go through the walls, and be secured by nuts and 4 inch square washers, at least $\frac{3}{4}$ inch thick, and no top rail shall be connected at angles by the use of cast iron.

BOTTOM RAILS—Bottom rails must be $1\frac{1}{2}$ inch x $\frac{3}{4}$ inch wrought iron, well leaded into the wall. In frame buildings the top rails must go through the studding and be secured on the inside by washers and nuts as above.

FILLING-IN-BARS—The filling-in bars must be not less than $\frac{1}{2}$ inch round or square wrought iron, placed not more than 6 inches from centres, and well riveted to the top and bottom rails.

STAIRS—The stairs in all cases must be not less than 18 inches wide, and constructed of $\frac{1}{2}$ x $3\frac{1}{2}$ inch wrought iron sides or strings. Steps may be of cast iron of the same width of strings, or $\frac{3}{4}$ inch round iron, double rungs, and well riveted to the strings. The stairs must be secured to a bracket on top and rest on and be secured to a bracket or extra cross bar at the bottom. All stairs must have a $\frac{1}{2}$ inch hand rail of wrought iron, well braced.

FLOORS—The flooring of balconies must be of wrought iron $1\frac{1}{2}$ x $\frac{3}{4}$ inch slats placed not over $1\frac{1}{2}$ inches apart, and secured to iron battens $1\frac{1}{2}$ x $\frac{1}{2}$ inch, not over three feet apart and riveted at the intersection. The openings for stairways in all balconies shall not be less than 20 inches wide and 36 inches long, and have no covers.

DROP LADDERS—Drop ladders from lower balconies where required shall not be less than 14 inches wide, and shall be made of $1\frac{1}{2}$ x $\frac{3}{4}$ inch sides and $\frac{3}{4}$ inch rungs of wrought iron. In no case shall a drop ladder be more than 12 feet in length. In no case shall the ends of balconies extend more than nine inches over the brackets.

SCUTTLE LADDERS—Ladders to scuttles shall be constructed in all cases the same as the stairs or step-ladders from balconies of fire escapes.

THE HEIGHT OF RAILING around balconies shall not be less than two feet nine inches.

NO FIRE ESCAPE WILL BE APPROVED BY THIS BUREAU IF NOT IN ACCORDANCE WITH ABOVE SPECIFICATIONS.

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

2
1999

B 445
L 18

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

Plan No. 1999

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) O. Rissmann

The City of New York, Borough of Manhattan, July 15 1907

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) South side of 4th St. 262'6" east of 2nd Ave. 104-106
- How was the building occupied? Y monument
How is the building to be occupied? _____
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 37'6" feet front; 37'6" feet rear; 96'2" feet deep.
- Size of building which it is proposed to alter or repair? 37'6" feet front; 37'6" feet rear; 83'7" feet deep. Number of stories in height? 5 Height from curb level to highest point? 55 ft.
- Depth of foundation walls below curb level? 8 ft. Material of foundation walls? stone Thickness of foundation walls? front 24 inches; rear 24 inches; side 24 inches; party _____ inches.
- Material of upper walls? brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " 16 " " 16 " " 16 " " " " "
2d story: " 12 " " 12 " " 12 " " " " "
3d story: " 12 " " 12 " " 12 " " " " "
4th story: " 12 " " 12 " " 12 " " " " "
5th story: " 12 " " 12 " " 12 " " " " "
6th story: " _____ " " _____ " " _____ " " " " "
- Is roof flat, peak or mansard? flat

Handwritten notes on the left margin, including a large signature.

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner:

47. Bld. show windows flush into the wall as shown on on plans. No change in construction.

If altered Internally, give definite particulars, and state how the building will be occupied:

- 48. Dimensions windows for living rooms?
59. Of what materials will hall partitions be constructed?
60. Of what materials will hall floors be constructed?
61. How will hall ceilings and soffits of stairs be plastered?
62. Of what material will stairways be constructed? Give sizes of stair well holes?
63. If any other building on lot, give size; front; rear; deep; stories high; how occupied; on front or rear of lot; material. How much space between it and proposed building?
64. How will floors and sides of water closets to the height of 16 inches be made waterproof?
65. Number and location of water closets: Cellar; 1st floor; 2d floor; 3d floor; 4th floor; 5th floor; 6th floor;
66. This building will safely sustain per superficial foot upon the first floor lbs.; upon 2d floor lbs.; upon 3d floor lbs.; upon 4th floor lbs.; upon 5th floor lbs.; upon 6th floor lbs.; upon 7th floor lbs.; upon 8th floor lbs.

Owner, S.N. Truckman Address, 367 W. 119th St.
Architect, O. Russman 31 First St.
Superintendent, [Signature]
Mason,
Carpenter,

premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner 104-106 EAST FOURTH STREET CORPORATION, ROOM 1807, 175 5th. AVE.
HENRY KROGER, PRES. & TREASR, 740 W. 231 ST. N.Y.C. N.Y.C.
GEO. T. NEUMANN, VICE PRESIDENT, 115 CHAMBERS ST. N.Y.C.
F. WM. WESSEL, SECRETARY, 681 WEST 231 ST. N.Y.C.

Lessee
Architect CHARLES H. RICHTER, 175 FIFTH AVE. N.Y.C.
Superintendent CHARLES H. RICHTER, 175 FIFTH AVE. N.Y.C.

The said land and premises above referred to are situate, bounded and described as follows, viz.: BEGINNING at a point on the SOUTH side of E. 4th. ST. distant 262' 6" feet EAST from the corner formed by the intersection of SECOND AVE. and E. 4th. ST.

running thence SOUTH 98' 2" feet; thence EAST 37' 6" feet; thence NORTH 98' 2" feet; thence WEST 37' 6" feet;

to the point or place of beginning, being designated on the map as Block No. 445 Lot No. 18
(SIGN HERE) [Signature] APPLICANT

Sworn to before me, this 21st day of May 1935

AFFIX SEAL OF REGISTERED ARCHITECT OR PROFESSIONAL ENGINEER HERE

NOTARY PUBLIC Bronx County Clerk's No. 45 New York County Clerk's No. 205

NOTE: If Building is a Multiple Dwelling the following authorization is required.

AUTHORIZATION OF OWNER

F. WM. WESSEL DEPOSES AND SAYS: That HE resides at 681 WEST 231 ST. Borough of BRONX City of NEW YORK State of NEW YORK; that he is ONE OF THE owner of all that certain piece or lot of land situated in the Borough of MANHATTAN in the City of New York, and located on the SOUTH side of E. 4th. ST.

and known as No. 104-106 on said street; that the multiple dwelling proposed to be ALTERED on said premises will be constructed in accordance with the annexed specifications and plans submitted herewith for the approval of the Department of Buildings, and that CHARLES H. RICHTER is duly authorized by said owner to make application in said owner's behalf in compliance with Chapter 713 of the Laws of 1929 for the approval of such specifications and plans.

NOTE:—This clause to be used only when the person executing this authorization is not the sole owner of the premises described herein.

He further says that the full names and residences, street and number, of the owner or owners of the said land, and of every person having an interest in said premises and projected multiple dwelling either as owner, lessee, or otherwise, as required by Section 300 of the Multiple Dwelling Law, are as follows:

104-106 EAST FOURTH STREET CORPORATION No. ROOM 1807, 175 5th AV. N.Y.C. as OWNERS (Relation to premises)
HENRY KROGER No. 740 W. 231 ST. (Address)
PRES. & TREASR.
as (Relation to premises)
GEO. T. NEUMANN, No. 115 CHAMBERS ST. N.Y.C. (Address)
VICE PRESIDENT, F. WM. WESSEL, SECTY. 681 W. 231 ST. N.Y.C. (Relation to premises)
[Signature] Signature.

DEPARTMENT OF BUILDINGS
BOROUGH OF
CITY OF NEW YORK

No work under this application shall be started in connection with foundations until the soil has been examined and its bearing capacity approved by the Commissioner of Buildings.

NOTE: All elevations and grades for curbs and sidewalks must be obtained from the Commissioner of Public Works.

573 25

DEPARTMENT OF BUILDINGS
BOROUGH OF MANHATTAN, CITY OF NEW YORK

HVC CERTIFICATE OF OCCUPANCY No. 20673 193 5

Supersedes Certificate of Occupancy No.

To the owner or owners of the building: New York Oct. 4, 1935.

THIS CERTIFIES that the building located on Block 445, Lot 18

known as 104-108 East 4th Street

under a permit, Application No. 1209, dit of 1935 conforms to the approved plans and specifications accompanying said permit and any approved amendments thereto, and to the requirements of the building code and all other laws and ordinances and to the rules and regulations of the board of standards and appeals, applicable to a building of its class and kind, except that in the case of a building heretofore existing and for which no previous certificate of occupancy has been issued and which has not been altered or converted since March 14, 1916, to a use that changed its classification as defined in the building code, this certificate confirms and continues the existing uses to which the building has been put; and

CERTIFIES FURTHER that the building is of nonfireproof construction within the meaning of the building code and may be used and occupied as a ~~business and~~ ^{residence} building as hereinafter qualified, in a ~~business~~ district under the building zone resolution, subject to all the privileges, requirements, limitations and conditions prescribed by law or as hereinafter specified.

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED			USE
		MALE	FEMALE	TOTAL	
Cellar					Multiple Dwelling Class A
Basement	80			8	Storage and Heating
1st to 5th Story	80 on each				Offices-Storerooms-Baby carriages Four (4) Apartments on each floor

This certificate is issued to Charles H. Richter, Architect
 175-5th Avenue, City.
 Room 1807, for the owner or owners.

premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner Sagamore Holdings Inc. 570 Seventh Ave., New York City
Samuel Gersten, pres. 570 Seventh Ave., New York City
Charles Struckler, Sect'y. 570 Seventh Ave., New York City

Lessee
Architect Scacchetti & Siegel 1860 Broadway, New York City

Superintendent

The said land and premises above referred to are situate, bounded and described as follows, viz.: BEGINNING at a point on the south side of East 4th Street distant 262'-6" feet east from the corner formed by the intersection of East 4th Street and Second Avenue running thence west 37'-6" feet; thence south 96'-2" feet; thence east 37'-6" feet; thence north 96'-2" feet

to the point or place of beginning, being designated on the map as Block No. 445 Lot No. 18

(SIGN HERE) Max Siegel of Scacchetti & Siegel APPLICANT

Sworn to before me, this _____ day of _____ 193 _____



NOTE: If Building is a Multiple Dwelling the following authorization is required.

AUTHORIZATION OF OWNER

Samuel Gersten, pres. of Sagamore Holdings Inc. office is at 570 Seventh Avenue Borough of Manhattan City of New York State of New York PRES. OF Sagamore Holdings Inc. that he is the owner of

all that certain piece or lot of land situated in the Borough of Manhattan in the City of New York, and located on the south side of East 4th Street 262'-6" east of Second Avenue

and known as No. 104-6 E. 4th St. on said street; that the multiple dwelling proposed to be altered on said premises will be constructed in accordance with the annexed specifications and plans submitted herewith for the approval of the Department of Buildings, and that Scacchetti & Siegel are duly authorized by said owner as above to make application in said owner's behalf in compliance with Chapter 713 of the Laws of 1929 for the approval of such specifications and plans.

NOTE:—This clause to be used only when the person executing this authorization is not the sole owner of the premises described herein.

He further says that the full names and residences, street and number, of the owner or owners of the said land, and of every person having an interest in said premises and projected multiple dwelling either as owner, lessee, or otherwise, as required by Section 300 of the Multiple Dwelling Law, are as follows:

Sagamore Holdings Inc. No. 570 Seventh Ave., N.Y.C.
(Name) (Address)
as OWNERS
(Relation to premises)
Samuel Gersten, No. 570 Seventh Ave., N.Y.C.
(Name) (Address)
as president
(Relation to premises)
Charles Struckler No. 570 Seventh Ave., N.Y.C.
(Name) (Address)
as secretary
(Relation to premises)
Sagamore Holdings Inc.
Samuel Gersten, Pres.
Signature

DEPARTMENT OF BUILDINGS
BOROUGH OF
CITY OF NEW YORK

No work under this application shall be started in connection with foundations until the soil has been examined and its bearing capacity approved by the Commissioner of Buildings.

NOTE: All elevations and grades for curbs and sidewalks must be obtained from the Commissioner of Public Works.

HOUSING AND
DEPARTMENT OF BUILDINGS
 BOROUGH OF MANHATTAN, CITY OF NEW YORK

HVC **CERTIFICATE OF OCCUPANCY No.** **23403** **193** 8

Supersedes Certificate of Occupancy No. **20673**

To the owner or owners of the building:

New York **February 28, 19 39**

THIS CERTIFIES that the building located on Block **A45**, Lot **18**

known as **104-C East 4th Street**
3718' front

under a permit, Application No. **3630 Alt of 19 37** conforms to the approved plans and specifications accompanying said permit and any approved amendments thereto, and to the requirements of the building code and all other laws and ordinances and to the rules and regulations of the board of standards and appeals, applicable to a building of its class and kind, except that in the case of a building heretofore existing and for which no previous certificate of occupancy has been issued and which has not been altered or converted since March 14, 1916, to a use that changed its classification as defined in the building code, this certificate confirms and continues the existing uses to which the building has been put; and

CERTIFIES FURTHER that the building is of **nonfireproof** construction within the meaning of the building code and may be used and occupied as a **residence** building as hereinafter qualified, in a **business** district under the building zone resolution, subject to all the privileges, requirements, limitations and conditions prescribed by law or as hereinafter specified.

STORY	LIVE LOADS Lbs. per Sq. Ft.	PERSONS ACCOMMODATED			USE
		MALE	FEMALE	TOTAL	
Cellar					Multiple Dwelling Class A Old law tenement
Basement	40				Boiler room and Storage
1st to 5th Story	40 on each				Two (2) Apartments Four (4) Apartments on each floor

This certificate is issued to **Scacchetti & Siegel, Architects**
1800 Broadway, City.

, for the owner or owners.

DEPARTMENT OF HOUSING & BUILDINGS

DEPARTMENT OF HOUSING AND BUILDINGS
BOROUGH OF Manhattan, CITY OF NEW YORK

NOTICE—This application must be typewritten and filed in quadruplicate. All proposed work under this application must be shown on plans and section. All vertical lines of soil, waste, leader and refrigerator pipes should be designated by numbers or letters. A soil or waste line and its attendant vent line may be considered as one stack, and so numbered or lettered. In alterations, NEW WORK ONLY should be specified. When new fixtures are to be connected to present lines, the location and diameter of said lines must be shown on the plan. Minor alterations in connection with work described may be included in this form.

PLUMBING, MECHANICAL EQUIPMENT AND TANK INSTALLATION

APPLICATION No. 2169 1947 BLOCK 445 LOT 18
Street No. and LOCATION 104-106 East 4th St. S/S 262.6'E. of 2nd Avenue

FEES REQUIRED FOR _____ N.B. ALT. No. 194
Owner 104 E. 4th St. Corp. Address 104-106 E. 4th St. Man.
Pres. Joseph Erdos Vice Pres. _____
Lessee _____ Address _____
Pres. _____ Vice Pres. _____
~~Applicant~~ Samuel Senfeld Address 565 E. Tremont Ave. Bx.
Contractor Benell Oil Heating Co. Address 1343 Ogden Ave. Bx.

COMPENSATION INSURANCE has been secured in accordance with the requirements of the Workmen's Compensation Law as follows: Pol.# UB-1932393 from Travelers Ins.Co.
Exp. 10/5/47, Issued to Benell Oil Heating Co. as Contractors.

To The Borough Superintendent: _____ City of New York, JUN 13 1947, 19____

Application is hereby made on behalf of the owner-lessee for approval of the plans and specifications herewith submitted, and made a part hereof, for the erection, alteration or installation of the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with the Building Code and all rules and regulations applicable thereto in effect at this date.

Applicant (Sign Here) _____ Address _____ **SAMUEL SENFELD**
Examined and Recommended for Approval on 6/11/47 19____ [Signature] **565 E. TREMONT AVE.**
Examiner **BRONX 57, N. Y.**
TREMONT 8-0886
APPROVED _____ 19____ [Signature] Borough Superintendent

Work Included Herein: Plumbing? _____ Sprinkler? _____ Standpipe? _____ Fuel Oil? Yes or Fuel Oil (Bulk)? _____ Gasoline Tank Installation _____
1. State in detail the work proposed. To install one approved 2000 gal. fuel oil tank and one approved oil burner as per plans filed herewith.
Is this a new or old building? old
Give character of construction brick Class: _____
Dimensions: Stories High 5 & base Feet High 59 Feet Front 37.6 Feet Deep 84
How occupied Class A-M.D. No. of Families 22
Is application made to remove a violation or order of any Dept.? no Give No. _____
How to be occupied Same
Estimated Cost \$ 2000.00
(Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions
If exemption from payment of fee is claimed, state clearly the basis of claim _____

PLUMBING SPECIFICATIONS

Describe special equipment or features: _____
Sewage and Drainage Disposal: Combined _____ Sanitary _____ Storm _____ Cesspool _____
How will flushometers be water supplied? From a street pressure, pressure tank or roof tank? _____
Will building be piped for gas? _____ Describe purpose _____
Air Conditioner _____ How will waste be disposed of? _____
Table of fixtures to include fixtures reset where new roughing is installed.
Size of House Sewer _____ Fall per foot _____
No. of Soil Lines _____ No. of Waste Lines _____ No. of Vent Lines _____