

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

B 445
L 26

Plan No. 2017

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Fred. Ebeling

The City of New York, Borough of Manhattan, April 1st 1907.

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered? 1
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 120 East Fourth St., South side, 152 ft. West of First Ave.
- How was the building occupied? Stores and 10 families
How is the building to be occupied? Same. Stores and 10 families.
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? present/rear building Size 20'0" x 22'0"; height Basement + 3 stories How occupied? 4 families Give distance between same and ~~proposed~~ present building 25'6" feet.
- Size of lot? 26 feet front; 20 feet rear; 10'6" x 66'6" x 35' feet deep.
- Size of building which it is proposed to alter or repair? 26 feet front; 26 feet rear; 48 feet deep. Number of stories in height? 5 Height from curb level to highest point? 49 ft.
- Depth of foundation walls below curb level? 10 ft Material of foundation walls? Brick & Stone Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party 20 inches.
- Material of upper walls? brick If ashlar, give kind and thickness _____
- Thickness of upper walls:
Basement: front 20 inches; rear 20 inches; side 20 inches; party 20 inches.
1st story: " 12 " " 12 " " 12 " " 12 "
2d story: " 12 " " 12 " " 12 " " 12 "
3d story: " 12 " " 12 " " 12 " " 12 "
4th story: " 12 " " 12 " " 12 " " 12 "
5th story: " 12 " " 12 " " 12 " " 12 "
6th story: " _____ " _____ " _____ " _____ " _____
- Is roof flat, peak or mansard? flat.

BUREAU OF BUILDINGS
FOR THE BOROUGH OF
MANHATTAN
APR 1 1907
THE CITY OF NEW YORK

2100



If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. We will directly over the stairwell a ventilating skylight with ridge ventilators have a minimum opening of 40 40 square inches, and with fixed louvers. The glazed roof of the skylight will be 20 square feet in area. We will remove from the yard the present school sink, including the masonry of the vault, the iron through, and all other parts, and properly disinfect the site. A window will be put in rear wall 1'0" x 3'0" between stop beads, set in iron box 3/4" metal.

If altered Internally, give definite particulars, and state how the building will be occupied :

48. We will put one W.C. No 3 washout on each floor. 4" plaster partitions will be built around each W.C. and a hallway will be built 3'0" in the clear on each 2-3-4 and 5th stories. New windows will be put in cross partitions 3'0" x 5'0" between stop beads. Cast iron sinks and Alberino wash tubs will be put as shown, all set open. Present sink in hall will be removed, all as shown on plans.

49. How much will the alteration cost? \$ 5000.00

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what ?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each ?	-	-						
52. Height of ceilings?	-	-	-	-	-	-	-	-

53. How basement to be occupied? _____
How made water-tight? _____

54. Will cellar or basement ceiling be plastered? _____ How? _____

55. How will cellar stairs be enclosed? _____

56. How will cellar be occupied? _____
How made water-tight? _____

57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

Size of each shaft? _____

58. Dimensions of water closet windows? _____
 Dimensions of windows for living rooms? _____
59. Of what materials will hall partitions be constructed? _____

60. Of what materials will hall floors be constructed? _____

61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
 Give sizes of stair well holes? _____
63. If any other building on lot, give size ; front _____ ; rear _____ ; deep _____ ;
 stories high _____ ; how occupied _____ ; on front or rear
 of lot _____ ; material _____
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____

65. Number and location of water closets: Cellar _____ ; 1st floor _____ ; 2d floor _____ ;
 3d floor _____ ; 4th floor _____ ; 5th floor _____ ; 6th floor _____ ;
66. This building will safely sustain per superficial foot upon the first floor 120 lbs. ; upon 2d floor
60 lbs. ; upon 3d floor 60 lbs. ; upon 4th floor 60 lbs. ; upon 5th floor
60 lbs. ; upon 6th floor _____ lbs. ; upon 7th floor _____ lbs. ; upon 8th floor
 _____ lbs.

Owner, John Faeth
 Architect, Fred. Coeling
 Superintendent, Owner
 Mason, _____
 Carpenter, _____

Address, 1511 Third Ave
 " 420 East Ninth St.
 " _____
 " _____
 " _____

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

Office of the Borough President of the Borough of Manhattan, In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

B445
L127

Plan No. 1973

RECEIVED
BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK
JUL 11 1907
FROM THE BOROUGH
OF MANHATTAN

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

BRUNO W. BERGER & SON.

(Sign here) _____

The City of New York, Borough of Manhattan, July 10/07 190

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered front and rear tenement
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 122 East 4th Street
- How was the building occupied? tenements
How is the building to be occupied? tenements
- Is the building on front or rear of lot? front & rear there any other building erected on lot or permit granted for one? no Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.
- Size of lot? 25x96 feet front; 25 feet rear; 30 feet deep. 96
- Size of building which it is proposed to alter or repair? F. 25 feet front; 25 feet rear; 21 feet deep. Number of stories in height? F. 5 Height from curb level to highest point? R. 4
- Depth of foundation walls below curb level? 10 Material of foundation walls? stone Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party 20 inches.
- Material of upper walls? Brick If ashlar, give kind and thickness no
- Thickness of upper walls:
Basement: front F. 0 inches; rear 0 inches; side 0 inches; party 0 inches.
1st story: " 12 " " 12 " " 12 " " 12 "
2d story: " 12 " " 12 " " 12 " " 12 "
3d story: " 12 " " 12 " " 12 " " 12 "
4th story: " 12 " " 12 " " 12 " " 12 "
5th story: " 12 " " 12 " " 12 " " 12 "
6th story: " _____ " " _____ " " _____ " " _____ "
- Is roof flat, peak or mansard? flat.

11. Size of present extension, if any? _____ feet front; _____ feet deep; _____ feet high.
12. Thickness and material of foundation walls? _____
13. Material of upper walls? _____ If ashlar, give kind and thickness _____
14. Thickness of upper walls :
 Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 1st story: " _____ " " _____ " " _____ " " _____ "
 2d story: " _____ " " _____ " " _____ " " _____ "
 3d story: " _____ " " _____ " " _____ " " _____ "
 4th story: " _____ " " _____ " " _____ " " _____ "
15. Is present building provided with a fire escape? Yes
- If to be extended on any side, give the following information :
16. Is extension to be on side, front or rear? _____
17. Size of proposed extension, feet front _____; feet rear _____; feet deep _____; number of stories in height? _____ number of feet in height? _____
18. Material of foundation walls? _____; depth _____ feet; material of base course _____; thickness of base course _____; thickness of foundation walls, front _____ inches; side _____ inches; rear _____ inches; party _____ inches.
19. Will foundation be on rock, sand, earth or piles? _____
20. What will be the size of piers in cellar? _____; distance on centres? _____; size of base of piers? _____; thickness of cap stones? _____; of bond stones? _____.
21. Material of upper walls? _____; material of front? _____
22. Thickness, exclusive of ashlar, of upper walls :
 1st story: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
 2d story: " _____ " " _____ " " _____ " " _____ "
 3d story: " _____ " " _____ " " _____ " " _____ "
 4th story: " _____ " " _____ " " _____ " " _____ "
 5th story: " _____ " " _____ " " _____ " " _____ "
 6th story: " _____ " " _____ " " _____ " " _____ "
23. With what will walls be coped? _____
24. Will roof be flat, peak, or mansard? _____; material _____
25. Give size and material of floor and roof beams _____
 1st tier, material _____; size _____; distance on centres _____
 2d tier, " _____ " _____ " _____ "
 3d tier, " _____ " _____ " _____ "
 4th tier, " _____ " _____ " _____ "
 5th tier, " _____ " _____ " _____ "
 Roof tier, " _____ " _____ " _____ "
 Give thickness of headers _____ of trimmers _____
26. Give material of girders _____ of columns _____
 Under 1st tier, size of girders _____; size of columns _____
 " 2d " " " _____; " " _____
 " 3d " " " _____; " " _____
 " 4th " " " _____; " " _____
 " 5th " " " _____; " " _____
 " Roof tier, " " _____; " " _____

27. If front, rear or side is to be supported on columns or girders, give
 girders, material _____ ; front _____ ; side _____ ; rear _____
 size _____ " _____ " _____ " _____
 columns, material _____ " _____ " _____ " _____
 size _____ " _____ " _____ " _____
28. If constructed of frame, give material _____ ; size of sill _____ ;
 plate _____ ; enterties _____ ; posts _____ ; studs _____ ;
 braces _____
29. If open on one side, give size of plate _____ posts _____
30. How will extension be occupied? _____ If for
 dwelling, give number of families on each floor _____
31. How will extension be connected with main building? _____
32. Give size of skylights _____ ; material _____
33. Give material of cornices _____
34. Give material of light shafts _____ ; size _____

If to be increased in height, give the following information :

35. Will building be raised from foundation, or extended on top? Give particulars _____

36. How many stories high will building be when raised? _____ ; feet high _____
37. Will the roof be flat, peak or mansard? _____ , material _____
38. Material of coping? _____
39. Give material of new walls _____ thickness of _____ story _____ inches ;
 _____ story _____ inches ; _____ story _____ inches ; _____ story
 _____ inches ; _____ story _____ inches ; _____ story _____ inches ;
 _____ story _____ inches.
40. Material of floor beams? _____ Size _____ tier _____
 centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____ ; _____ tier _____ ; centres _____ ; _____ tier _____
 centres _____
41. Material of girders? _____ Size under 1st tier _____ ;
 2d tier _____ ; 3d tier _____ ; 4th tier _____ ; 5th tier _____ ;
 6th tier _____
42. Material of columns? _____ Size under 1st tier _____ ; 2d tier _____ ;
 3d tier _____ ; 4th tier _____ ; 5th tier _____ ; 6th tier _____
43. Size of piers in cellar _____ ; distance on centres _____ ; thickness of cap stones
 to piers _____ ; bond stones _____
44. If constructed of frame, give material of frame _____ ; size of sills _____ ;
 corner posts _____ ; middle posts _____ ; enterties _____ ; plates _____
 braces _____ ; studs _____
45. How will building be occupied when altered? _____
 If for dwelling, state number of families on each floor? _____

46. With what kind of fire escape will building be provided? _____

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. ~~It is proposed to alter brick piers where shown on plans and to insert c.i. boxes in openings, jambs of piers are to be built up with brick laid in cement mortar, and if piers are found to be defective, same are to be taken down and rebuilt.~~

If altered Internally, give definite particulars, and state how the building will be occupied :

48. ~~New partitions~~
~~New partition windows~~
~~New watercloset compartments.~~
~~All as shown on plans filed herewith.~~
~~Occupancy will not be changed.~~
~~Architects will not superintend.~~

1200.00

49. How much will the alteration cost? _____

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what ?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each ? - -								
52. Height of ceilings? - - - -								

53. How basement to be occupied? _____

How made water-tight? _____

54. Will cellar or basement ceiling be plastered? _____ How? _____

55. How will cellar stairs be enclosed? _____

56. How will cellar be occupied? _____

How made water-tight? _____

57. Will shafts be opened or covered with louvre skylights full size of shafts? _____

Size of each shaft? _____

58. Dimensions of water closet windows? _____
 Dimensions of windows for living rooms? _____
59. Of what materials will hall partitions be constructed? _____

60. Of what materials will hall floors be constructed? _____

61. How will hall ceilings and soffits of stairs be plastered? _____
62. Of what material will stairways be constructed? _____
 Give sizes of stair well holes? _____
63. If any other building on lot, give size; front _____; rear _____; deep _____;
 stories high _____; how occupied _____; on front or rear
 of lot _____; material _____.
 How much space between it and proposed building? _____
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? _____

65. Number and location of water closets: Cellar _____; 1st floor _____; 2d floor _____;
 3d floor _____; 4th floor _____; 5th floor _____; 6th floor _____;
66. This building will safely sustain per superficial foot upon the first floor _____ lbs.; upon 2d floor
 _____ lbs.; upon 3d floor _____ lbs.; upon 4th floor _____ lbs.; upon 5th floor
 _____ lbs.; upon 6th floor _____ lbs.; upon 7th floor _____ lbs.; upon 8th floor
 _____ lbs.

Owner, **Helen Schean** Address, **436 East 69th Street**

Architect, **Bruno W. Berger & Son** " **121 Bible House**

Superintendent, **Architects will not.**

Mason, _____ " _____

Carpenter, _____ " _____

(4) State generally in what manner the Building will be altered:

Plan shown on City Books & into 1 Bldg.

- Change partitions on all floors to form new apartments.
- Install new stair, incinerator, chimney.
- Replace store front with brick wall.
- Install new kitchens and bathrooms for all apartments.

(5) Size of Existing Building:

At street level	50	feet front	48	feet deep	50	feet rear
At typical floor level	50	feet front	48	feet deep	50	feet rear
Height ¹	50 5	stories	48 48	feet		

(6) If volume of Building is to be changed, give the following information:

At street level		feet front		feet deep		feet rear
At typical floor level	Same	feet front	Same	feet deep	Same	feet rear
Height ¹		stories		feet		

Area² of Building as Altered: At street level Total floor area² sq. ft.
 Total Height³ Additional Cubic Contents⁴ cu. ft.

(7) Estimated Cost of Alteration: \$100,000 incl. plumbing *M.S.*
 Estimated Cost, exclusive of extension:

(8) Is Application made to remove violations? *no* If Yes, State Violation Numbers

(9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following:

Character of soil Bearing capacity

(10) State what disposition will be made of waste and sewage
(Public sewer, Private sewer, Cesspool, etc.)

(11) Does this Application include Dropped Curb?

(If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.⁸

Drop Curb ft. @ \$ per ft. Splay ft. @ \$ per ft.
 Exact distance from nearest corner to Curb Cut: feet.
 Deposit: \$ Fee: \$ Total: \$
 Paid 19 . Document No. . Cashier

(12) Temporary Structures between Street Line and Curb:

Will a Sidewalk Shed be required? Length feet.
 Will any other miscellaneous temporary structures be required?
 Fee Required . Fee Paid 19 . Document No. . Cashier

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.

2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.

3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.

4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)

5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.

6. Space for plot diagram is located on Affidavit Form.

7. Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.

8. If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

ORIGINAL

CITY OF NEW YORK
DEPARTMENT OF HOUSING AND BUILDINGS

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Avenue
Bronx 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

AFFIDAVIT

NOTICE—This Affidavit must be TYPEWRITTEN and filed in QUADRUPPLICATE, and one copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, one affidavit is sufficient for all.

APPLICATION No. 1027, 19 55 BLOCK 445 LOT 26, 27
LOCATION 120-122 E. 4th St. S.S. 150'-0 W. of 1st Ave. NYC (Front)
House Number Street Distance from Nearest Corner Borough

TO THE BOROUGH SUPERINTENDENT:

Application is hereby made for approval of the plans and specifications herewith submitted and to be made a part hereof for the structure herein described, with the understanding that:
If this application shall be disapproved in part and if no further action is taken thereon within one year after notice of partial disapproval, it shall be automatically withdrawn.
Any permit issued under which no work is commenced within one year from the time of issuance shall expire by limitation. (Adm. Code C26-177.0.)
Work will be supervised by Licensed Architect, Professional Engineer or by a Superintendent of Construction who has had ten years' experience supervising building construction and who has been properly qualified. (Adm. Code C26.187.0.)
Work under this approval will not be commenced until a permit has been obtained, application for which will be filed with the Borough Superintendent, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law. (Adm. Code C26-161.0.)

EXAMINED AND RECOMMENDED FOR APPROVAL ON 1/27/55 19 Examiner M. Martin Elkind
APPROVED JAN 30 1955 19 Borough Superintendent

STATE OF NEW YORK
COUNTY OF NY

M. Martin Elkind (Typewrite Name)
being duly sworn, deposes and says: That he resides at 74-09 37th Ave. Jackson Hghts, NY
in the Borough of Queens; in the City of NY;
in the State of NY; that he is making this application for the approval of architectural & structural plans and specifications herewith submitted and made part hereof.

Deponent further says that he has personally supervised the preparation of such architectural & structural plans and that to the best of his knowledge and belief, the work will be carried out in compliance therewith, and the structure, if built in accordance with such plans, will conform with all applicable provisions of the charter, the administrative code, the multiple dwelling law, the labor law, the general city law, the zoning resolution, the rules of the board and all other laws governing building construction, except as specifically noted otherwise.

Deponent further says that he is duly authorized by 428 Realty Corp. (Name of Owner) who is the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, to make application for the approval of such detailed statements of specifications and plans, elevator or plumbing work (if any) and amendments thereto, in the said owner's behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed structure, are as follows:
Owner's name 428 Realty Corp. Address 608 E. 11th St. NYC
(If a corporation, give full name and address of at least two officers.)
Al. Fayer - Pres.
Harry Berman - Sec'y.

Lessee Address
Architect M. Martin Elkind Address 74-09 37th Ave. Jackson Heights
Engineer Address
Superintendent Address

755-57

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF Man., CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 1

BRONX
1932 Arthur Avenue,
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 24, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

INSTRUCTIONS—The NAME and ADDRESS of the OWNER or LESSEE of the building, and ARCHITECT or other representative must be stated. If owner is a corporation, state name and address of one of the executive officers. This application must be TYPEWRITTEN and SIGNED BY OWNER, LESSEE or any person authorized by owner or lessee.

APPLICATION FOR CERTIFICATE OF OCCUPANCY

APPLICATION No. Alt. 1827 1955 BLOCK 445 LOT 26,27
(N.B. Alt. B.N.)

PERMIT No. 950 1956

LOCATION 120-122 E. 4th St. (Front)

To the Borough Superintendent: DATE.....19.....

The undersigned requests that a.....Certificate of Occupancy be issued to him stating that the Building at this location conforms to the requirements of the Building Code and all other laws, rules and regulations applicable thereto.

Owner 428 Realty Corp. Address 608 E. 11th St. Man.

Lessee..... Address.....

(Signed)..... Architect, Engineer or Representative.

Mail to Harry Shapolsky Address 608 E. 11th St. Man.

Story	Live Loads Lbs. per Sq. ft.	Persons Accommodated			Apts.	Rooms	Use
		Male	Female	Total			
Cellar	on grd.				0	0	Boiler Room Storage
Basement							
First Story					5	7	Apts.
2nd					7	8	"
3rd					7	8	"
4th					7	8	"
5th					7	8	"

CONTINUE ON OTHER SIDE IF NECESSARY

Affidavit is herewith submitted for the issuance of a certificate of occupancy for the structure herein mentioned. (Administrative Code C26-187.0)

STATE AND CITY OF NEW YORK } ss.:
COUNTY OF N.Y.

Harry Shapolsky
(Typewrite Name)

being duly sworn, deposes and says that he resides at 608 E. 11th St. in the City of N.Y. in the Borough of Man. in the State of N.Y. that he has supervised the alteration of the structure at location indicated above.
(Construction or Alteration)

The deponent further states that his relation to the above mentioned construction is described in paragraph b below.
(a, b)

(a) That he was the....., who supervised the construction work.
(Licensed Architect or Professional Engineer)

(b) That he was the superintendent of construction who supervised the work, that he has had not less than ten years experience in supervising building construction.

The deponent further states that he has examined the approved plans of the structure herein referred to for which a certificate of occupancy is sought and that to the best of his knowledge and belief, the structure has been erected in accordance with the approved plans and any amendments thereto and as erected complies with the laws governing building construction except in so far as variations therefrom have been legally authorized and hereinafter noted:

Sworn to before me this 22 day of July 1957

[Signature]
Notary Public of Commissioner of Deeds
Commission Expires.....

[Signature]
(Signature)