

MANHATTAN

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

727

Office of the Borough President of the Borough of Manhattan

In The City of New York.

B
L
445
2

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 727/04

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Samuel Gross

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, May 1904

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered? One

2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) East side of Second Ave. 25.0' North from the corner of Third St

3. How was the building occupied? Dwelling
How is the building to be occupied? Dwelling & Store

4. Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? No Size . . . x . . . ; height . . .
How occupied? Give distance between same and proposed building feet.

5. Size of lot? 24.0' feet front; 24.0' feet rear; 60.2' feet deep.

6. Size of building which it is proposed to alter or repair? 24.0' feet front; 24.0' feet rear; 40.4' feet deep. Number of stories in height? 3 Height from curb level to highest point? 38.4'

7. Depth of foundation walls below curb level? 10.0' Material of foundation walls? Stone
Thickness of foundation walls? front 20" inches; rear 20" inches; side 20" inches; party inches.

8. Material of upper walls? Brick If ashlar, give kind and thickness. Basement
4.5" Brown Stone

39. Give material of new walls..... thickness of.....story..... inches;
story..... inches;story..... inches;story
 inches;story..... inches;story..... inches;
story..... inches.
40. Material of floor beams?..... Size..... tier.....
 centres.....; tier.....; centres.....; tier.....
 centres.....; tier.....; centres.....; tier.....
 centres.....
41. Material of girders?..... Size under 1st tier.....; 2d tier.....;
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
42. Material of columns?..... Size under 1st tier.....; 2d tier.....;
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
43. Size of piers in cellar.....; distance on centres.....; thickness of capstones
 to piers.....; bond-stones.....
44. If constructed of frame, give material of frame.....; size of sills.....
 corner posts.....; middle posts.....; enteries.....
 plates.....; braces.....; studs.....
45. How will building be occupied when altered?.....
 If for dwelling, state number of families on each floor
46. With what kind of fire escape will building be provided?..... *no.*

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars,
 and state in what manner :

47. *Removing pier between windows in basement
 where shown in dotted lines on plans, and
 placing new girder consisting of 2 12" 31 lbs.
 S.I. B's resting on granite blocks and cast iron
 plates at both ends as shown on plans, and
 constructing new store front in front of same*

If altered Internally, give definite particulars, and state how the building will be occupied :

48. *Removing partitions in basement shown in
 dotted lines on plans. Building will be
 occupied as store and dwelling*

49. How much will the alteration cost?..... *\$ 1000⁰⁰/₁₀₀*

5-25-0.

ORIGINAL.

Form No. 2-1902.

BUREAU OF BUILDINGS

OF THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN.

Detailed Statement of Specifications

FOR

ALTERATIONS TO BUILDINGS.

No. 121 Submitted MAY 5 1904

LOCATION.

56 Second Ave

Owner Dr. S. C. Goldsmith

Architect Samuel Gross

Builder

Received by 190

Returned by 190

Report favorably.

Referred to Inspector 1/2

5/25 190

Returned 190

5-11-04 m Inspector.

DRAWN & FILED.

affidavit diagram.
THE CITY OF NEW YORK.

BOROUGH OF MANHATTAN, 5/11 1904

This is to certify that the within detailed statement of specifications and a copy of the plans relating thereto have been submitted to the Superintendent of Buildings

for the Borough of Manhattan, and are hereby

Lane Hopper
Superintendent of Buildings
for the Borough of Manhattan

5/23 04
Lane Hopper

5/25 04

Lane Hopper
Superintendent of Buildings
Borough of Manhattan

Lane Hopper
BJS

CLASSIFICATION.

Stop and Dwelling
OK May 1904
W. M. ...

Sherrin Mauden ...

Applicant must indicate the Building Lines or Lines clearly and distinctly on the Drawings.

Handwritten initials/signature

B
L
445
2

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

No. 78205

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) C. Dunne

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, 190

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

State how many buildings to be altered One

What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 56 - 2nd Ave
East side of 2nd Ave. 75 ft. No. of 3rd Street

How was the building occupied? Dwelling

How is the building to be occupied? Dwelling

Is the building on front or rear of lot? Front Is there any other building erected on lot or permit granted for one? No Size _____ x _____; height _____ How occupied? _____ Give distance between same and proposed building _____ feet.

Size of lot? 24 feet front; 24 feet rear; 60 feet deep.

Size of building which it is proposed to alter or repair? 24 feet front; 24 feet rear; 40 feet deep. Number of stories in height? 4 Height from curb level to highest point? 40

Depth of foundation walls below curb level? 10' 0" Material of foundation walls? Stone Thickness of foundation walls? front 20 inches; rear 20 inches; side 20 inches; party _____ inches.

Material of upper walls? Brick If ashlar, give kind and thickness _____

Thickness of upper walls:

Basement: front 16 inches; rear 16 inches; side 16 inches; party _____ inches.

1st story: " 12 " " 8 1/2 " " 12 " " " " " "

2d story: " 12 " " 8 1/2 " " " " " " "

3d story: " 12 " " 8 1/2 " " " " " " "

4th story: " 12 " " 8 1/2 " " " " " " "

5th story: " _____ " " _____ " " _____ " " _____ " "

6th story: " _____ " " _____ " " _____ " " _____ " "

10. Is roof flat, peak or mansard? _____

11. Size of present extension, if any? feet front ; feet deep ; feet high.
12. Thickness and material of foundation walls?
13. Material of upper walls? If ashlar, give kind and thickness
14. Thickness of upper walls:
 Basement: front inches ; rear inches ; side inches ; party inches.
 1st story: " " " " " " " " " "
 2d story: " " " " " " " " " "
 3d story: " " " " " " " " " "
 4th story: " " " " " " " " " "
15. Is present building provided with a fire escape? *Yes*

If to be extended on any side, give the following information:

16. Is extension to be on side, front or rear? *Rear*
17. Size of proposed extension, feet front *24* ; feet rear *24* ; feet deep *20* ; number of stories in height? *4* number of feet in height? *40*
18. Material of foundation walls? *Brick* ; depth *6'-0"* feet ; material of base course *Concrete* ; thickness of base course *12"* ; thickness of foundation walls, front *now in* inches ; side *12* inches ; rear *12* inches ; party inches.
19. Will foundation be on rock, sand, earth or piles? *Earth*
20. What will be the size of pier in cellar? *16 x 16* ; distance on centres? ; size of base of piers? *3' x 3'* ; thickness of cap stones? *8"* ; of bond stones? *5-*
21. Material of upper walls? *Brick* ; material of front? *now in*
22. Thickness, exclusive of ashlar, of upper walls:
 1st story: front *now in* inches ; rear *12* inches ; side *12* inches ; party inches.
 2d story: " " " " *12* " " *12* " " "
 3d story: " " " " *8* " " *8 1/2* " " "
 4th story: " " " " *8* " " *8* " " "
 5th story: " " " " " " " " "
 6th story: " " " " " " " " "
23. With what will walls be coped? *Stone*
24. Will roof be flat, peak, or mansard? *Flat* ; material *Tim*
25. Give size and material of floor and roof beams
 1st tier, material *Spruce* ; size *3" x 9"* ; distance on centres *16*
 2d tier, " " " " *3 x 9* " " *16*
 3d tier, " " " " *3 x 9* " " *20*
 4th tier, " " " " " " " " "
 5th tier, " " " " " " " " "
 Roof tier, " " " " *3 x 8* " " *20*
- Give thickness of headers of trimmers
26. Give material of girders *Steel beams* of columns *Cast Iron*
 Under 1st tier, size of girders *Colt's 4 x 7 1/2" I* ; size of columns *6"*
 " 2d " " " *2" x 7 1/2" I* " " *6"*
 " 3d " " " *2-8" @ X I-Beams* " " "
 " 4th " " " " " " "
 " 5th " " " " " " "
 " Roof tier, " " " " " " "

59. Of what materials will hall partitions be constructed?
60. Of what materials will hall floors be constructed?
61. How will hall ceilings and soffits of stairs be plastered?
62. Of what material will stairways be constructed?
- Give sizes of stair well holes?
63. If any other building on lot, give size; front; rear; deep; stories high; how occupied; on front or rear of lot; material
- How much space between it and proposed building?
64. How will floors and sides of water closets to the height of 16 inches be made waterproof?
65. Number and location of water closets: Cellar; 1st floor; 2d floor; 3d floor; 4th floor; 5th floor; 6th floor
66. This building will safely sustain per superficial foot upon the first floor lbs.; upon 2d floor lbs.; upon 3d floor lbs.; upon 4th floor lbs.; upon 5th floor lbs.; upon 6th floor lbs.; upon 7th floor lbs.; upon 8th floor lbs.

Owner, Dr. Goldsmith Address, 56-2nd Ave.

Architect, C. L. Stone " 330 W. 25th St.

Superintendent, _____ " _____

Mason, _____ " _____

Carpenter, _____ " _____

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

RECEIVED
MAY 2 1905
THE BUREAU OF BUILDINGS

The City of New York, May 3, 1905 190

Amendment to Application No. 702 Art. B, 190 §.

Location

55 - 2nd Ave.

- ✓ #1. Walls of extensions will be at least 12" in thickness and is not shown on plans, drawings and specifications not agreed as to thickness of walls.
- ✓ #2. Roof beams will be 2" x 8" at 10" centres (spruce).
- ✓ #3. Plans not show 2 - 3" I. beams instead of 2 - 3" I.
- ✓ #4. Not 50 % of lot is not covered, and same is seen on plans.
- ✓ #5. A complete amendment is hereby being offering statements made in former amendments.
- ✓ #6. Changes are not shown on all plans.
- ✓ #8. All foundation walls of any extension will be at least 12" in thickness and same is not shown on plans.

[Handwritten signature]

[Faint typed text]
The City of New York
Department of Buildings
Bureau of Buildings
New York
May 6 1905

5/6 1905
The City of New York
Department of Buildings
Bureau of Buildings
New York
May 6 1905

Ord May 6 - 1905
[Handwritten signature]
B
5/8/05

2-05 B.
ORIGINAL
06 M
-1908.

BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN.

Statement of Specifications
FOR
ALTERATIONS TO BUILDINGS.

Submitted _____ 190

LOCATION.
- 2nd Ave.

By Goldsmith
& C. Turner 330726

by _____ 190

ed by _____ 190

Report _____ favorably.

(to Inspector _____ 190

18/12/11 _____ 190

_____ 190

Inspector.

DRAWINGS FILED.

affidavit desig

THE CITY OF NEW YORK.

BOROUGH OF MANHATTAN, 4/20 190 5

This is to certify that the within detailed statement of specifications and a copy of the plans relating thereto have been submitted to the Superintendent of Buildings for the

Borough of Manhattan, and are hereby _____

Disapproved
Superintendent of Buildings
for the Borough of Manhattan.

Construction amended... 4/25 190 5

Dis 4/27

Construction amended... 5/2 190 5

Dis 5/4

New York, Jan 3 190 6

Plans for P. 33 approved.
W. Kealy
Chief Insp'r Pl'g

J. J. J.

12/26 5

12/7/05
5 add sheets

12/7
12/9

Superintendent of Buildings,
Borough of Manhattan.

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

3232

B
L
445
2

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

FOR THE BOROUGH OF MANHATTAN
DEC 28 1906

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 3232

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

E. Danne

The City of New York, Borough of Manhattan, Dec. 24th 1906

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

No Plumbing

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) No. 56 Second Ave. East side of Second Avenue. 24'0" North of E. 3rd Street.
- How was the building occupied? Store & Dwelling
How is the building to be occupied? Stores & Dwelling
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? No Size — x —; height — How occupied? — Distance between same and proposed building — feet.
- Size of lot? 24'0" feet front; 24'0" feet rear; 60'0" feet deep.
- Size of building which it is proposed to alter or repair? 24'0" feet front; 24'0" feet rear; 40'0" feet deep. Number of stories in height? 3 Stories Height from curb level to highest point? 35'0"
- Depth of foundation walls below curb level? about 13'0" Material of foundation walls? blue stone Thickness of foundation walls? front 20 inches 20 inches
- Material of upper walls? — Material, grade and thickness —
- Thickness of upper walls:
Basement: front 12 inches; rear 12 inches; side 12 inches; party — inches.
1st story: " 12 " " 12 " " 12 " " " " "
2d story: " 12 " " 12 " " 12 " " " "
3d story: " 12 " " 12 " " 12 " " " "
4th story: " — " " — " " — " " " "
5th story: " — " " — " " — " " " "
6th story: " — " " — " " — " " " "
- Is roof flat, peak or mansard? flat.

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. Take out present front wall in cellar, basement & first story after properly shoring & underpinning walls above and build new 20" x 20" bonded brick piers in cellar & set the 12" x 12" x 1" m. c. i. columns on same and set the two 15" Ls. 65 lbs. on same all properly bolted, tied & braced as per regulations. New area walls at front in cellar with new stairs down to cellar. New iron stoop from sidewalk up to 1st story. New show-windows in Cellar, Basement & first story.

If altered Internally, give definite particulars, and state how the building will be occupied :

48. Take out present stairs front first to second story & properly fill in opening left by same; frame out for new stairs in 2nd story with 3" x 10" spr. double trimmers & headers spiked together and properly hung in bridle irons. Take down present partitions in first story & erect new stud partitions as shown and erect new tongued & grooved board partitions in Basement & cellar.

49. How much will the alteration cost? \$ 600⁰⁰

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How will cellar be occupied?

How made water-tight?

57. Will shafts be opened or covered with louvre skylights full size of shafts?

Size of each shaft?

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be **TYPEWRITTEN** and filed in **TRIPPLICATE**, and **ONE** copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT No. 2629 1928 } Application No. 1162 1928 }
NEW YORK }
ALT. }
P. & D. }
ELEV. }
SIGN. }

LOCATION 56 Second Ave. BLOCK 445 LOT 2

New York City Sept. 17 1928

To the Superintendent of Buildings:

Application is hereby made for a **PERMIT** to perform the entire

work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:

#50592 - State Insurance Fund

expiring Sept. 4, 1929

STATE, COUNTY AND }
CITY OF NEW YORK } ss.: Fred A. Rundenstein for Kandel Const. Co. INC
Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 103 Park Ave.
in the Borough of Manhattan in the City of N.Y., in the County of N.Y.
in the State of N.Y., that ~~he is~~ they are contractors for the

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 56 Second Ave

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by New York Jewish Evangelical Society

(Name of Owner or Lessee)

and that Kandel Construction Co. Inc. is duly authorized by the aforesaid OWNER to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) Fred A. Rundenstein

Sworn to before me, this 17th
day of Sept. 1928

NOTARY PUBLIC
KINGS COUNTY CLERK'S OFFICE
NEW YORK COUNTY CLERK'S NO. 268
NEW YORK COUNTY CLERK'S NO. 144
NEW YORK COUNTY CLERK'S NO. 6-224
TERM EXPIRES MARCH 30, 1930

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the entire work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON SEP 17 1928

W. Mills
Examiner
Charles P. ...
Superintendent of Buildings, Borough of Manhattan

Approved SEP 17 1928 1928

(10)

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

RECEIVED MAY 28 1928

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.
 "SPECIFICATIONS—SHEET A" (Form 152) must be filed with EVERY Alteration Application.
 "SPECIFICATIONS—SHEET B" (Form 158) must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. 1162 1928 BLOCK 445 LOT 2

LOCATION 56 Second Avenue E side 24'0 $\frac{1}{4}$ " N of 3rd Street

DISTRICT (under building zone resolution) Use Business Height 1 $\frac{1}{2}$ Area B

Examined 9-17 192 8 Examiner.

SPECIFICATIONS—SHEET A

- (1) NUMBER OF BUILDINGS TO BE ALTERED One
 Any other building on lot or permit granted for one? No
- (2) ESTIMATED COST OF ALTERATION: \$ 15,000.00
- (3) OCCUPANCY (in detail):
 Of present building
- | | |
|-----------|-----------------|
| Basement | Stores |
| 1st Floor | |
| 2nd Floor | One family each |
| 3rd Floor | |
- Of building as altered
- | | |
|--------------------------|-----------------------|
| Cellar, 1st & 2nd Floors | Mission House |
| 3rd Floor, | One family (Minister) |
- (4) SIZE OF EXISTING BUILDING:
- | | | | | |
|------------------------|----------------------|------------|----|-----------|
| At street level | 20'0 $\frac{1}{4}$ " | feet front | 60 | feet deep |
| At typical floor level | 20'0 $\frac{1}{4}$ " | feet front | 60 | feet deep |
| Height | 3 | stories | 38 | feet |
- (5) SIZE OF BUILDING AS ALTERED:
- | | | | | |
|------------------------|-----------|------------|-----------|-----------|
| At street level | | feet front | | feet deep |
| At typical floor level | No change | feet front | No change | feet deep |
| Height | | stories | | feet |
- (6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: Ordinary
 [Frame, Ordinary or Fireproof]
- (7) NUMBER OF OCCUPANTS (in each story of building as altered, giving males and females separately in the case of factories):
- | | |
|-----------|------------|
| Cellar | 30 |
| 1st Floor | 75 |
| 2nd Floor | 25 |
| 3rd Floor | One family |
- (8) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Propose to remove the basement & 1st Floor tier of joist and rebuild the 1st Floor level with the street. All interior partitions are to be removed and rebuilt as per the new layout shown on plans. Present show fronts and entrance to be removed and bricked up and new show front to be constructed. Entrance hall on the 1st Fl. and all cellar partitions are to be built

(if any) proposed to be done upon the same premises and specified in separate applications filed herewith, and all subsequent amendments thereto—is duly authorized by **The New York Jewish**
[Name of Owner or Lessee]

Evangelical Society

and that

John B Reschke

duly authorized by the aforesaid **owner** to make application for the approval of such detailed statement of specifications and plans (and amendments thereto) in **their** behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

NAMES AND ADDRESSES

Owner **New York Jewish Evangelical Society, 2654 Marion Ave. Bronx**
President: **Curtis Lee Laws,** " " " "
Secretary: **Thos. M. Chalmers,** " " " "

Lessee.....

Architect **John B Reschke** 301 Atlantic Avenue, Bklyn NY.

Superintendent.....

The said land and premises above referred to are situate at, bounded and described as follows, viz.: BEGINNING at a point on the **east** side of **Second Avenue** distant **24'0 1/4"** feet **North** from the corner formed by the intersection of **Second Avenue** and **3rd Street** running thence **north 24'0 1/4"** feet; thence **east 60'0"** feet; thence **south 24'0 1/4"** feet; thence **west 60'0"** feet

to the point or place of beginning, being designated on the map as Block No. **445** Lot No. **2**
(SIGN HERE) *John B Reschke* Applicant

Sworn to before me, this 28 day of May 192 8

Dimensions and Lot and Block numbers agree with Land Map.
(Signature) _____
Date..... Tax Dept. (Title)

Spencer
COMMISSIONER OF DEEDS
N. Y. BLOCK & CO.
24
1928

of 4" terra cotta blocks.

Roof of the extension is to be raised to the level of the front portion of the building. A new stairway, with bulkhead is to be built from the 3rd floor to the roof. A dumbwaiter is to be built in the court yard and to be enclosed with angle iron frames and # 26 guage metal.

All work is to be executed as per plans filed herewith.

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

OCT 24 1928

FOR THE BOROUGH

NOTICE—This Application must be **TYPEWRITTEN** and filed in **TRIPPLICATE**, and **ONE** copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT No. 3006 1928 Application No. 3244 1928
N.B. }
ALT. }
P.&D. }
ELEV. }
SIGN. }

LOCATION 56 Second Ave BLOCK 445 LOT 2
New York City October 24 1928

To the Superintendent of Buildings:

Application is hereby made for a **PERMIT** to perform the entire work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:
Zurich General Accident & Liability Insurance Co. Ltd.
Policy No. U.F. 2028002 Expires 9/11/29

STATE, COUNTY AND CITY OF NEW YORK } ss.: Fred W. Denny for A. Buchanan Jr.
Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 488 Sumner Ave in the Borough of Brooklyn in the City of New York, in the County of Kings in the State of New York, that he is contractor for the

owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Manhattan, City of New York aforesaid, and known and designated as Number 56 Second Ave

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by N.Y. Evangelical Society (Name of Owner or Lessee)

and that A. Buchanan Jr. is duly authorized by the aforesaid owner to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) Fred W. Denny
Sworn to before me, this 24 day of October 1928 at N.Y.C.
for A. Buchanan Jr.

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the entire work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON OCT 24 1928
[Signature]
Examiner

Approved 24 1928 1928
[Signature]
Superintendent of Buildings, Borough of Manhattan

BUREAU OF BUILDINGS
OF THE CITY OF NEW YORK
Received OCT 15 1928
FOR THE BOROUGH
OF MANHATTAN

BUREAU OF BUILDINGS

BOROUGH OF MANHATTAN, CITY OF NEW YORK

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE.
"SPECIFICATIONS—SHEET A" (Form 152) must be filed with EVERY Alteration Application.
"SPECIFICATIONS—SHEET B" (Form 158) must be filed, in addition, in case the building is to be raised in height or occupancy changed so as to increase floor loads, or if building is to be enlarged on one side.

ALT. APPLICATION No. 2244 192 8 BLOCK 445 LOT 2

LOCATION 56 Second Ave; east side; 24' 1/2" north of East 3rd St

DISTRICT (under building zone resolution) Use Business Height 1 1/2 Area B

Examined 10-23 192 8 *[Signature]* Examiner.

SPECIFICATIONS—SHEET A

(1) NUMBER OF BUILDINGS TO BE ALTERED One
Any other building on lot or permit granted for one? No

(2) ESTIMATED COST OF ALTERATION: \$ 1100.00

(3) OCCUPANCY (in detail):
Of present building 1st & 2nd-Mission House
3rd-One family-Minister

Of building as altered 1st & 2nd-Mission House
3rd-One family-Minister

(4) SIZE OF EXISTING BUILDING:
At street level 24' 1/2" feet front 60' feet deep
At typical floor level 24' 1/2" feet front 60' feet deep
Height 3 stories 30' feet

(5) SIZE OF BUILDING AS ALTERED:
At street level SAME feet front SAME feet deep
At typical floor level SAME feet front SAME feet deep
Height SAME stories SAME feet

(6) CHARACTER OF CONSTRUCTION OF PRESENT BUILDING: Ordinary
[Frame, Ordinary or Fireproof]

(7) NUMBER OF OCCUPANTS (in each story of building as altered, giving males and females separately in the case of factories):

Cellar-30 persons
First -75 "
Second-25 "
Third -One family

not considered see app 1162 2/28 CMM 10/23/28

(8) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:
To install a complete oil burner system including a 1000 gallon tank.