



B445

Plan No. 21876

Original

APPLICATION TO ALTER, REPAIR, ETC.

L38

Application is hereby made to the Superintendent of Buildings of the City of New York, for the approval of the detailed statement of the specifications and plans herewith submitted, for the alteration or repair of the building herein described. All provisions of the Building Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) C. Weissmann

NEW YORK, Feb 13 1896

- 1. State how many buildings to be altered. 4222
- 2. What is the street or avenue and the number thereof? Give diagram of property. N. Side of Third St 95 ft west of first Ave (no. 91)
- 3. How much will the alteration cost? \$ 300

GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING:

- 1. Size of lot on which it is located, No. of feet front, 20; feet rear, 20; feet deep, 80
- 2. Size of building, No. of feet front, 20; feet rear, 20; feet deep, 50 No. of stories in height, 3; No. of feet in height from curb level to highest point of beams, 35 ft
- 3. Material of building, brick; material of front, brick
- 4. Whether roof is peak, flat, or mansard, flat
- 5. Depth of foundation walls, 10 feet; thickness of foundation walls, 12; materials of foundation walls, stone
- 6. Thickness of upper walls, 12 inches. Material of upper walls, brick
- 7. Whether independent or party walls, independent
- 8. How the building is or was occupied, occupied for 3 years

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION:

- 1. How many stories will the building be when raised?
- 2. How high will the building be when raised?
- 3. Will the roof be flat, peak, or mansard?
- 4. What will be the thickness of wall of additional stories? story, inches; story, inches.
- 5. Give size and material of floor beams of additional stories; 1st tier, 2d tier, Distance from centres on tier, inches; tier, inches.
- 6. How will the building be occupied?

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION.

- 1. Size of extension, No. feet front, feet rear, feet deep, No. of stories in height, No. of feet in height,
- 2. What will be the material of foundation walls of extension? What will be the depth? feet. What will be the thickness? inches.
- 3. Will foundation be laid on earth, sand, rock, timber or piles?

to 6/14

IF TO BE EXTENDED ON ANY SIDE GIVE THE FOLLOWING INFORMATION.

4. What will be the base, stone or concrete?..... If base stones, give size and thickness and how laid,..... If concrete, give thickness,.....
5. What will be the sizes of piers?..... What will be the sizes of the base of piers?.....
6. What will be the thickness of upper walls? 1st story,..... inches ; 2d story..... inches ; 3d story,..... inches ; 4th story,..... inches ; 5th story,..... inches ; 6th story,..... inches ; 7th story,..... inches ; from thence to top,..... inches ; and of what materials to be constructed,.....
7. State whether independent or party-walls..... If party-walls give thickness thereof.....
8. With what material will walls be coped?.....
9. What will be the materials of front?..... If of stone, what kind?..... Give thickness of front ashlar..... Give thickness of backing.....
10. Will the roof be flat, peaked or mansard?.....
11. What will be the materials of roofing?.....
12. Give size and material of floor beams, 1st tier,..... x..... ; 2d tier,..... x..... ; 3d tier,..... x..... ; 4th tier,..... x..... ; 5th tier,..... x..... ; 6th tier,..... x..... ; 7th tier,..... x..... ; roof tier,..... x..... State distance from centres on 1st tier,..... inches ; 2d tier,..... inches ; 3d tier,..... inches ; 4th tier,..... inches ; 5th tier,..... inches ; 6th tier,..... inches ; 7th tier,..... inches ; roof tier,..... inches
13. If floors are to be supported by columns and girders, give the following information : Size and material of girders under 1st floor,..... x..... under each of the upper floors,..... Size and material of columns under first floor,..... under each of the upper floors,.....
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars,.....
15. If girders are to be supported by brick piers and columns, state the size of piers and columns. ....
16. How will the extension be connected with present or main building?.....
17. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy each floor. ....
18. State who will superintend the alterations. *the architect*

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE BUILDING WILL BE OCCUPIED :

.....  
.....  
.....  
.....

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN WHAT MANNER :

*The front wall in basement will be taken out 10 ft - to build a new stone front and the wall will be supported by <sup>two</sup> 10" iron beams supported by granite blocks 12" x 12"*

*Original*  
Department of Buildings,  
CITY OF NEW YORK.

Detailed Statement of Specifications

FOR  
ALTERATIONS TO BUILDINGS.

No. 218 Submitted Feb 14 1896

LOCATION  
91 E. 32 St

Owner Rachel Nachtegalb

Architect O Reissmann

Builder

Received by J. B. Dolan Feb 15 1896

Returned by \_\_\_\_\_ 189

Report favorable.

FINAL REPORT.

New York, April 30 1896

To the Superintendent of Buildings:

Work was commenced on the within described building on the 6 day of Feb 1896 and completed on the 30 day of April 1896, and has been done in accordance with the foregoing detailed statement, except as noted below.

J. B. Dolan  
Inspector.

REMARKS:

Referred to Inspector a list

Returned May 1 189

J. B. Dolan 1896

Inspector.

*Drawings inside*

New York, March 3 1896

This is to certify that I have examined the within detailed statement, together with the copy of the plan relating thereto, and find the same to be in accordance with the provisions of the laws relating to buildings in the City of New York; that the same has been approved, and entered in the record of the Department of Buildings.

James J. Freiber Jr.  
Superintendent of Buildings.

Construction amended May 9 1896  
add plan fees

*Shore & Linneman*

Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

# Department of Buildings of The City of New York.

2

B  
L

445  
38

THOMAS J. BRADY,  
President of the Board of Buildings and  
Commissioner of Buildings for the Bor-  
oughs of Manhattan and The Bronx.  
Office, No. 220 Fourth Avenue, S. W. cor. 18th Street,  
Borough of Manhattan.

JOHN GUILFOYLE,  
Commissioner of Buildings for  
the Borough of Brooklyn.  
Office, Borough Hall, Borough of Brooklyn.

DANIEL CAMPBELL,  
Commissioner of Buildings for the Bor-  
oughs of Queens and Richmond.  
Office, Richmond Building, New Brighton, Staten Island,  
Borough of Richmond.  
Branch Office, Town Hall, Jamaica, Long Island,  
Borough of Queens.

Plan No. \_\_\_\_\_

## APPLICATION FOR ERECTION OF BRICK BUILDINGS.

Application is hereby made to the Commissioner of Buildings of The City of New York, for the Borough of Manhattan & Bronx for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the Building Code shall be complied with in the erection of said building whether specified herein or not.

(Sign here) Geo F Pelham Archt.

THE CITY OF NEW YORK,

BOROUGH OF Manhattan April 5<sup>th</sup> 1901

- State how many buildings to be erected One
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) No. 91 3-5 & 7 East 3rd Street
- Will the building be erected on the front or rear of lot? Front
- How to be occupied? Tenement for 36 families If for dwelling, state the number of families in each house 36 x 6 stories
- Size of lot? 50 feet front; 80 feet rear; 48 feet deep. Give diagram of same.
- Size of building? 50 feet front; 80 feet rear; 38 feet deep. Size of extension? \_\_\_\_\_ feet front; \_\_\_\_\_ feet rear; \_\_\_\_\_ feet deep. Number of stories in height: main building? 7 x Base Extension? \_\_\_\_\_ Height from curb level to highest point: main building? 75 feet. Extension? \_\_\_\_\_ feet.
- What is the character of the ground: rock, clay, sand, etc.? Earth
- Will the foundation be laid on earth, rock, timber or piles? Earth
- Will there be a cellar? Yes
- What will be the base, stone or concrete? Stone If base stones, give size and thickness, and how laid 9" x 36" x 24" laid edge to edge If concrete, give thickness \_\_\_\_\_
- What will be the depth of foundation walls below curb level or surface of ground? 10 feet
- Of what will foundation walls be built? Rubble stone
- Give thickness of foundation walls: front, BK per 2'0" x 2'4" inches; sides, 24 inches; rear, 24 inches; party, ✓ inches.
- Will interior supports be brick partition walls or piers, iron columns or wooden posts? Brick wall Give size of same 16 x 12
- If piers, give thickness of cap stones or plates \_\_\_\_\_ bond stones or plates \_\_\_\_\_

16. Give base course, width and thickness \_\_\_\_\_  
 17. Will any part of front, side or rear wall, be supported on piers in cellar? Yes  
 Give size: front 2'4" x 2'0" size of base course 3'0" x 12'  
 rear \_\_\_\_\_ " " "  
 side \_\_\_\_\_ " " "

Size of cap stones 2'4" x 2'0" x 12" size of bond stones 2'0" x 2'0" x 4"  
 18. Of what materials will the upper walls be constructed? brick & regular bonded brick  
 What will be thickness of upper walls, exclusive of ashlar, if any?  
 Basement: front brick inches; rear 24 inches; side 24 inches; party \_\_\_\_\_ inches.  
 1st story: " 16 " " 16 " " 16 " " "  
 2d story: " 16 " " 16 " " 16 " " "  
 3d story: " 16 " " 16 " " 16 " " "  
 4th story: " 12 " " 12 " " 12 " " "  
 5th story: " 12 " " 12 " " 12 " " "  
 6th story: " 12 " " 12 " " 12 " " "  
 7th story: " 12 " " 12 " " 12 " " "

19. What will be the materials of the front? Brick If of stone, what kind? \_\_\_\_\_ If ashlar, give thickness \_\_\_\_\_

20. Will flues be lined with pipe or have 8 inches of brick around the same? Pipe

21. Will any exterior or interior wall be supported on iron or steel girders? Yes  
 Front, size 3-15, 3-12; weight or thickness 15" @ 40 lb, 15" @ 42  
 Side, " " " "  
 Rear, " " " "  
 Interior, " 2-12 & 2-15 " " 15" @ 40 & 15" @ 42  
 Front, " " " "  
 Side, " " " "  
 Rear, " " " "  
 Interior, " " " "

22. Give size of columns, posts or girders to support floors.  
 Cellar, material steel; size 9" @ 18; distance on centres \_\_\_\_\_  
 1st story, " " " 10" @ 25, 9" @ 15 " " \_\_\_\_\_  
 2d story, " " " 9" @ 18 " " \_\_\_\_\_  
 3d story, " " " " " " \_\_\_\_\_  
 4th story, " " " " " " \_\_\_\_\_  
 5th story, " " " " " " \_\_\_\_\_

23. Give material, size and distance on centres of floor beams.  
 1st tier, material Steel; size \_\_\_\_\_; distance on centres 4'0"  
 2d tier, " " " " " 4'0"  
 3d tier, " Spruce " 3" x 9" " " 16"  
 4th tier, " " " 3" x 9" " " 16"  
 5th tier, " " " 3" x 9" " " 16"  
 6th tier, " " " 3" x 9" " " 16"  
 7th tier, " " " 3" x 9" " " 16"  
 8th tier, " " " " " " \_\_\_\_\_  
 Roof tier, " Spruce " 3" x 9" " " 20"

24. Specify construction of floor filling 4" regular bonded brick arches

25. Is the building to be fire proof? No.
26. Of what material will partitions be built? Ordinary stucco plaster
27. What will be the material of roofing? Iron Will roof be flat, peak or mansard? Flat
28. What will be the material of dumb waiter shafts? Angle iron & F. S. block.
29. What will be the material of elevator shafts? —
30. What will be the material of bay windows? —
31. What kind of fire escape will be provided? regular
32. Give size of vent shafts to water closet apartments —; and of what material constructed —
33. Will access to roof be by scuttle or bulkhead? Bulkhead If by bulkhead, how constructed? brick wall extended up
34. With what material will walls be coped? terra cotta in blue stone
35. How will building be heated? Steam
36. Is there any building already erected on lot? — If so, and the same is to remain, state how occupied? — Size —  
Number of feet between buildings? —
37. Are any buildings to be taken down? —; how many? —
38. What is the estimated cost of each building, exclusive of lot? \$ 25,000.00  
What is the estimated cost of all the buildings, exclusive of lots? \$ —

If the Building is to be occupied as a Flat, Apartment, Tenement or Lodging House, give the following particulars:

39. State what per centum of lot is to be occupied? 74 2/3
40. How many feet open space will remain between building and rear line of lot? 10' 0"
41. Is any part of building to be used as a store or for any other business purpose, if so, state for what? —

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor	7th Floor
42. How many families will occupy each?	—	—	—	6	6	6	6	6	6
43. Height of ceilings?	—	8' 0"	11' 0"	9' 6"	9' 6"	9' 6"	9' 6"	9' 6"	9' 6"
44. Number of living rooms opening on shafts and courts?	—	—	—	8	—	—	—	—	—
45. Number of living rooms opening on street and yard?	—	—	—	14	—	—	—	—	—

46. How basement to be occupied? Storage Height of basement ceiling above sidewalk? Level  
How lighted and ventilated? Windows  
How made water-tight? Concrete
47. Will cellar or basement ceiling be plastered? Yes How? lime lath
48. How will cellar stairs be enclosed? —
49. How cellar to be occupied? — Height of cellar ceiling above sidewalk? —  
How lighted and ventilated? —  
How made water-tight? —
50. Give number of light and vent shafts: See L & V. Appl.  
State materials to be used in their construction —

2011/1/15

51. Will shafts be open or covered with louvre skylights full size of shafts? Open  
 Size of each shaft? See L. & V. Application
52. Dimensions of windows for living rooms? Open 12 sq ft.
53. What doors will have fan lights? All except public hall & lobby  
 Dimensions of same? 2 - by width of door
54. Of what materials will hall partitions be constructed? brick & f. p. block
55. Of what materials will hall floors be constructed? 4 - f. p. block arches
56. How will hall ceilings and soffits of stairs be plastered? \_\_\_\_\_
57. How will halls be lighted and ventilated? By windows on curbs & yards
58. Of what material will stairways be constructed? Iron & slate
59. If any other building on lot, give size: front \_\_\_\_\_; rear \_\_\_\_\_; deep \_\_\_\_\_; stories high \_\_\_\_\_; how occupied \_\_\_\_\_; on front or rear of lot \_\_\_\_\_; material \_\_\_\_\_  
 How much space between it and proposed building? \_\_\_\_\_
60. How will floors and sides of water closets to the height of 16 inches be made waterproof? Slate on floor
61. Number and location of water closets: Cellar \_\_\_\_\_; 1st floor 3; 2d floor 3; 3d floor 3; 4th floor 3; 5th floor 3; 6th floor 3; 7th floor 3
62. Total area of shafts over 25 square feet? \_\_\_\_\_ Of courts? \_\_\_\_\_

Owner, Amos Linnfeldt & Son Address, 115 B'way  
 Architect, H. F. Pelham " 503 - 5th Ave  
 Superintendent, \_\_\_\_\_ " \_\_\_\_\_  
 Mason, \_\_\_\_\_ " \_\_\_\_\_  
 Carpenter, \_\_\_\_\_ " \_\_\_\_\_

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,

BOROUGH OF \_\_\_\_\_ 190

The undersigned gives notice that \_\_\_\_\_ intend to use the \_\_\_\_\_ wall of building \_\_\_\_\_ as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation wall \_\_\_\_\_ built of \_\_\_\_\_ inches thick, \_\_\_\_\_ feet below curb; the upper wall \_\_\_\_\_ built of \_\_\_\_\_ inches thick, \_\_\_\_\_ feet deep, \_\_\_\_\_ feet in height.

(Sign here) \_\_\_\_\_

# Department of Buildings of The City of New York.

PLAN No.                      of 1909.

State and City of New York, }  
County of                      } ss.:

Geo. F. Pellam

being duly sworn, deposes and says: That he resides at Number                     

in the Borough of                     

in The City of New Rochelle, in the County of Westchester,

in the State of New York, that he is the architect

for Vincent Rowan & Wm. Trayer the

owners in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, situate, lying and being in the Borough of                     

in The City of New York, aforesaid, and known and designated as Number 91, 93, 95 &

97 East 3<sup>rd</sup> Street, and hereinafter more particularly described;

that the work proposed to be done upon the said premises, in accordance with the accompanying detailed statement in writing of the specifications and plans of such proposed work, to wit: Plan

No.                      of 1909, is duly authorized to be performed by

the owners

and that Geo. F. Pellam is

duly authorized by them

to make application in compliance with Chapter 378 of the Laws of 1897, and the Building Code, for the approval of such detailed statement of specifications and plans in

behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed building, structure, or proposed structure, premises, wall, platform, staging or flooring, either as owner, lessee, or in any representative capacity, are as follows:

Vincent Rowan No. 115 Biscoe

as Half owner

William Trayer No. 115 Biscoe

as Half owner

Geo. F. Pellam No. 509 Fifth Ave

as Architect

No.                     

as                     

No.                     

as



Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

B 445  
L 38

Office of the Borough President of the Borough of Manhattan  
In The City of New York.

3  
12  
W

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,  
S. W. Corner 18th Street.

Plan No. 122

### APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) *Bonstein & Bonstein*

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, Feb 3 1904

### LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered? *One*
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) *97 E. 3rd St N.Y. 25 ft. west of 1st Ave.*
3. How was the building occupied? *Resident & store*  
How is the building to be occupied? *same as at present*
4. Is the building on front or rear of lot? \_\_\_\_\_ Is there any other building erected on lot or permit granted for one? \_\_\_\_\_ Size \_\_\_\_\_; height \_\_\_\_\_  
How occupied? \_\_\_\_\_ Give distance between same and proposed building \_\_\_\_\_ feet.
5. Size of lot? *48'-0"* feet front; *25'-0"* feet rear; *48'-0"* feet deep.
6. Size of building which it is proposed to alter or repair? *25'-0"* feet front; *25'-0"* feet rear; *40'-0"* feet deep. Number of stories in height? *4* Height from curb level to highest point? *75'-0"*
7. Depth of foundation walls below curb level? *10 ft.* Material of foundation walls? *Brick & stone*  
Thickness of foundation walls? front *20* inches; rear *20* inches; side *20* inches; party \_\_\_\_\_ inches
8. Material of upper walls? *Brick* If ashlar, give kind and thickness.

39. Give material of new walls..... thickness of.....story..... inches;  
 .....story..... inches; .....story..... inches; .....story  
 ..... inches; .....story..... inches; .....story..... inches;  
 .....story..... inches.
40. Material of floor beams?..... Size..... tier.....;  
 centres..... tier.....; centres.....; tier.....;  
 centres.....; tier.....; centres.....; tier.....;  
 centres.....
41. Material of girders?..... Size under 1st tier.....; 2d tier.....;  
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
42. Material of columns?..... Size under 1st tier.....; 2d tier.....;  
 3d tier.....; 4th tier.....; 5th tier.....; 6th tier.....
43. Size of piers in cellar.....; distance on centres.....; thickness of capstones  
 to piers.....; bond stones.....
44. If constructed of frame, give material of frame.....; size of sills.....  
 corner posts.....; middle posts.....; enterties.....;  
 plates.....; braces.....; studs.....
45. How will building be occupied when altered?.....  
 If for dwelling, state number of families on each floor .....
46. With what kind of fire escape will building be provided?.....

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars,  
 and state in what manner :

47. *It is proposed to cut out door in main  
 entrance hall in rear part of store on 1st  
 story said door to fire proof*

If altered Internally, give definite particulars, and state how the building will be occupied :

48. ....
49. How much will the alteration cost? *100 £*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars:

50. Is any part of building to be used as a store or for any other business purpose? If so, state for what.....

.....

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each? - - - - -			4	4	4	4	4	4
52. Height of ceilings? - - - - -	8		9 1/2	9 1/2	9 1/2	9 1/2	9 1/2	9 1/2

53. How basement to be occupied? .....

How made water-tight? .....

54. Will cellar or basement ceiling be plastered? .....

How? .....

55. How will cellar stairs be enclosed? .....

56. How cellar to be occupied? .....

How made water-tight? .....

57. Will shafts be open or covered with louvre skylights full size of shafts? .....

Size of each shaft? .....

58. Dimensions of water closet windows? .....

Dimensions of windows for living rooms? .....

59. Of what materials will hall partitions be constructed? .....

60. Of what materials will hall floors be constructed? .....

61. How will hall ceilings and soffits of stairs be plastered? .....

62. Of what material will stairways be constructed? .....

Give sizes of stair well holes .....

63. If any other building on lot, give size: front .....

; rear .....

; deep .....

stories high .....

; how occupied .....

; on front or rear of lot .....

material .....

How much space between it and proposed building? .....

64. How will floors and sides of water closets to the height of 16 inches be made waterproof? .....

65. Number and location of water closets: Cellar .....

; 1st floor .....

; 2d floor .....

3d floor .....

; 4th floor .....

; 5th floor .....

; 6th floor .....

Owner, *J. V. Slater* Address, *59 Fourth St.*

Architect, *Bernstein & Bernstein* *72 Trinity Pl.*

Superintendent, *Orson* " .....

Mason, " .....

Carpenter, " .....

ORIGINAL

**CITY OF NEW YORK  
DEPARTMENT OF HOUSING AND BUILDINGS**

**MANHATTAN**  
Municipal Bldg.,  
New York 7

**BROOKLYN**  
Municipal Bldg.,  
Brooklyn 1

**BRONX**  
1932 Arthur Avenue  
Bronx 57

**QUEENS**  
120-55 Queens Blvd.,  
Kew Gardens 24, L. I.

**RICHMOND**  
Boro Hall,  
St. George 1, S. I.

**AFFIDAVIT**

**NOTICE—This Affidavit must be TYPEWRITTEN and filed in QUADRUPPLICATE, and one copy sworn to by Applicant. If Elevator or Plumbing Applications are filed herewith, one affidavit is sufficient for all.**

APPLICATION No. ALT. 1357, 1955 BLOCK 445 LOT 38  
LOCATION 91-97 East 3rd St. N/S 20' W. of First Ave. Manhattan  
House Number Street Distance from Nearest Corner Borough

TO THE BOROUGH SUPERINTENDENT:

Application is hereby made for approval of the plans and specifications herewith submitted and to be made a part hereof for the structure herein described, with the understanding that:

If this application shall be disapproved in part and if no further action is taken thereon within one year after notice of partial disapproval, it shall be automatically withdrawn.

Any permit issued under which no work is commenced within one year from the time of issuance shall expire by limitation. (Adm. Code C26-177.0.)

Work will be supervised by Licensed Architect, Professional Engineer or by a Superintendent of Construction who has had ten years' experience supervising building construction and who has been properly qualified. (Adm. Code C26.187.0.)

Work under this approval will not be commenced until a permit has been obtained, application for which will be filed with the Borough Superintendent, accompanied by satisfactory evidence that compensation insurance has been obtained in accordance with the provisions of the Workmen's Compensation Law. (Adm. Code C26-161.0.)

EXAMINED AND RECOMMENDED FOR APPROVAL ON 10/13/55, 1955 George Wesselhoft Examiner

APPROVED 10/14/55, 1955 [Signature] Borough Superintendent

STATE OF NEW YORK  
COUNTY OF Kings

Elias K. Herzog  
(Typewrite Name)

being duly sworn, deposes and says: That he resides at 1353 54th St.  
in the Borough of Brooklyn; in the City of N. Y.  
in the State of N. Y.; that he is making this application for the approval of

Architectural plans and specifications herewith submitted and made part hereof.  
(Architectural, Structural, Mechanical, Etc.)

Deponent further says that he has personally supervised the preparation of such Architectural plans and that to the best of his knowledge and belief, the work will be carried out in compliance therewith, and the structure, if built in accordance with such plans, will conform with all applicable provisions of the charter, the administrative code, the multiple dwelling law, the labor law, the general city law, the zoning resolution, the rules of the board and all other laws governing building construction, except as specifically noted otherwise.

Deponent further says that he is duly authorized by City Holding Inc.  
(Name of Owner)

who is the owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed hereto and made a part hereof, to make application for the approval of such detailed statements of specifications and plans, elevator or plumbing work (if any) and amendments thereto, in the said owner's behalf.

Deponent further says that the full names and residences, street and number, of the owner or owners of the said land, and also of every person interested in said building or proposed structure, are as follows:

Owner's name City Holding, Inc. Address 145 E. 35th St. N.Y.C.  
(If a corporation, give full name and address of at least two officers.)

Maria I. Kessler, President do.

Emmanuel Kessler, Secretary do.

Lessee \_\_\_\_\_ Address \_\_\_\_\_

\_\_\_\_\_ Address \_\_\_\_\_

Architect Elias K. Herzog Address 258 Broadway, N. Y. 7, NY

Engineer \_\_\_\_\_ Address \_\_\_\_\_

Superintendent \_\_\_\_\_ Address \_\_\_\_\_