

IF TO BE EXTENDED ON ANY SIDE GIVE THE FOLLOWING INFORMATION.

4. What will be the base, stone or concrete? If base stones, give size and thickness and how laid, If concrete, give thickness,
5. What will be the sizes of piers? What will be the sizes of the base of piers?
6. What will be the thickness of upper walls? 1st story, inches ; 2d story inches ; 3d story, inches ; 4th story, inches ; 5th story, inches ; 6th story, inches ; 7th story, inches ; from thence to top, inches ; and of what materials to be constructed,
7. State whether independent or party-walls. If party-walls give thickness thereof.
8. With what material will walls be coped?
9. What will be the materials of front? If of stone, what kind? Give thickness of front ashlar. Give thickness of backing.
10. Will the roof be flat, peaked or mansard?
11. What will be the materials of roofing?
12. Give size and material of floor beams, 1st tier, ; 2d tier, ; 3d tier, ; 4th tier, ; 5th tier, ; 6th tier, ; 7th tier, ; roof tier, State distance from centres on 1st tier, inches ; 2d tier, inches ; 3d tier, inches ; 4th tier, inches ; 5th tier, inches ; 6th tier, inches ; 7th tier, inches ; roof tier, inches
13. If floors are to be supported by columns and girders, give the following information : Size and material of girders under 1st floor, under each of the upper floors, Size and material of columns under first floor, under each of the upper floors,
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give definite particulars,
15. If girders are to be supported by brick piers and columns, state the size of piers and columns.
16. How will the extension be connected with present or main building?
17. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy each floor.
18. State who will superintend the alterations. The Architect

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE BUILDING WILL BE OCCUPIED :

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN WHAT MANNER :

The alteration will consist in cutting new windows in side wall 3rd story as shown on plan. This building is a fire proof structure - floor construction 12" fire brick terra cotta flat arches & concrete partitions constructed of 4" terra cotta partition blocks.

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

PLAN No. 1479 NEW BUILDINGS } 190 5
ALTERATIONS }

Location S. A. East 5th St. 200' W. 18th Ave
BOROUGH OF MANHATTAN.

In all cases Inspectors will furnish the following information without regard to the information given in the application and plans on file in the Bureau.

1. Foundation walls. Depth below curb level _____ material _____
thickness, front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
2. Upper walls. Material _____; thickness as follows:
Basement: front _____ inches; rear _____ inches; side _____ inches; party _____ inches.
1st story: " " " " " " " "
2d story: " " " " " " " "
3d story: " " " " " " " "
4th story: " " " " " " " "
5th story: " " " " " " " "
6th story: " " " " " " " "

3. Nature of ground _____

4. Quality of sand used in mortar _____

5. What walls are built as party walls? _____

6. What fire escapes are provided? _____

7. Is building fireproof? _____

✓ 8. If building is vacant, state how the same was occupied as a Public school

9. Is the present building to be connected with any adjoining building? _____

If so, state dimensions and material of adjoining building, viz:—

Material _____; feet front _____, feet rear _____

feet deep _____; feet in height _____; number of stories _____

how occupied _____

✓ 10. How is present building occupied? Basement Playground; 1st floor Class Rooms
2d floor C. Room; 3d floor C. Room & Storage; 4th floor C. Room; 5th floor _____;
6th " _____; 7th " _____; 8th " _____; 9th " _____

11. Height of building—feet _____; stories _____

12. Size of building—feet front _____; feet rear _____; feet deep _____

13. Size of lot— " " _____; " " _____; " " _____

14. Are fireproof shutters provided? _____ What kind? _____

Dated, June 27th 1905

O. B. Magnum
Inspector.

43. How basement to be occupied?.....
 How made water-tight?.....
44. How will cellar stairs be enclosed?.....
45. How cellar to be occupied?.....
 How made water-tight?
46. Will shafts be open or covered with louvre skylights full size of shafts?.....

 Size of each shaft?.....

47. Dimensions of water closet windows?.....
 Dimensions of windows for living rooms?.....
48. Of what materials will hall partitions be constructed?.....

49. Of what materials will hall floors be constructed?.....

50. How will hall ceilings and soffits of stairs be plastered?.....
51. Of what material will stairways be constructed?.....
 Give sizes of stair well holes.....
52. If any other building on lot, give size: front.....; rear.....; deep.....; stories high.....;
 how occupied.....; on front or rear of lot.....; material.....
 How much space between it and proposed building?.....
53. How will floors and sides of water closets to the height of 16 inches be made waterproof?.....

54. Number and location of water closets: Cellar.....; 1st floor.....; 2d floor.....; 3d floor.....
; 4th floor.....; 5th floor.....; 6th floor.....; 7th floor.....
55. What is the estimated cost of each building, exclusive of lot? \$.....
56. What is the estimated cost of all the buildings, exclusive of lots? \$ 70,000.....
- Owner, City of New York Address, City Hall
 Architect, C. B. J. Snyder "
 Superintendent, of School Buildings "Corby St., and Park Ave.
 Mason, "
 Carpenter, "

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,
 BOROUGH OF MANHATTAN,.....190

The undersigned gives notice that.....intend to use the..... wall of building.....

 as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be
 examined and a permit granted therefor. The foundation wall.....built of.....inches thick,
feet below curb; the upper wall.....built of.....inches thick,.....
feet deep,.....feet in height.

(Sign here).....

Form 1-19
B 446
L 20

11

1387

Office of the Borough President of the Borough of Manhattan,

In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 1387

APPLICATION FOR ERECTION OF BRICK BUILDINGS,

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here) *C. B. Snyder*
THE CITY OF NEW YORK
Borough of Manhattan, August 24, 1905

- State how many buildings to be erected. *One*
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) *On the north side of 4th street about 250 feet west of First Ave.*
- Will the building be erected on the front or rear of lot? *Front*
- How to be occupied? *School* If for dwelling, state the number of families in each house.
- Size of lot? *50* feet front; *50* feet rear; *96* feet deep.
Give diagram of same.
- Size of building? *50* feet front; *50* feet rear; *65* feet deep.
Size of extension? *23* feet front; *23* feet rear; *31* feet deep.
Number of stories in height: main building? *Five* Extension? *one*
Height from curb level to highest point: main building? *80* feet. Extension? *15* feet.
- What is the character of the ground: rock, clay, sand, etc.? *Sand*
- Will the foundation be laid on earth, rock, timber or piles? *Earth*
- Will there be a cellar? *Yes*
- What will be the base, stone or concrete? *Concrete* If base stones, give size and thickness, and how laid. *12 inches* If concrete, give thickness
- What will be the depth of foundation walls below curb level or surface of ground? *13 feet*
- Of what will foundation walls be built? *Brick laid in cement mortar*
- Give thickness of foundation walls: front, *28* inches; sides, *24* inches; rear, *28* inches; party, *inches*.

B 443
L 20

Applicant must indicate the Building Use or Lines clearly and distinctly on the Drawings.

112

gob

Office of the Borough President of the Borough of Manhattan,
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN
Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No.

APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN, *May 6* 1908

LOCATION AND DESCRIPTION OF PRESENT BUILDING.

1. State how many buildings to be altered? *One*
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof). *South side of East Fifth St. 200 feet west of First Avenue*
3. How was the building occupied? *Public School 25*
How is the building to be occupied? *Public School 25*
4. Is the building on front or rear of lot? *Front* Is there any other building erected on lot or permit granted for one? *No* Size.....x.....; height.....
How occupied?..... Give distance between same and proposed building.....feet.
5. Size of lot? *120* feet front; *120* feet rear; *96* feet deep.
6. Size of building which it is proposed to alter or repair? *120* feet front; *100* feet rear; *92* feet deep. Number of stories in height? *4* Height from curb level to highest point? *62 feet*
7. Depth of foundation walls below curb level? *about 10 feet* Material of foundation walls? *native rock*
Thickness of foundation walls? front *28* inches; rear *28* inches; side *28* inches; party.....inches.
8. Material of upper walls? *Brick* If ashlar, give kind and thickness. *6-8 inches*
Brown stone up to 2nd story
No P.D

DEPARTMENT OF HOUSING AND BUILDINGS
BOROUGH OF MANHATTAN, CITY OF NEW YORK

DEPARTMENT OF HOUSING & BUILDINGS
FEB 3 1948
CITY OF NEW YORK
BOROUGH OF MANHATTAN

MANHATTAN Municipal Bldg., New York 7
BROOKLYN Municipal Bldg., Brooklyn 2
BRONX 1932 Arthur Ave., New York 57
QUEENS 120-55 Queens Blvd., Kew Gardens 15, L. I.
RICHMOND Boro Hall, St. George 1, S.I.

NOTICE—This Application must be TYPEWRITTEN and filed in QUADRUPPLICATE.

ALTERED BUILDING

ALT. APPLICATION No. 213 1948 BLOCK 446 LOT 20

LOCATION 330 East 5th Street, S/S, 200 ft. West of First Ave. (PS 25 - 5th St. Bldg.)

DISTRICT (Under Building Zone Resolution) USE Business HEIGHT 1 1/2 AREA B

EXAMINED AND RECOMMENDED FOR APPROVAL ON 5/17 1948 George Weisell... Examiner.
MAY 12 1948
APPROVED 194 Borough Superintendent

SPECIFICATIONS

- (1) NUMBER OF BUILDINGS TO BE ALTERED One
Any other building on lot or permit granted for one? Yes
Is building on front or rear of lot? Front
- (2) ESTIMATED COST OF ALTERATION 5 and 6: \$200,000.
(Any variation in estimated cost shall be filed and recorded as an amendment.)
- (3) PROPOSED OCCUPANCY: ~~Class B Multiple Dwelling~~ - To provide living quarters for women and children. (Dept. of Welfare)

OK for immediate action at Bureau 2/9/48

20-49 W.R.

STORY (Include cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
Cellar			Boiler Room & Storage	Ground						Boiler Room & Storage
1st Fl.			Playroom & Classrooms	100#	80	100	180	(DINING RM)		Dining Room, Kitchen, Toilets & Offices
2nd Fl.		2	"	40	12	12	24	2		Nursery & Prep. Rm.
"	"	3	"	40	13	14	27	3		Dormitory
"	"	2	"	40	3	3	6	2		Medical Suite
"	"	2	"	40		54	54	1		Dormitory
"	"	1	"	40				2		Toilets
3rd	"	1	Assembly Rm	40	10	78	78	1		Dormitory
"	"	4	Classrooms	60#		10	20	4		Family Rooms
"	"	1	"	60#		24	24	1		Game Room
"	"	1	"	GAME RM.				2		Toilet & Laundry
"	"	1	"	40		19	19	1		Girls Dormitory
4th	"	2	"	40		48	48	2		Dorm. & Sitting Rm.
"	"	3	"	40	27		27	3		Boys Dormitories
"	"	2	"	60#	25		25	2		Boys Recreation
"	"	1	"	40	1		1	2		Custodian's Suite
"	"	2	"	40				3		Toilets, Showers & Laundry

- (4) SIZE OF EXISTING BUILDING:
At street level 120 feet front 90'-9" feet deep 100 feet rear
At typical floor level 120 feet front 90'-9" feet deep 100 feet rear
Height¹ Cellar and 4 stories 70' feet
- (5) SIZE OF BUILDING AS ALTERED: No Change
At street level feet front feet deep feet rear
At typical floor level feet front feet deep feet rear
Height¹ feet
- If volume of building is to be increased, give the following information:
- (6) AREA² OF BUILDING AS ALTERED: At street level Total floor area² sq. ft.
- (7) TOTAL HEIGHT³ Cubic Contents⁴ cu. ft.

(8) CHARACTER OF PRESENT BUILDING:

Frame— Fire-Protected—
Non-fireproof— Non-fireproof Metal—
Fireproof— Heavy Timber—

(9) STATE GENERALLY IN WHAT MANNER THE BUILDING WILL BE ALTERED:

Existing Public School building will be altered throughout to provide living quarters for women and children, in conjunction with the N.Y.C. Dept. of Welfare activities: All as shown on the drawings filed herewith.

A new certificate of occupancy will be obtained.

If the building is to be raised in height or if the occupancy is changed so that the floor loads will be increased, information as to the EXISTING BUILDING and the thickness of existing walls and size of footings must be clearly shown on the plans.

If the building is to be enlarged or extended, the nature of soil must be indicated and plans must clearly show material and thickness of footings, foundations, upper walls, partitions, roofing, fireproofing, interior finish, window frames and sash and details of equipment installations.

REMARKS:—

State which mechanical work will be installed and is (not) included in the estimated cost.

(Proper form must be filed)

Standpipe:
Sprinklers:
Fuel Oil:
Tanks:
Electrical:
Heating: System Fuel
Air cooling, refrigeration:
Miscellaneous (describe):
Plumbing:

Is street on which building is to be erected now provided with a public sewer?
If not, what disposition will be made of waste and sewage?

REMARKS:—

Inspector.

Initial fee payment—Amount \$ 1st Receipt No.

Date Cashier

2nd payment of fee to be collected before a permit is issued—Amount \$ None. City Prop.

Verified by R. Moskowitz Date Feb. 3 '48

2nd Receipt No. Date Cashier

OWNER Board of Education ADDRESS 110 Livingston St., Bklyn.

APPLICANT Hugh T. Lawrence ADDRESS " " " "

ADDITIONAL FEES REQUIRED (Yes or No) AMOUNT \$

VERIFIED BY DATE

- 1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structure where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.
2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.
3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average height.
4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)
5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.
6. The sum of the fees indicated on the first and second receipts shall represent the total fee. Any variation on contemplated work or change affecting the estimated cost shall be recorded as an amendment. If any question arises in connection with the estimated cost or with the adequacy of the fee, no permit shall be issued unless adjusted to the satisfaction of the department at the direction of the Borough Superintendent.
7. Alteration applications filed in connection with legally establishing an existing occupancy or change in occupancy with no structural change and no estimated cost shall require a fee of \$2.00.

DEPARTMENT OF HOUSING AND BUILDINGS BOROUGH OF QUEENS, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 2

BRONX
1932 Arthur Ave.
New York 57

QUEENS
120-55 Queens Blvd.,
Kew Gardens 15, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

NOTICE—This Application must be TYPEWRITTEN and filed in TRIPLICATE, and ONE copy sworn to by Applicant. A copy must be kept in plain view on the work at all times until completion.

PERMIT

PERMIT No. 2590 1948 N-B-ALT. ELEV. SIGN } Application No. 213 1948
LOCATION P.S. 25, Man. 330 East 5th Street

BLOCK _____ LOT _____

FEES PAID FOR

NOTE—Trees in streets fronting on site are under jurisdiction of Department of Parks. They must be protected and written notification made to that Department at least 48 hours prior to commencement of work.

New York City November 22nd 1948

To the Borough Superintendent:

Application is hereby made for a PERMIT to perform the General Construction work described in the above numbered application and the accompanying plans. If no work is performed within one year from the time of issuance, this permit shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code of the City of New York and with the provisions of all other laws and rules relating to this subject. Compensation insurance has been secured in accordance with the requirements of the Workmen's Compensation Law as follows:

Lumber Mutual And Casualty Insurance Co. US69744 Expir. 8-12-49

When the policy of a general contractor does not fully cover the work of any sub-contractor, such sub-contractor must file a certificate of workmen's compensation covering his particular work. No work is to be commenced by this sub-contractor until his certificate has been submitted and approved by this department.

No certificate of occupancy will be issued unless the construction work covered by this permit will be supervised by a Licensed Architect, or a Professional Engineer, or by a Superintendent of Construction, having at least ten years' experience, acceptable to the Borough Superintendent. An affidavit shall be filed indicating such supervision, as required by Section 2.1.3.7 of the Building Code.

Name and address of person designated for this supervision is as follows:

Name V. Bonacorso Address 113-38 202 Street Hollis L.I.

STATE AND CITY OF NEW YORK } ss.: V. Bonacorso FOR V.B. CONST. CO. INC.
COUNTY OF Queens }
Typewrite Name of Applicant

being duly sworn, deposes and says: That he resides at Number 113-38 202 Street Hollis. L.I. in the Borough of Queens in the City of New York, in the County of Queens in the State of New York, that he is President and Supervisor of V.B. Const. Co. CONTRACTOR FOR P.S.2 owner in fee of all that certain lot, piece or parcel of land, shown on the diagram annexed to the approved application and made a part thereof, situate, lying and being in the Borough of Man, City of New York aforesaid, and known and designated as Number P.S. 25 330 E. 5th St.

and therein more particularly described; that the work proposed to be done upon the said premises, in accordance with the approved application and accompanying plans is duly authorized by Board of Education

(Name of Owner or Lessee)

and that V.B. Construction Co. Inc., is duly authorized by the aforesaid to make application for a permit to perform said work set forth in the approved application and accompanying plans, and all the statements herein contained are true to deponent's own knowledge.

(SIGN HERE) V. Bonacorso

Sworn to before me, this 22nd day of November 1948

Elvira M. DePaoli
Notary Public or Commissioner of Deeds

ELVIRA M. DePAOLI
NOTARY PUBLIC, State of New York
Residing in Queens County
Queens County Clerk's No. 272
Queens County Register's No. 133-D-9
Term Expires March 26, 1949

Satisfactory evidence having been submitted as indicated above that compensation insurance has been secured in accordance with the Workmen's Compensation Law, a permit is hereby issued for the performance of the work described in the above numbered application and the accompanying plans.

EXAMINED AND RECOMMENDED FOR APPROVAL ON _____, 1948

Approved NOV 29 1948 _____
Examiner

58149

DEPARTMENT OF HOUSING AND BUILDINGS

BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN
Municipal Bldg.,
New York 7

BROOKLYN
Municipal Bldg.,
Brooklyn 2

BRONX
1932 Arthur Avenue
New York 57

QUEENS
126-55 Queens Blvd.,
Kew Gardens 15, L. I.

RICHMOND
Boro Hall,
St. George 1, S. I.

INSTRUCTIONS—The NAME and ADDRESS of the OWNER or LESSEE of the building, and ARCHITECT or other representative must be stated. If owner is a corporation, state name and address of one of the executive officers. This application must be TYPEWRITTEN and SIGNED BY OWNER, LESSEE or any person authorized by owner or lessee.

APPLICATION FOR CERTIFICATE OF OCCUPANCY

APPLICATION No. Alt. 213 19 48 BLOCK 446 LOT 20
(N.B. Alt. B.N.)

PERMIT No. 19

LOCATION 330 East 5th St., S/S, 200 ft. West of First Ave. (5th St. Bldg.)



To the Borough Superintendent:

DATE May 23, 1949

The undersigned requests that a Certificate of Occupancy be issued to him stating that the Building at this location conforms to the requirements of the Building Code and all other laws, rules and regulations applicable thereto.

Dept. of Welfare

Owner Raymond M. Hilliard, Comm. Address 902 Broadway, N.Y.C.

Lessee Address

(Signed) Hugh T. Lawrence

Architect, Engineer or Representative

Mail to Address 110 Livingston St., N.Y.C.

(3) PROPOSED OCCUPANCY: PUBLIC BUILDING - To Provide living quarters for women and children (Dept. of Welfare)
(NOTE: If a multiple dwelling, authorization of owner must be filed.)

STORY (Include cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
Cellar			Boiler Room & Storage	Ground						Boiler Room & Storage
1st Floor			Playroom & Classrooms	100#	80	100	180			Dining Rm, Kitchen Toilets & Offices
2nd Floor		2	"		12	12	24		2	Nursery & Prep. Room
"	"	3	"		13	14	27		3	Dormitory
"	"	2	"		3	3	6		2	Medical Suite
"	"	2	"			54	54		1	Dormitory
"	"	1	"						2	Toilets
3d	"	1	Assembly Rm			78	78		1	Dormitory
"	"	4	Classrooms		10	10	20		4	Family Rooms
"	"	1	"	60#		24	24		1	Game Room
"	"	1	"	Game Rm					2	Toilet & Laundry
"	"	1	"			19	19		1	Girls' Dormitory
4th	"	2	"			48	48		2	Dorm. & Sitting Rm.
"	"	3	"	60#	27		27		3	Boys' Dormitories
"	"	2	"	Recr. Rm	25		25		2	Boys' Recreation
"	"	1	"		1		1		2	Custodian's Suite
"	"	2	"						3	Toilets, Showers & Ldr.

(Construction or Alteration)

The deponent further states that his relation to the above mentioned construction is described in paragraph (a) below.

(a, b)

(a) That he was the Licensed Architect, who supervised the construction work.
(Licensed Architect or Professional Engineer)

(b) That he was the superintendent of construction who supervised the work, that he has had not less than ten years experience in supervising building construction.

The deponent further states that he has examined the approved plans of the structure herein referred to for which a certificate of occupancy is sought and that to the best of his knowledge and belief, the structure has been erected in accordance with the approved plans and any amendments thereto and as erected complies with the laws governing building construction except in so far as variations therefrom have been legally authorized and hereinafter noted:

Sworn to before me this 23 day of May 1949

(Signature)

DEPARTMENT OF HOUSING AND BUILDINGS
BOROUGH OF Manhattan, CITY OF NEW YORK

MANHATTAN Municipal Bldg., New York 7 BROOKLYN Municipal Bldg., Brooklyn 2 BRONX 1932 Arthur Avenue New York 57 QUEENS 120-55 Queens Blvd., Kew Gardens 15, L. I. RICHMOND Boro Hall, St. George 1, S. I.

INSTRUCTIONS—The NAME and ADDRESS of the OWNER or LESSEE of the building, and ARCHITECT or other representative must be stated. If owner is a corporation, state name and address of one of the executive officers. This application must be TYPEWRITTEN and SIGNED BY OWNER, LESSEE or any person authorized by owner or lessee.

APPLICATION FOR CERTIFICATE OF OCCUPANCY



APPLICATION No. Alt. 213 19 48 BLOCK 446 LOT 20
 (N.B. Alt. B.N.)
 PERMIT No. _____ 19_____
 LOCATION 330 East 5th St., S/S, 200 ft. West of First Ave. (5th St. Bldg.) (P. S. 25)

To the Borough Superintendent: DATE September 19 1949
 The undersigned requests that a _____ Certificate of Occupancy be issued to him stating that the Building at this location conforms to the requirements of the Building Code and all other laws, rules and regulations applicable thereto.
 Owner Raymond M. Hilliard, Comm. Address 902 Broadway, N.Y.C.
 Lessee _____ Address _____
 (Signed) Hugh T. Lawrence Architect, Engineer or Representative.
 Mail to _____ Address 110 Livingston St., N.Y.C.

(3) ~~PUBLIC BUILDING~~ **Class B Multiple Dwelling - To Provide living quarters for women and children (Dept. of Welfare)**
 (NOTE: If a multiple dwelling, authorization of owner must be filed.)

STORY (Include cellar and basement)	BEFORE ALTERATION			AFTER ALTERATION						
	APTS.	ROOMS	USE	LIVE LOAD	NO. OF PERSONS			APTS.	ROOMS	USE
					MALE	FEMALE	TOTAL			
Cellar			Boiler Room & Storage	Ground						Boiler Room & Storage
1st Floor			Playroom & Classrooms	100#	80	100	180			Dining Rm, Kitchen Toilets & Offices
2nd Floor		2	"		12	12	24		2	Nursery & Prep. Room
"		3	"		13	14	27		3	Dormitory
"		2	"		3	3	6		2	Medical Suite
"		2	"			54	54		1	Dormitory
"		1	"						2	Toilets
3d		1	Assembly Rm			78	78		1	Dormitory
"		4	Classrooms		10	10	20		4	Family Rooms
"		1	"	60#		24	24		1	Game Room
"		1	"	Game Rm					2	Toilet & Laundry
"		1	"			19	19		1	Girls' Dormitory
4th		2	"			48	48		2	Dorm. & Sitting Rm.
"		3	"	60#	27		27		3	Boys' Dormitories
"		2	"	Recr. Rm	25		25		2	Boys' Recreation
"		1	"		1		1		2	Custodian's Suite
"		2	"						3	Toilets, Showers & Ldry

(Construction or Alteration)

The deponent further states that his relation to the above mentioned construction is described in paragraph (a) below.

- (a, b)
- (a) That he was the Licensed Architect, who supervised the construction work.
 (Licensed Architect or Professional Engineer)
- (b) That he was the superintendent of construction who supervised the work, that he has had not less than ten years experience in supervising building construction.

The deponent further states that he has examined the approved plans of the structure herein referred to for which a certificate of occupancy is sought and that to the best of his knowledge and belief, the structure has been erected in accordance with the approved plans and any amendments thereto and as erected complies with the laws governing building construction except in so far as variations therefrom have been legally authorized and hereinafter noted:

Sworn to before me this 9 day of Sept 1949
 _____ (Signature)
 (Notary Public or Commissioner of Deeds)