(4) State generally in what manner the Building will be aftered:

(5) Size of Existing Building:

Propose to install new toilet compartments (one on each) on 1st, 2d, 3d 4th and 5th floors.

Floors of compartments to be tiled with 6" tile base.

551 25 1 At street level feet front feet deep feet rear At typical floor level feet front feet rear feet deep same same Height¹ stories 551 (6) If volume of Building is to be changed, give the following information: At street level feet front feet deep feet rear At typical floor level feet front feet deep feet rear same same same Height1 feet stories Area² of Building as Altered: At street level Total floor area² sq. ft. Total Height⁸ Additional Cubic Contents⁴ cu. ft. (7) Estimated Cost of Alteration: construction \$1,250.- plumbing total Estimated Cost, exclusive of extension: (8) Is Application made to remove violations? If Yes, State Violation Numbers (9) If building is to be enlarged or extended or floor loads increased, Soil Data shall be submitted in accordance with Sec. C26-376.0. For alterations of a minor nature, the Applicant certifies that he has investigated the nature of the soil and finds the following: Character of soil Bearing capacity (10) State what disposition will be made of waste and sewage (Public sewer, Private sewer, Cesspool, etc.) (11) Does this Application include Dropped Curb? (If Drop Curb Permit is obtained with this Application, DIAGRAM showing the relative position of drop curb and extent thereof must be included on plot diagram.6 Drop Curb ft. @ \$ per ft. Splay ft. @ \$ per ft.

1. The term "height" of a structure shall mean the vertical distance from the curb level to the highest point of the roof beams in the case of flat roofs or to a point at the average height of the gable in the case of roofs having a pitch of more than one foot in four and one-half, except that in the case of structures where the grade of the street has not been legally established or where the structure does not adjoin the street, the average level of all the ground adjoining such structures shall be used instead of the curb level.

Length

19

Document No.

feet.

feet.

. Cashier

Total: \$

. Document No.

2. In computing this area, measurement shall be taken to the outside surfaces of exterior walls at each floor. Courts, yards, etc., shall be excluded. The areas of cellars and basements shall not be included.

3. Total height shall be measured from 6 inches below the lowest finished floor to the outside of the roof, and in case of sloping roofs, to the average

4. The cubical contents is the actual space enclosed within the outer surfaces of the outside walls and between the outer surface of the roof and six inches below the surface of the lowest floors. This includes the cube of dormers, penthouses, vaults, pits, enclosed porches, and other enclosed appendages. Outside steps, terraces, footings, courts, yards, light shafts and buildings detached from the main structure are not to be included. (Detached structures are to be separately computed.)

5. "Estimated Cost" for computation purposes on alteration of existing buildings or structures shall be the cost of all contemplated construction, including plumbing work, elevator work, standpipe fire line work, automatic sprinkler, fuel oil, air conditioning, etc.

6. Space for plot diagram is located on Affidavit Form.

Deposit: \$

Fee Required

Paid

Exact distance from nearest corner to Curb Cut:

(12) Temporary Structures between Street Line and Curb:

Will a Sidewalk Shed be required?

Fee:\$

Will any other miscellaneous temporary structures be required?

. Fee Paid

7. Use should be related to pertinent legal terms, e.g., use terms like factory rather than loft, auto repairs rather than brake testing, etc.

. If fuel burning equipment is to be installed Smoke Control Equipment Form must accompany this application.

Form 17–145M-701496(54) 114



DEPARTMENT OF HOUSING AND BUILDINGS.

MANHATTAN Municipal Bldg., New York 7

Lessee..

Engineer....

Architect JACK FEIN

BROOKLYN Municipal Bldg., Brooklyn 1

BRONX 1932 Arthur Avenue Bronx 57

QUEENS 120-55 Queens Blvd., Kew Gardens 24, L. I.

RICHMOND Boro Hall, St. George 1, S. I

				DL George 1, 5. 1
	AFFID		1	bu deoige 1, 3. 1
NOTICE—This Affidavit must be copy sworn to by Applicant. If Eleva sufficient for all.	be TYPEWRIT tor or Plumbing	TEN and file Application	J :- OIT	ADDIDITO
APPLICATION No. Alt. 40	, 19 <u>55</u>	BLOCK	447	I.OT 15°
LOCATION 318 East 6th St.	S.S. 2501	E. of 2d	Avenue	. Manhattan
House Number To the Borough Superintendent:	Street]	Distance fro	m Nearest Corner Borough
Application is hereby made for approve part hereof for the structure herein descrift this application shall be disapproved notice of partial disapproval, it shall be at Any permit issued under which no we by limitation. (Adm. Code C26-177.0.) Work will be supervised by Licensed who has had ten years' experience supervise Code C26.187.0.)	I in part and if no atomatically withd ork is commenced	further action rawn. within one year	is taken the	thereon within one year after time of issuance shall expire
Work under this approval will not be will be filed with the Borough Superintend has been obtained in accordance with the p	e commenced unt lent, accompanied rovisions of the W	il a permit ha by satisfactory orkmen's Com	s been obt evidence pensation I	rained, application for which that compensation insurance aw. (Adm. Code C26-161.0.)
FOR APPROVAL ON 5/20/	25 1975	leonge W	essella	A ales ills
APPROVED 1111 7-125	<u>, 19</u>		7m 17	
				Borough Superintendent
STATE OF NEW YORK COUNTY OF KINGS				
		JACK	FEIN	
being duly sworn deposes and arms (T)			(L VDewrii	e Name)
being duly sworn, deposes and says: That	he resides at	44 000	rtSt.	
in the Borough of Brooklyn	; in t	he City of	New Yo	rk;
in the State of	that he	is making th	is applicati	on for the approval of
/A 15	Dordondrar	anical Etal		plans and
Deponent further says that he has	part Hercor.			
Deponent further says that he has p	Structure	sed the prepara	tion of sucl	1
(Architectur	ral Structural Mech	anical Etc.)	***************************************	plans and that to
the best of his knowledge and belief, the wor built in accordance with such plans, will con code, the multiple dwelling law, the labor law all other laws governing building construction	form with all app	out in compi	ance there	with, and the structure, if
Deponent further says that he is d	uly authorized by	Julian	***	Pt.
who is the owner in fee of all that certain lot made a part hereof, to make application for elevator or plumbing work (if any) and am Deponent further says that the full nan said land, and also of every person intereste	the approval of endments thereto,	of land, shown such detailed s in the said ow	(Name on the di statements ner's behal	of Owner) iagram annexed hereto and of specifications and plans, f.
Owner's name Julian Bulach		384 F	Briston	St. Blal ***
(If a corporation, give	e full name and add	lress of at least	two officers	s.)

·				

Address

Address 44 Court St.

Address

Superintendent.......Address.....

.Address.....

44 Court St. Eklyn.

Note—See diagram BEGINNING at a po	oint on the	South	side of	East 6th S	t.	
listant	250 1	feet E		orner formed by t	he intersection of	
		6th St.		cond Av.		
unning thence	(Direction)	fe	et; thence	_ast 25. (Di	rection)	feet;
n.	I 071			iai - 9 E •		, pag 100
nence	(Direction)	fe	et; thence	W• ∠5 (Di	rection)	feet;
o the point or place o	of beginning, being	g designated on	the map as			25
Block No. 447	Lot No.	. 15	1		7.4	
				(H	- 1	
(SIGN HERE)			In	1-11	111	Applicant
(5101)				Affix	Seal of Registered	
		.//		Archi	ect or Professional	
				Engin	eer Here.	
	11					
Sworn to before me,	The second secon	* 40	* 4.			
day of March	19 <u>55</u>	ALEXANDER Notary Public S	V. CAVALL	ARY		
1)		Vo. 24-5654400 O	tate of New Y	ork ·		
Mak	(2 m 000	Commission Expi	res March 30, 1	956		
Notary Pub	lic o r Commissione					
			g. authorizatio	n of owner is requir	ed on Form 95	
Above Block and Lot	Verified		19 .	g we were		
iso, o sioca and sioc	V (1110011111111111111111111111111111111					
		Dej	partment of			
House Number		Deted	•			
		Datedlicated scale, show	19		Bureau of	ot to be built
PLOT DIAGRAM mu upon in relation to the ing grades, properly id and the Block and Lot	st be drawn to inc street lines and t entified, of streets numbers. Obtain t	dicated scale, show the portion of the at nearest points this data from Bu	ving the correct from the propreau of Sewers	et street lines from poied by the buildings in ex	the city plan; the plan; the legal grades a ch direction; the Hell the Tax Department	and the exist- ouse numbers
PLOT DIAGRAM mu upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor	st be drawn to ince street lines and tentified, of streets numbers. Obtain tough as to where	dicated scale, show the portion of the at nearest points this data from Bur data is available.	ving the correct lot to be occur from the propressu of Sewers Show dimension	et street lines from spied by the building sosed buildings in ear and Highways and ons of lot, building,	the city plan; the plan; the legal grades a ch direction; the Hell the Tax Department	and the exist- ouse numbers
PLOT DIAGRAM mu upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bon Status of Street: priv	st be drawn to ince street lines and thentified, of streets numbers. Obtain toough as to where ate—	dicated scale, show the portion of the at nearest points this data from Bur data is available. ; public highway	ving the correct lot to be occur from the propress of Sewers Show dimensions.	at street lines from apied by the buildings in ear and Highways and ons of lot, building,	the city plan; the plan; the legal grades and irection; the Hall the Tax Departme courts and yards.	and the exist- ouse numbers ant or consult
PLOT DIAGRAM musupon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv	st be drawn to ince street lines and the street lines and the streets numbers. Obtain the street ough as to where sate—	dicated scale, show the portion of the at nearest points his data from Bun data is available. ; public highwa	ving the correct lot to be occur from the propreau of Sewers Show dimensionay—	t street lines from upied by the building sosed buildings in ex and Highways and ons of lot, building, ; other width should be	the city plan; the plan; the legal grades and irection; the Hall the Tax Departme courts and yards.	and the exist- ouse numbers nt or consult
PLOT DIAGRAM must upon in relation to the ng grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: prive The legal width of the legal width of the legal width of the street lines as sho	st be drawn to ince street lines and the estimated, of streets numbers. Obtain the cough as to where the estimate with the diagram.	dicated scale, show the portion of the at nearest points his data from Bur data is available. ; public highwa- is	ving the correct lot to be occur from the propreau of Sewers Show dimensionay— it.; sidewalk vit.; sidewalk vit.; sidewalk vicorrect. Propo	t street lines from pied by the building to sed buildings in earlier and Highways and ons of lot, building, other width should be width should be sed changes in street	the city plan; the plan; the legal grades and the	and the exist- ouse numbers nt or consult ft. ft.
PLOT DIAGRAM must upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as sho indicated in red. The legal	st be drawn to ince street lines and the estimated, of streets numbers. Obtain the cough as to where the estimate with the diagram.	dicated scale, show the portion of the at nearest points his data from Bur data is available. ; public highwa- is	ving the correct lot to be occur from the propreau of Sewers Show dimensionay— it.; sidewalk vit.; sidewalk vit.; sidewalk vicorrect. Propo	t street lines from pied by the building to sed buildings in earlier and Highways and ons of lot, building, other width should be width should be sed changes in street	the city plan; the plan; the legal grades and the	and the exist- ouse numbers nt or consult ft. ft.
PLOT DIAGRAM must upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as sho indicated in red. The legal	st be drawn to ince street lines and the estimated, of streets numbers. Obtain the cough as to where the estimate with the diagram.	dicated scale, show the portion of the at nearest points his data from Bur data is available. ; public highwa- is	ving the correct lot to be occur from the propreau of Sewers Show dimensionay— it.; sidewalk vit.; sidewalk vit.; sidewalk vicorrect. Propo	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades and the	and the exist- ouse numbers nt or consult ft. ft.
PLOT DIAGRAM must apon in relation to the ng grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as should a street lines as should	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points his data from Bun data is available. ; public highwa- is	ving the correct lot to be occur from the propresau of Sewers Show dimensionay— it.; sidewalk vict.; sidewalk vict.; sidewalk vict.	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades and the	and the exist- ouse numbers nt or consult ft. ft.
PLOT DIAGRAM must upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as sho indicated in red. The legal	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points his data from Budata is available. ; public highwa- is is are substantially existing grades are	ving the correct lot to be occur from the propresau of Sewers Show dimensionay— it.; sidewalk vict.; sidewalk vict.; sidewalk vict.	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades and the	ftft any, are existing, 24.00.
PLOT DIAGRAM must upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as sho indicated in red. The legal	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points his data from Bun data is available. ; public highwa- is	ving the correct lot to be occur from the propresau of Sewers Show dimensionay— it.; sidewalk vict.; sidewalk vict.; sidewalk vict.	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades and the	ftft any, are existing, 24.00.
PLOT DIAGRAM must apon in relation to the ng grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as should a street lines as should	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propress of Sewers Show dimensionay— it.; sidewalk vict.; sidewalk vict.; sidewalk vict.; sidewalk vict.	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades and the	ftft any, are existing, 24.00.
PLOT DIAGRAM must apon in relation to the ng grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as should a street lines as should	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propress of Sewers Show dimensionay— it.; sidewalk vict.; sidewalk vict.; sidewalk vict.; sidewalk vict.	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades and the	ftft any, are existing, 24.00.
PLOT DIAGRAM must apon in relation to the ng grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as should a street lines as should	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points his data from Bun data is available. ; public highwa- is	ving the correct lot to be occur from the propress of Sewers Show dimensionay— it.; sidewalk vict.; sidewalk vict.; sidewalk vict.; sidewalk vict.	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades and the	ftft any, are existing, 24.00.
PLOT DIAGRAM must upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as sho indicated in red. The legal	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propress of Sewers Show dimensionay— it.; sidewalk vict.; sidewalk vict.; sidewalk vict.; sidewalk vict.	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades and the	ftft any, are existing, 24.00.
PLOT DIAGRAM must upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as sho indicated in red. The legal	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propress of Sewers Show dimensionay— it.; sidewalk vict.; sidewalk vict.; sidewalk vict.; sidewalk vict.	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades and the	ft
PLOT DIAGRAM must upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: privalent The legal width of the legal width of the street lines as sho indicated in red. The legal width of the legal width of the street lines as sho indicated in red. The legal width of	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propresu of Sewers Show dimensionay— it.; sidewalk victorrect. Propose indicated on Bureau of	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades and the	ftft any, are existing, 24.00.
PLOT DIAGRAM must upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: privalent The legal width of the legal width of the street lines as sho indicated in red. The legal width of the legal width of the street lines as sho indicated in red. The legal width of	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propress of Sewers Show dimensionay— it.; sidewalk vict.; sidewalk vict.; sidewalk vict.; sidewalk vict.	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades a ch direction; the He the Tax Departme courts and yards. The	north point
PLOT DIAGRAM must upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: privalent The legal width of the legal width of the street lines as sho indicated in red. The legal width of the legal width of the street lines as sho indicated in red. The legal width of	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propresu of Sewers Show dimensionay— it.; sidewalk victorrect. Propose indicated on Bureau of	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades a ch direction; the He the Tax Department courts and yards. The court of the	north point diagram must
PLOT DIAGRAM mu upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propresu of Sewers Show dimensionay— it.; sidewalk victorrect. Propose indicated on Bureau of	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades a ch direction; the He the Tax Department courts and yards. The court of the	north point diagram must
PLOT DIAGRAM mu upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propresu of Sewers Show dimensionay— it.; sidewalk victorrect. Propose indicated on Bureau of	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades a ch direction; the He the Tax Department courts and yards. The court of the	north point diagram must
PLOT DIAGRAM mu upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as sho indicated in red. The legal	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propresu of Sewers Show dimensionay— it.; sidewalk victorrect. Propose indicated on Bureau of	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades a ch direction; the He the Tax Department courts and yards. The court of the	north point diagram must
PLOT DIAGRAM mu upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propresu of Sewers Show dimensionay— it.; sidewalk victorrect. Propose indicated on Bureau of	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades a ch direction; the He the Tax Department courts and yards. The court of the	north point diagram must
PLOT DIAGRAM mu upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propresu of Sewers Show dimensionay— it.; sidewalk victorrect. Propose indicated on Bureau of	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades a ch direction; the He the Tax Department courts and yards. The court of the	north point diagram must
PLOT DIAGRAM must upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: privalent The legal width of the legal width of the street lines as sho indicated in red. The legal width of the legal width of the street lines as sho indicated in red. The legal width of	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propresu of Sewers Show dimensionay— it.; sidewalk victorrect. Propose indicated on Bureau of	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades a ch direction; the He the Tax Department courts and yards. The court of the	north point diagram must
PLOT DIAGRAM mu upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bor Status of Street: priv The legal width of The legal width of The street lines as sho indicated in red. The legal	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highway is are substantially existing grades are 19	ving the correct lot to be occur from the propresu of Sewers Show dimensionay— it.; sidewalk victorrect. Propose indicated on Bureau of	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades a ch direction; the He the Tax Department courts and yards. The court of the	ft. ft. ft. s, if any, are existing, 24.00.
PLOT DIAGRAM mu upon in relation to the ing grades, properly id and the Block and Lot Plan Desk in each Bos Status of Street: priv The legal width of The street lines as sho indicated in red. The le Dated	est be drawn to ince street lines and the entified, of streets numbers. Obtain the rough as to where ate— where the diagram in the diagram gal grades and the	dicated scale, show the portion of the at nearest points this data from Bundata is available. ; public highwais	ving the correct lot to be occur from the propresu of Sewers Show dimensionay— it.; sidewalk victorrect. Propose indicated on Bureau of	t street lines from upied by the building soad Highways and ons of lot, building, ; other width should be sed changes in stre the diagram thus:	the city plan; the plan; the legal grades a ch direction; the He the Tax Department courts and yards. The court of the	north point diagram must