

# THE CITY OF NEW YORK DEPARTMENT OF BUILDINGS

MANHATTAN  
Municipal Bldg.,  
New York 7

BROOKLYN  
Municipal Bldg.,  
Brooklyn 1

BRONX  
1932 Arthur Avenue  
New York 57

QUEENS  
120-55 Queens Blvd.  
Kew Gardens 24, L. I.

RICHMOND  
Boro Hall  
St. George 1, S. I.

DEPARTMENT OF BUILDINGS

## AMENDMENT

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPLICATE

Alt. APPLICATION No. 890 19 58 BLOCK 147 LOT 1 CITY OF NEW YORK  
(N. B., Alt., Elev., etc.) ~~BOROUGH OF MANHATTAN~~  
LOCATION 331 East 5th Street Manhattan  
House Number Street Distance from Nearest Corner Borough  
Date November 24, 19 61

Application is hereby made to the Borough Superintendent for approval of the following AMENDMENT to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

Applicant Joseph Lau A.I.A. Signature [Signature]  
Address 5 Beekman Street, New York City



It is proposed to amend the above approved plans and applications as follows:

Revised plan filed herewith showing new passageway from Public Hall to rear yard.

The indicated new iron stairs in Public Hall to be omitted. The present wood stairs throughout hall to remain in good repair and are properly fire-retarded at present.

Filed herewith is Owner's Affidavit Letter certifying mechanical ventilation in Basement shall be maintained in good repair.

Architect's letter certifying mechanical ventilation in Basement is installed as per approved plans and comply with all laws, rules and regulations pertaining to mechanical ventilation.

Revised Cellar Plan filed herewith showing rearrangement of Boiler Room by forming passageway into Cellar from yard Cellar door. Install duct for fresh air from yard to Boiler Room.



Estimated Cost: This Amendment \$ me Fee Required \$ me Verified by [Signature]

Fee Paid

NOTE—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears. Only those items that appear above the endorsements at the bottom of the page can be considered.

EXAMINED AND RECOMMENDED FOR APPROVAL ON 12-5-61 19 61 [Signature] Examiner

APPROVED [Signature] 19 61 [Signature] Borough Superintendent

23

ORIGINAL

THE CITY OF NEW YORK  
DEPARTMENT OF BUILDINGS

MANHATTAN  
Municipal Bldg.,  
New York 7

BROOKLYN  
Municipal Bldg.,  
Brooklyn 1

BRONX  
1932 Arthur Avenue  
New York 57

QUEENS  
120-55 Queens Blvd.  
Kew Gardens 24, L. I.

RICHMOND  
Eero Hall  
St. George 1, S. I.

RECEIVED MAR 16 1962

AMENDMENT

NOTICE—This Amendment must be TYPEWRITTEN and filed in TRIPPLICATE in the CITY OF NEW YORK BOROUGH

Alt. APPLICATION No. 890 19 58 BLOCK 447 LOT 43  
 (N. B., Alt., Elev., etc.)  
 LOCATION 331 E. 5 St. Man. Man.  
 House Number Street Distance from Nearest Corner Borough  
 Date March 16 19 62

Application is hereby made to the Borough Superintendent for approval of the following AMENDMENT to the specifications and plans filed with the above numbered application, with the stipulation that this amendment is to become a part of the aforesaid original application and subject to all the conditions, agreements and statements therein contained.

Applicant Joseph Lau, A.I.A. Signature  
Address 5 Beekman St. N.Y. 38



It is proposed to amend the above plans and applications as follows:

- at Cellar:
- At front east side cover over the present stair to cellar.
- At front west side remove steps and install engineers exit and iron ladder to street.
- At rear west window close with masonry and cover over vault with concrete arch.
- In rear west window install boiler room vent duct with goose neck opening to yard.
- Replace boiler room door on South end of Boiler room.

*Reapproved 3-27-62*

*1. Reduction of means of egress from cellar outway to Article 7 of the Administrative Code.*

*Ed. Al. Al. Al.*

*see remarks by A. Fell on  
encl. dated 3-24-62*

*Thomas V. Bayley*  
BOROUGH SUPERINTENDENT

Estimated Cost: This Amendment \$..... Fee Required \$..... Verified by.....

Fee Paid

NOTE—The applicant must not use the back of this sheet. If more space is needed, additional sheets must be used. No item must be continued over to another sheet; but each item must be complete on the sheet on which it appears. Only those items that appear above the endorsements at the bottom of the page can be considered.

EXAMINED AND RECOMMENDED FOR APPROVAL ON....., 19..... Examiner

APPROVED..... (24)..... Borough Superintendent

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47. Openings will be cut in center piers in rear wall for water closet windows and 2-5c steel beams 10 lbs per foot will be inserted. In basement an iron frame 1'x3' and 1/2" thick will be put in.

If altered internally, give definite particulars, and state how the building will be occupied :

48. Water closet compartments will be built of stud lath and plaster 1/2" thick. On the outside of the front wall on the first story on present windows show windows will be fastened. A 10"X10" yellow pine girder will be put under joists with 6"X6" Yellow Pine posts set 10' on centers.

In basement a 10"X10" Yellow pine girders with 5"X5" Y.P. posts 10 feet on centers. Posts in cellar will rest on 16"X16"X3" blue stone set on concrete 6" thick

49. How much will the alteration cost? 1500

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Basement	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How cellar to be occupied?

How made water-tight?

57. Will shafts be open or covered with louvre skylights full size of shafts?

Size of each shaft?

2-4" red beams 2' 1/2" apart foot  
 with set on rear for tank  
 with 17"X12"X5" stone in plaster

AL 1553-05