

FORM NO. 2.
PLAN No. 246

Original

APPLICATION TO ALTER, REPAIR, ETC.

1

Application is hereby made to alter as per subjoined detailed statement of specification for Alterations, Repairs to buildings already erected, and 2 herewith submit Plans and Drawings of such proposed alterations; and 2 do hereby agree that the provisions of the Building Law will be complied with, whether the same are specified herein or not.

(Sign here) Catharina Langwith

NEW YORK, February 18th 1887

for William Grant Archt

1. State how many buildings to be altered, One
2. What is the street or avenue and the number thereof, 111 - First Avenue
3. How much will the alteration cost, \$ 1000 ⁰⁰/₁₀₀

GIVE THE FOLLOWING INFORMATION AS TO THE PRESENT BUILDING:

1. Size of lot on which it is located, No. feet front, 24'5; feet rear, 24'5; feet deep, 72
2. Size of building, No. of feet front, 24'5; feet rear, 24'5; feet deep, 46; No. of stories in height, 5; No. of feet in height, from curb level to highest point of beams, 50
3. Material of building, Brick; material of front, Brick
4. Whether roof is peak, flat, or mansard, flat
5. Depth of foundation walls, 10 feet; thickness of foundation walls, 16; materials of foundation walls, Brick
6. Thickness of upper walls, 12 inches. Material of upper walls, Brick
7. Whether independent or party walls, party walls
8. How the building is occupied, Store and Tenement

IF TO BE RAISED OR BUILT UPON, GIVE THE FOLLOWING INFORMATION:

1. How many stories will the building be when raised? _____
2. How high will the building be when raised? _____
3. Will the roof be flat, peak, or mansard? _____
4. What will be the thickness of wall of additional stories? _____ story, _____ inches; _____ story, _____ inches.
5. Give size and material of floor beams of additional stories; _____ 1st tier, _____, _____ x _____; _____ 2d tier, _____, _____ x _____. Distance from centres on _____ tier, _____ inches; _____ tier, _____ inches.
6. How will the building be occupied? _____

Front to Building line

IF TO BE EXTENDED ON ~~ANY SIDE~~, GIVE THE FOLLOWING INFORMATION:

1. Size of extension, No. feet front, 24'5; feet rear, 24'5; feet deep, 6; No. of stories in height, 1; No. of feet in height, 11'6".
2. What will be the material of foundation walls of extension, brick. What will be the depth, 10 feet. What will be the thickness, 16 inches.
3. Will foundation be laid on earth, rock, timber or piles, on Earth.

IF TO BE EXTENDED ON ANY SIDE, GIVE THE FOLLOWING INFORMATION:

4. What will be the base—stone or concrete? *base Stone* If base stones, give size, and how laid
2'6" x 3' and 8' thick If concrete, give thickness: _____
5. What will be the sizes of piers? _____
6. What will be the thickness of upper walls in 1st story, *12* inches; 2d story, _____ inches
3d story, _____ inches; from thence to top, _____ inches; and of what materials to be
constructed, *hard brick in good mortar*
7. Whether independent or party walls; if party walls, give thickness thereof, *12* inches.
8. With what material will walls be coped? *with blue Stone*
9. What will be the materials of front? *Glass* If of stone, what kind _____
Give thickness of front ashlar, _____, and thickness of backing thereof, _____
10. Will the roof be flat, peak, or mansard? *flat*
11. What will be the materials of roofing? *tin*
12. Give size and material of floor beams, 1st tier, _____, _____ x _____; 2d tier, _____
_____ x _____; 3d tier, _____, _____ x _____; 4th tier, _____, _____ x _____; 5th tier,
_____ x _____; 6th tier, _____, _____ x _____; roof tier, *3x7*
_____ x _____. State distance from centres on 1st tier, _____ inches; 2d tier, _____ inches; 3d tier,
_____ inches; 4th tier, _____ inches; 5th tier, _____ inches; 6th tier, _____ inches;
roof tier, *20* inches.
13. If floors are to be supported by columns and girders, give the following information: Size and material
of girders under 1st floor, _____, _____ x _____ under upper floors, _____
_____ Size and material of columns under 1st floor,
_____ under upper floors, _____
14. If the front, rear or side walls are to be supported, in whole or in part, by iron girders or lintels, give
definite particulars. _____
15. If girders are to be supported by brick piers and columns, state the size of piers and columns.
16. How will the extension be connected with present or main building? *by large opening*
17. How will the extension be occupied? If for dwelling purposes, state how many families are to occupy
each floor, *as shown in drawing*

IF ALTERED INTERNALLY, GIVE DEFINITE PARTICULARS AND STATE HOW THE
BUILDING WILL BE OCCUPIED:

IF THE FRONT, REAR, OR SIDE WALLS, OR ANY PORTION THEREOF, ARE TO BE
TAKEN OUT AND REBUILT, GIVE DEFINITE PARTICULARS, AND STATE IN

WHAT MANNER:

*Take out in 1st story front the two centre piers and also two iron columns
have two 10 1/2" wrought iron beams 90 lb per yard well bolted together and carry
iron separators between beams to rest on present end piers and to be supported
by two 6" diam cast iron columns all iron work to be tested as per Law
have 12" high granite blocks under ends of beams and under iron
columns.*

B 448

L 28

Office of the Borough President of the Borough of Manhattan, 2
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE,
S. W. Corner 18th Street.

Plan No. 1291

APPLICATION FOR ERECTION OF BRICK BUILDINGS,

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the law shall be complied with in the erection of said building whether specified herein or not.

(Sign here)

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN,

Aug. 4, 1905

1. State how many buildings to be erected. One
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof).
In yard of bldg. #111-1 st Ave.
3. Will the building be erected on the front or rear of lot? Front
4. How to be occupied? closet compts If for dwelling, state the number of families in each house.
5. Size of lot? 33' 4" feet front; 23' 4" feet rear; 69' 6" feet deep.
Give diagram of same.
6. Size of building? 13' 8" feet front; 13' 8" feet rear; 6' 8" feet deep.
Size of extension? feet front; feet rear; feet deep.
Number of stories in height: main building? 1 story Extension? feet.
Height from curb level to highest point: main building? 9' 0" feet. Extension? feet.
7. What is the character of the ground: rock, clay, sand, etc.? Earth
8. Will the foundation be laid on earth, rock, timber or piles? Earth
9. Will there be a cellar? No
10. What will be the base, stone or concrete? concrete If base stones, give size and thickness, and how laid. If concrete, give thickness 12"
11. What will be the depth of foundation walls below curb level or surface of ground? 4' 0"
12. Of what will foundation walls be built? Brick
13. Give thickness of foundation walls: front, 12 inches; sides, 12 inches; rear, 12 inches; party, inches.

14. Will interior supports be brick partition walls or piers, iron columns or wooden posts?.....
Give size of same.....

15. If piers, give thickness of cap stones or plates.....bond stones or
plates.....

16. Give base course, width and thickness.....

17. Will any part of front, side or rear wall be supported on piers in cellar?.....

Give size: frontsize of base course.....

rear " " "

side " " "

Size of cap stones.....size of bond stones.....

18. Of what materials will the upper walls be constructed? *Brick*.....

What will be thickness of upper walls, exclusive of ashlar, if any?

Basement: front *8* inches; rear *8* inches; side *8* inches; party.....inches

1st story: " " " " " " " " " "

2d story: " " " " " " " " " "

3d story: " " " " " " " " " "

4th story: " " " " " " " " " "

5th story: " " " " " " " " " "

6th story: " " " " " " " " " "

7th story: " " " " " " " " " "

19. What will be the materials of the front? *Wood covered with galv. iron* If of stone, what kind?
..... If ashlar, give thickness.....

20. Will flues be lined with pipe or have 8 inches of brick around the same?.....

21. Will any wall be supported on iron or steel girders?.....

Front, materialsize.....weight or thickness.....

Side, " " " " " " " " " "

Rear, " " " " " " " " " "

Interior, " " " " " " " " " "

Will any wall be supported on iron or steel columns?.....

Front, materialsize.....weight or thickness.....

Side, " " " " " " " " " "

Rear, " " " " " " " " " "

Interior, " " " " " " " " " "

22. Give material of girders.....of columns.....

Under 1st tier, size of girders.....; size of columns.....

" 2d tier, " " " " " " " " " "

" 3d tier, " " " " " " " " " "

" 4th tier, " " " " " " " " " "

" 5th tier, " " " " " " " " " "

" Roof tier, " " " " " " " " " "

43. How basement to be occupied?
How made water-tight?
44. How will cellar stairs be enclosed?
45. How cellar to be occupied?
How made water-tight?
46. Will shafts be open or covered with louvre skylights full size of shafts?
.....
Size of each shaft?
47. Dimensions of water closet windows?
Dimensions of windows for living rooms?
48. Of what materials will hall partitions be constructed?
49. Of what materials will hall floors be constructed?
50. How will hall ceilings and soffits of stairs be plastered?
51. Of what material will stairways be constructed?
Give sizes of stair well holes.
52. If any other building on lot, give size: front; rear; deep; stories high; ..
how occupied; on front or rear of lot; material
How much space between it and proposed building?
53. How will floors and sides of water closets to the height of 16 inches be made waterproof?
54. Number and location of water closets: Cellar; 1st floor; 2d floor; 3d floor
.....; 4th floor; 5th floor; 6th floor; 7th floor
55. What is the estimated cost of each building, exclusive of lot? \$ 500.⁰⁰/₁₀₀
56. What is the estimated cost of all the buildings, exclusive of lots? \$ 500.⁰⁰/₁₀₀
- Owner, Mr. Christian Turck, Address, # 1216 Tinton Ave.
Architect, Henry Regelman, " # 133 7th Str.
Superintendent, "
Mason, "
Carpenter, "

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,
BOROUGH OF MANHATTAN,190

The undersigned gives notice thatintend to use thewall of building
.....
as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be
examined and a permit granted therefor. The foundation wallbuilt ofinches thick,
.....feet below curb; the upper wallbuilt ofinches thick,
.....feet deep,feet in height.

(Sign here)