

**B 449**  
**L 18**

# Department of Buildings of The City of New York.

THOMAS J. BRADY,

President of the Board of Buildings and  
Commissioner of Buildings for the Bor-  
oughs of Manhattan and The Bronx.

Office, No. 220 Fourth Avenue, S. W. cor. 18th Street,  
Borough of Manhattan.

JOHN GUILFOYLE,

Commissioner of Buildings for  
the Borough of Brooklyn.

Office, Borough Hall, Borough of Brooklyn.

DANIEL CAMPBELL,

Commissioner of Buildings for the Bor-  
oughs of Queens and Richmond.

Office, Richmond Building, New Brighton, Staten Island,  
Borough of Richmond.

Branch Office, Town Hall, Jamaica, Long Island,  
Borough of Queens.

Plan No. 27

## APPLICATION FOR ERECTION OF BRICK BUILDINGS.

Application is hereby made to the Commissioner of Buildings of The City of New York, for the Borough of Manhattan & The Bronx for the approval of the detailed statement of the specifications and plans herewith submitted, for the erection of the building herein described. All provisions of the Building Code shall be complied with in the erection of said building whether specified herein or not.

(Sign here) Schneider & Sons

THE CITY OF NEW YORK,

BOROUGH OF Manhattan May 8<sup>th</sup> 1901

1. State how many buildings to be erected one
2. What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) # 58 N. York St.
3. Will the building be erected on the front or rear of lot? front
4. How to be occupied? Dwelling If for dwelling, state the number of families in each house 2
5. Size of lot? 25 feet front; 25 feet rear; 97-6" feet deep.  
Give diagram of same.
6. Size of building? 25 feet front; 22 feet rear; 80-0" feet deep.  
Size of extension?          feet front;          feet rear;          feet deep.  
Number of stories in height: main building? 6 Extension?           
Height from curb level to highest point: main building? 74'-10" feet. Extension?          feet.
7. What is the character of the ground: rock, clay, sand, etc.? clay
8. Will the foundation be laid on earth, rock, timber or piles? earth
9. Will there be a cellar? yes
10. What will be the base, stone or concrete? concrete If base stones, give size and thickness, and how laid 12" thick. If concrete, give thickness
11. What will be the depth of foundation walls below curb level or surface of ground? 10 feet
12. Of what will foundation walls be built? Blue Ledge stone & cement mortar
13. Give thickness of foundation walls: front, 20 inches; sides, 2'-0" inches; rear, 2'-0" inches; party,          inches.
14. Will interior supports be brick partition walls or piers, iron columns or wooden posts? brick walls  
Give size of same 8" x 12"
15. If piers, give thickness of cap stones or plates          bond stones or plates

4/10-01  
JH

51. Will shafts be open or covered with louvre skylights full size of shafts? *open*

Size of each shaft? *12 1/2 x 3 - 12 1/2 x 3 25' x 3 18 1/2 x 3*  
*1 1/2 x 1 1/2 1 1/2 x 1 1/2*

52. Dimensions of windows for living rooms? *2 12' x 6' 9"*

53. What doors will have fan lights? *marked on plans*

Dimensions of same? *1 2' x 12' 6" 4 X*

54. Of what materials will hall partitions be constructed? *of Manhattan fire proof construction Co's patent - 2 partition blocks*

55. Of what materials will hall floors be constructed? *white floor on top of brick arches*

56. How will hall ceilings and soffits of stairs be plastered? *hall ceilings of plaster Paris*

57. How will halls be lighted and ventilated? *by windows facing Court & skylights*

58. Of what material will stairways be constructed? *cast iron string & treads with slate treads*

59. If any other building on lot, give size: front \_\_\_\_\_; rear \_\_\_\_\_; deep \_\_\_\_\_; stories high \_\_\_\_\_; how occupied \_\_\_\_\_; on front or rear of lot \_\_\_\_\_; material \_\_\_\_\_.

How much space between it and proposed building? \_\_\_\_\_

60. How will floors and sides of water closets to the height of 16 inches be made waterproof? *by glass floor & slate base*

61. Number and location of water closets: Cellar \_\_\_\_\_; 1st floor *3*; 2d floor *3*; 3d floor *3*; 4th floor *3*; 5th floor *3*; 6th floor *3*; 7th floor *basement 3*

62. Total area of shafts over 25 square feet? *247 3/4* Of courts? \_\_\_\_\_

Owner, *Leopold Kaufmann*

Address, *2487 2nd Ave.*

Architect, *Schlesinger & Fisher*

Superintendent, \_\_\_\_\_

Mason, \_\_\_\_\_

Carpenter, \_\_\_\_\_

If a Wall, or Part of a Wall already built is to be used, fill up the following:

THE CITY OF NEW YORK,

BOROUGH *1* OF *Manhattan and Bronx* 190 /

The undersigned gives notice that *he* intend to use the *East* wall of building *No 56 St. Mark's Place* as party wall in the erection of the building hereinbefore described, and respectfully requests that the same be examined and a permit granted therefor. The foundation walls are built of *stone* *20* inches thick, *10* feet below curb; the upper walls are built of *brick*, *12* inches thick, *58* feet deep, *40* feet in height.

(Sign here)

*Leopold Kaufmann*  
*Schlesinger & Fisher*



Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

**B 449**  
**L 18**

Office of the Borough President of the Borough of Manhattan,  
In The City of New York.

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,  
Office, No. 220 FOURTH AVENUE,  
S. W. Corner 18th Street.

Plan No.

259

## APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York for the Borough of Manhattan for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repair of the building herein described. All provisions of the law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here)

THE CITY OF NEW YORK,

BOROUGH OF MANHATTAN,

1906

## LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered one
- What is the exact location thereof? (State on what street or avenue; the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 135 St. 1st floor
- How was the building occupied? Commercial  
How is the building to be occupied? Commercial
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? no Size 10 x 20; height 10 feet. How occupied? Commercial Give distance between same and proposed building 10 feet.
- Size of lot? 10 feet front; 20 feet rear; 10 feet deep.
- Size of building which it is proposed to alter or repair? 10 feet front; 20 feet rear; 10 feet deep. Number of stories in height? 6 Height from curb level to highest point? 75'
- Depth of foundation walls below curb level? 10' 6" Material of foundation walls? brick Thickness of foundation walls? front 20 inches; rear 16 inches; side 20 inches; party 20 inches.
- Material of upper walls? brick If ashlar, give kind and thickness
- Thickness of upper walls:  
Basement: front 16 inches; rear 16 inches; side 16 inches; party 16 inches.  
1st story: " 16 " " 16 " " 16 " " 16 " " 16 "  
2d story: " 16 " " 16 " " 16 " " 16 " " 16 "  
3d story: " 12 " " 12 " " 12 " " 12 " " 12 "  
4th story: " 12 " " 12 " " 12 " " 12 " " 12 "  
5th story: " 12 " " 12 " " 12 " " 12 " " 12 "  
6th story: " 12 " " 12 " " 12 " " 12 " " 12 "
- Is roof flat, peak or mansard? flat

No. 100

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47.

- 47 Front windows in basement will be cut down to floor level; new show windows will be built in basement which will not project beyond building line, front cellar stairs will be re-set. Show windows will have galv. iron cornices.

If altered Internally, give definite particulars, and state how the building will be occupied :

48.

- 48 1st cross partitions in basement will be taken out as shown on plans.

49. How much will the alteration cost? \$ 600.

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

	Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor
51. How many families will occupy each?								
52. Height of ceilings?								

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How cellar to be occupied?

How made water-tight?

57. Will shafts be open or covered with louvre skylights full size of shafts?

Size of each shaft?

58. Dimensions of water-closet windows? \_\_\_\_\_  
 Dimensions of windows for living rooms? \_\_\_\_\_
59. Of what materials will hall partitions be constructed? \_\_\_\_\_  
 \_\_\_\_\_
60. Of what materials will hall floors be constructed? \_\_\_\_\_  
 \_\_\_\_\_
61. How will hall ceilings and soffits of stairs be plastered? \_\_\_\_\_
62. Of what material will stairways be constructed? \_\_\_\_\_  
 Give sizes of stair well holes? \_\_\_\_\_
63. If any other building on lot, give size; front \_\_\_\_\_; rear \_\_\_\_\_; deep \_\_\_\_\_;  
 stories high \_\_\_\_\_; how occupied \_\_\_\_\_; on front or rear  
 of lot \_\_\_\_\_; material \_\_\_\_\_  
 How much space between it and proposed building? \_\_\_\_\_
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? \_\_\_\_\_  
 \_\_\_\_\_
65. Number and location of water closets: Cellar \_\_\_\_\_; 1st floor \_\_\_\_\_; 2d floor \_\_\_\_\_;  
 3d floor \_\_\_\_\_; 4th floor \_\_\_\_\_; 5th floor \_\_\_\_\_; 6th floor \_\_\_\_\_
66. This building will safely sustain per superficial foot upon the first floor \_\_\_\_\_ lbs.; upon 2d floor  
 \_\_\_\_\_ lbs.; upon 3d floor \_\_\_\_\_ lbs.; upon 4th floor \_\_\_\_\_ lbs.; upon 5th floor  
 \_\_\_\_\_ lbs.; upon 6th floor \_\_\_\_\_ lbs.; upon 7th floor \_\_\_\_\_ lbs.; upon 8th floor  
 \_\_\_\_\_ lbs.

Owner, [redacted] Address, 274 N. 1st St.

Architect, [redacted] " J. H. Miller

Superintendent, [redacted] " \_\_\_\_\_

Mason, \_\_\_\_\_ " \_\_\_\_\_

Carpenter, \_\_\_\_\_ " \_\_\_\_\_

Architect: Max Miller (?: Difficult to read)



Applicant must indicate the Building Line or Lines clearly and distinctly on the Drawings.

**B 449**  
**L 1**Office of the Borough President of the Borough of Manhattan,  
In The City of New York.**3**

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN,

Office, No. 220 FOURTH AVENUE,

S. W. Corner 18th Street.

Plan No. 2162

## APPLICATION TO ALTER, REPAIR, ETC.

Application is hereby made to the Superintendent of Buildings of The City of New York, for the Borough of Manhattan, for the approval of the detailed statement of the specifications and plans herewith submitted for the alteration or repairs of the building herein described. All provisions of the Law shall be complied with in the alteration or repair of said building, whether specified herein or not.

(Sign here) Isaac BanduskyTHE CITY OF NEW YORK, BOROUGH OF MANHATTAN, Aug 18 1910

## LOCATION AND DESCRIPTION OF PRESENT BUILDING.

- State how many buildings to be altered 1
- What is the exact location thereof? (State on what street or avenue, the side thereof, the number of feet from the nearest street or avenue, and the name thereof) 58 St Marks Place  
South side 335' East of 2nd Ave.
- How was the building occupied? as a Tenement House.  
How is the building to be occupied? "
- Is the building on front or rear of lot? front Is there any other building erected on lot or permit granted for one? Size x height How  
occupied? Give distance between same and  
proposed building feet.
- Size of lot? 34' 9" feet front; 24' 9" feet rear; 100' feet deep.
- Size of building which it is proposed to alter or repair? 34' 9" feet front; 34' 9" feet rear;  
76' feet deep. Number of stories in height? 6 Height from curb level to  
highest point? 74'
- Depth of foundation walls below curb level? 7 ft. Material of foundation walls?  
brick Thickness of foundation walls? front 20 inches;  
rear 20 inches; side 30 inches; party inches.
- Material of upper walls? brick If ashlar, give kind and thickness inches.
- Thickness of upper walls:  
Basement: front 20 inches; rear 20 inches; side 20 inches; party inches.  
1st story: " 16 " " 16 " " 16 " " inches.  
2d story: " 16 " " 12 " " 12 " " inches.  
3d story: " 16 " " 12 " " 12 " " inches.  
4th story: " 16 " " 12 " " 12 " " inches.  
5th story: " 16 " " 12 " " 12 " " inches.  
6th story: " 16 " " 12 " " 12 " " inches.
- Is roof flat, peak or mansard? inches.

If the Front, Rear or Side Walls, or any portion thereof, are to be taken out and rebuilt, give definite particulars, and state in what manner :

47.

*[A large 'X' is drawn across the entire section for question 47.]*

If altered internally, give definite particulars, and state how the building will be occupied :

48.

*The fore and aft partitions of the 2<sup>nd</sup>, 3<sup>rd</sup>, & 4<sup>th</sup> rooms of the east and west apartments on the 2<sup>nd</sup>, 3<sup>rd</sup>, 4<sup>th</sup>, 5<sup>th</sup> & 6<sup>th</sup> floors are to be removed thus taking away the present hall between east & west apartment. And the rooms are to be made correspondingly larger. New partitions built where shown on plan constructed of 2x3 sticks.*

49. How much will the alteration cost?

*About 200 hundred dollars.*

If the Building is to be occupied as a Flat, Apartment or Lodging House, give the following particulars :

50. Is any part of building to be used as a store or for any other business purpose, if so, state for what?

*As at present.*

51. How many families will occupy each?

52. Height of ceilings?

Cellar	Base-ment	1st Floor	2d Floor	3d Floor	4th Floor	5th Floor	6th Floor

53. How basement to be occupied?

How made water-tight?

54. Will cellar or basement ceiling be plastered? How?

55. How will cellar stairs be enclosed?

56. How will cellar be occupied?

How made water-tight?

57. Will shafts be opened or covered with louvre skylights full size of shafts?

Size of each shaft?

*Don't present*

58. Dimensions of water closet windows? \_\_\_\_\_  
Dimensions of windows for living rooms? \_\_\_\_\_
59. Of what materials will hall partitions be constructed? \_\_\_\_\_  
\_\_\_\_\_
60. Of what materials will hall floors be constructed? \_\_\_\_\_  
\_\_\_\_\_
61. How will hall ceilings and soffits of stairs be plastered? \_\_\_\_\_
62. Of what material will stairways be constructed? \_\_\_\_\_  
Give sizes of stair well holes? \_\_\_\_\_
63. If any other building on lot, give size; front \_\_\_\_\_; rear \_\_\_\_\_; deep \_\_\_\_\_;  
stories high \_\_\_\_\_; how occupied \_\_\_\_\_; on front or rear  
of lot \_\_\_\_\_; material \_\_\_\_\_.  
How much space between it and proposed building? \_\_\_\_\_
64. How will floors and sides of water closets to the height of 16 inches be made waterproof? \_\_\_\_\_  
\_\_\_\_\_
65. Number and location of water closets: Cellar \_\_\_\_\_; 1st floor \_\_\_\_\_; 2d floor \_\_\_\_\_;  
3d floor \_\_\_\_\_; 4th floor \_\_\_\_\_; 5th floor \_\_\_\_\_; 6th floor \_\_\_\_\_;
66. This building will safely sustain per superficial foot upon the 1st floor \_\_\_\_\_ lbs.; upon 2d floor  
\_\_\_\_\_ lbs.; upon 3d floor \_\_\_\_\_ lbs.; upon 4th floor \_\_\_\_\_ lbs.; upon 5th floor  
\_\_\_\_\_ lbs.; upon 6th floor \_\_\_\_\_ lbs.; upon 7th floor \_\_\_\_\_ lbs.; upon 8th floor  
\_\_\_\_\_ lbs.
67. Is architect to supervise the alteration of the building or buildings mentioned herein? \_\_\_\_\_  
Name \_\_\_\_\_  
Address \_\_\_\_\_
68. If not the architect, who is to superintend the alteration of the building or buildings described herein?  
Name \_\_\_\_\_  
Address \_\_\_\_\_

Owner, James J. Anderson Address, 25 W. 1st St. - NYC

Architect, James J. Anderson " 25 W. 1st St. - NYC

Superintendent, \_\_\_\_\_ " \_\_\_\_\_

Mason, \_\_\_\_\_ " \_\_\_\_\_

Carpenter \_\_\_\_\_ " \_\_\_\_\_



Office of the Borough President of the Borough of Manhattan

IN THE CITY OF NEW YORK

THE BUREAU OF BUILDINGS FOR THE BOROUGH OF MANHATTAN

Office, No. 220 FOURTH AVENUE, S. W. Corner 18th Street

PLAN NO. 2162 { NEW BUILDINGS } 1910  
ALTERATIONS

Location 58 X Marks Pl.

BOROUGH OF MANHATTAN.

In all cases Inspectors will furnish the following information without regard to the information given in the Application and Plans on file in the Bureau.

1. Foundation walls. Depth below curb level \_\_\_\_\_ material \_\_\_\_\_  
thickness, front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches; party \_\_\_\_\_ inches.
  2. Upper walls. Material \_\_\_\_\_; thickness as follows:  
Basement: front \_\_\_\_\_ inches; rear \_\_\_\_\_ inches; side \_\_\_\_\_ inches; party \_\_\_\_\_ inches.  
1st story: " " " " " " " "  
2d story: " " " " " " " "  
3d story: " " " " " " " "  
4th story: " " " " " " " "  
5th story: " " " " " " " "  
6th story: " " " " " " " "
  3. Nature of ground \_\_\_\_\_
  4. Quality of sand used in mortar \_\_\_\_\_
  5. What walls are built as party walls? \_\_\_\_\_
  6. What fire escapes are provided? \_\_\_\_\_
  7. Is building fireproof? \_\_\_\_\_
  8. If building is vacant, state how the same was occupied Store & Tenement
  9. Is the present building to be connected with any adjoining building? \_\_\_\_\_  
If so, state dimensions and material of adjoining building, viz.:  
Material \_\_\_\_\_; feet front \_\_\_\_\_; feet rear \_\_\_\_\_;  
feet deep \_\_\_\_\_; feet in height \_\_\_\_\_; number of stories \_\_\_\_\_;  
how occupied \_\_\_\_\_
  10. How is present building occupied? Basement Store; 1st floor \_\_\_\_\_;  
2d floor \_\_\_\_\_; 3d floor \_\_\_\_\_; 4th floor \_\_\_\_\_; 5th floor \_\_\_\_\_;  
6th floor Tenement; 7th floor \_\_\_\_\_; 8th floor \_\_\_\_\_; 9th floor \_\_\_\_\_;
  11. Height of building: feet \_\_\_\_\_; stories \_\_\_\_\_
  12. Size of building: feet front \_\_\_\_\_; feet rear \_\_\_\_\_; feet deep \_\_\_\_\_
  13. Size of lot: " " \_\_\_\_\_; " " \_\_\_\_\_; " " \_\_\_\_\_
  14. Are fireproof shutters provided? \_\_\_\_\_ What kind? \_\_\_\_\_
- Dated, Aug 20 1910 William F. McEnte Inspector.

ORIGINAL 2321

THE CITY OF NEW YORK  
DEPARTMENT OF BUILDINGS

MANHATTAN      BROOKLYN      BRONX      QUEENS      RICHMOND  
Municipal Bldg.,      Municipal Bldg.,      1932 Arthur Ave.,      120-55 Queens Blvd.,      Boro Hall,  
New York, N. Y. 10007      Brooklyn, N. Y. 11201      Bronx, N. Y. 10457      Kew Gardens, N. Y. 11424      St. George, N. Y. 10301

NOTICE — This Application must be TYPEWRITTEN and filed in TRIPLICATE

Minor Structures, Minor Alterations and Repairs, Elevator Repairs, Drop Curb, Fire Escapes, Miscellaneous

BUILDING NOTICE

RECEIVED  
DEPARTMENT OF BUILDINGS

B.N. JUN-21 1970 2321

CITY OF NEW YORK  
BOROUGH OF MANHATTAN

DO NOT WRITE IN THIS SPACE

BLOCK 449 LOT 18

ZONING DISTRICT R7-2

Is sidewalk shed or fence required? No

SIDE WALK SHED. No sidewalk shed or fence shall interfere with visibility or operation of any traffic light. The Department of Traffic shall be notified whenever such structure is to be erected within seventy five (75) feet of a traffic light. Failure to comply may be cause for revocation of this approval and any permit issued thereon.

LOCATION 58 St. Marks Place, S.S. 300' East of 2nd Ave. Manhattan  
(Give Street Number)

THIS IS NOT A WORK PERMIT. A PERMIT MUST BE OBTAINED BEFORE WORK IS STARTED

State proposed work in detail: To seal dumbwaiter shaft in accordance with plans herewith filed.

Date of Construction ☒ Before 1938 ☐ After 1937

Indicate class of construction:

- ☐ Class 1—Fireproof      ☐ Class 2—Fire protected      ☒ Class 3—Non-fireproof  
☐ Class 4—Wood frame      ☐ Class 5—Metal      ☐ Class 6—Heavy timber

Number of stories high

How occupied CL.A.M.D. & Stores

Is application made to remove a violation? Yes Item 171, order 491

How to be occupied Same

Estimated Cost \$ 900.-

(Any variation in estimated cost shall be filed and recorded as an amendment.)

Exemptions

If exemption from payment fee is claimed, state clearly the basis of claim.

Initial fee payment— NOV 27 1970

2nd payment of fee to be collected before a permit is issued—Amount \$ 17.50 (30.50 - 30.50)

Verified by H. S. 09/05 Date

ADDITIONAL FEES REQUIRED AMOUNT \$

NOV 30 1970 725/48-A-2-SPC-BN 2321-2-9.00  
VERIFIED BY DATE

1. The sum of the fees indicated on the first and second receipts shall represent the total fee. Any variation on contemplated work or change affecting the estimated cost shall be recorded as an amendment. If any question arises in connection with the estimated cost or with the adequacy of the fee, no permit shall be issued unless adjusted to the satisfaction of the department at the direction of the Borough Superintendent.

Bribery is a Crime: A person who gives or offers a bribe to any employee of the City of New York, or an employee who takes or solicits a bribe, is guilty of a felony punishable by imprisonment for ten years or by a fine of \$4,000, or more, or both. Penal Law, Section 378 and 1826.

REMARKS OR SKETCH:

If this application is for Drop Curb Permit, DIAGRAM showing plot to be used, the relative position of the cut curb and the extent thereof, must be drawn above.

Cut curb.....Total Splay .....  
Length in Feet Length in Feet

Deposit (\$.....), either in cash or certified check, payable to the order of the Department of Buildings, to insure the proper construction of the sidewalk and curb.

Refer to N.B.  
ALT.....19

Stanley Rapoport  
(Typewrite Name of Applicant)  
has office

States that he resides at.....32 Union Square..... Borough of  
Manhattan.....

City of New York; that he is the agent for the (owner-lessee) of the premises above described, and is duly authorized to make this application for approval of the plans and specifications herewith submitted, and made a part hereof, for the work to be done in the building therein described,—with the understanding that if no work is performed hereunder within one year from the time of issuance, this approval shall expire by limitation as provided by law; and the applicant agrees to comply with all provisions of the Building Code and all laws and regulations applicable to the erection or alteration of said structure in effect at this date; that the work to be done is duly authorized by the owner.

Applicant further states that the full names and residences of the owners or lessees of said premises are:

Owner. Iginio Camilletti..... Address..... 228 West 16th Street

Lessee..... Address.....

DATED..... (Sign here) Stanley



AUTHORIZATION OF OWNER: I hereby state that I have authorized the applicant to file this application for the work specified herein.

Iginio Camilletti  
Signature of Owner or Officer of Corp.

Falsification of any statement is an offense under Section 982-9.0 of the Administrative Code and is punishable by a fine of not more than five hundred dollars (\$500.00) or imprisonment of not more than sixty (60) days or both.

JUL 8 1970  
For Approval on.....19

Approved..... JUL 8 1970

Mr. Jacoby  
Examiner

Borough Superintendent

Work commenced..... Date signed off.....19

I hereby Certify that the above report is true in every respect and that the work indicated has been done in the manner required by the Rules and Regulations of this Department, except where reported adversely.

Signed.....  
Inspector